

SDC
Water Conditioner
Formulated For Waterbeds

ACTIVE INGREDIENTS: Alkyl (hexadecyl 10% octadecyl 10%
octadecenyl 35% octadecadienyl 45%)
Trimethyl Ammonium chloride 10
INERT INGREDIENTS 90

To control bacterial growth following dosage recommended

Unheated Waterbeds

- a. Add 1 fluid ounce SDC Water Conditioner to water bed; up to 90 gallons water capacity
 - b. Add 2 fluid ounces SDC Water Conditioner to water bed; from 90 to 180 gallons water capacity
- Repeat unheated water bed treatment at 5 month intervals.

Heated Water Beds

- a. Add 2 fluid ounces SDC Water Conditioner to water bed; up to 90 gallons water capacity
 - b. Add 4 fluid ounces SDC Water Conditioner to water bed; from 90 to 180 gallons water capacity
- Repeat heated water bed treatment at 3 month intervals.

Do not reuse container; destroy when empty
Do not discharge effluent into lakes, streams, or ponds
See First Aid and Additional precautions on back panel

DANGER: KEEP OUT OF REACH OF CHILDREN
Net Cont. 2 Fluid Oz.

DANGER:

Keep Out of Reach of Children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

NOTE TO PHYSICIAN:

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or other, if available. If none are not available, drink large quantities of water. Avoid Alcohol. Call a physician immediately.

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.

Smith Distributing Co.
Bellflower, Calif. 90706

EPA Reg. No. 32465-1
EPA Est. No. 38081 CA-01