EPA REGISTRATION NO. US ENVIRONMENTAL PROTECTION AGENCY 32802-29 OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) TERM OF ISSUANCE WASHINGTON, DC 20460 NOTICE OF PESTICIDE: KEGISTRATION NAME OF PESTICIDE PRODUCT REREGISTRATION Trichlorfon 6.2 G Turf Coanules (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended) NAME AND ADDRESS OF REGISTRANT (Include ZIP co.'e) Howard Johnson's Unterprises, Inc. Railroad Avenue P.O. Box 829 Viroqua, WI 54665 NCTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number. On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act. A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith. Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the regis ration o. a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if a has been covered by others. This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you: 1. Submit and/or cite all data required for registration/reregistration of your product under FIFPA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data. 2. Add the phrase "EPA Registration No. 32802-29" to your label before you release the product for shipment. 3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Villiam R. Miller Product Manager (16) Insecticide-Rodenticide Branch Registration Division (TS-767C) Enclosures

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY

ATTACHMENT IS APPLICABLE

COMFILE B:32TRCHLR.LAB #4 EPA FILE SYMBOL: 32802-____

|Contains a Wetting| |Agent to Increase | |Thatch Penetration| | In Turf

15 LBS TREATS
WHITE GRUBS -5,000 SQ.FT.
SOD WEBWORMS-7,500 SQ.FT.

| ACCLLED |
|-------------------------------------------------|
| FEE 2 1 1:36 |
| as one grades periode registered under 22001 29 |

TRICHLORFON 6.2G

TURF GRANULES

FOR CONTROL OF LAWN AND TURF INSECTS SUCH AS WHITE GRUB SPECIES SOD WEBWORMS. AND CUTWORMS

FOR USE IN HOME LAWNS, PARKS, APARTMENT & CONDOMINIUM COMPLEXES GOLF COURSES, ATHLETIC FIELDS, AND OTHER ORNAMENTAL & RECREATIONAL TURF

Does Not Destroy Beneficial Insect Populations
When Use As Directed

ACTIVE INGREDIENT:

Dimethyl (2,2,2-trichloro-1-hydroxy-

ethyl phosphonate). 6.20%

Total 100.00%

KEEF OUT C' REACH OF CHILDREN

C : T I O N

STATEMENTS OF PRACTICAL TREATMENT

SWALLOWED: Call a physician or Poison Control Center immediately. Induce |
| vomiting by giving victim 1 or 2 glasses of water and touching back of throat |
| with finger. Do not induce vonmiting or give anything by mouth to an |
| unconscious our convulsing person. |
| IF IN EYES: Flush eyes with plenty of water. Get medical attention. |
| IF ON SKIN: Remove contaminated clothing and wash affected area with soap and

IF INHALED: Remove victim to fresh air. Apply artificial respiration if

indicated. Get medical attention immediately.

(water, Wash clothing before re-use,

| NOTE TO PHYSICIAN: Prolonged exposure will cause cholinesterase depression. | Atropine Sulfate is antidotal. 2-PAM is also antidotal and may be administered in connunction with atropine.

| SEE | SIDE/BACK | DANKY. | RUB | ADDITIONAL. | PRECAUTIONARY | CTATEMENTS |
|------|-----------|--------|-----|-------------|---------------------|------------|
| ندند | DIDE/DACK | | FUN | UNDITITOUND | FUECHULLOUMU | SIMICMENIS |

EPA REG. NO. 32802- EPA EST. NO.

EPA EST. NO. 32802-WI-1

.....

NET WEIGHT ___15_ POUNDS (6.80 Kg)

COMFILE B:32DRS232.LA2
EPA FILE SYMBOL:32802-___ TRICHLORFON 6.2G TURF GRANULES

PAGE 2 OF 3

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

|CAUTION: May be harmful if swallowed. Do not take internally. Do not breathe | |dust. Avoid contact with eyes, skin or clothing. Wash contaminated clothing | |before re-use. Wash thoroughly after handling and before eating or smoking. | |Keep children and pets off treated areas until this material is washed into the |the soil and the grass is dry. Do not contaminate feed or foodstuffs. Do not | |use treated areas or clippings from treated areas for feed or forage. |

ENVIRONMENTAL HAZARDS

|Do not contaminate water by cleaning of equipment or disposal of wastes. This | product is toxic to fish, birds, and wildlife. Do not apply directly to any | body of water. Do not apply where runoff is likely to occur. Use only as | directed on this label. Do not use on crops used for food or forage.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

|Do not contaminate water, food or feed by storage or disposal. STORAGE: Store | product in its original container in a cool, dry, locked place out of reach of |children. PESTICIDE DISPOSAL: Wastes resulting from the use of this product may |be disposed of on site or at an approved waste disposal facility. CONTAINER | DISPOSAL: Completely empty bag into application equipment. Then dispose of | empty bag in a sanitary landfill or by incineration, or, if allowed by State | and local authorities, by burning. If burned stay out of smoke. | HOUSEHOLD: Do not reuse empty bag. Wrap and put in trash.

SURFACE FEEDING INSECTS: Sod Webworms are capable of destroying large areas of turf. They live through the winter as a worm and change to a moth in May. Eggs are deposited very soon throughout the lawn and new worms hatch in May. By 'illing this first "brood" it is possible to reduce the worm population of later broods and therfore reduce turf damage.

HOW TO APPLY: Turf should be free of troublesome thatch which encourges insects. Rake or de-thatch the area and remove the debris to expose insect hiding places. Water the lawn and cut to proper height. Apply granules as recommended and sprinkle the area to move the insecticide down to the soil surface where insects feed.

HOW MUCH TO APPLY: For control of SOD WEBOWRMS (Lawn Moth Larvae), and CUTWORMS apply at the rate of 2 pounds / 1,000 Sq.Ft. of turf. (15 lb. bag treats 7,500 Sq.Ft.). Refer to chart for respective spreader settings. Make sure your Spreader is calibrated for this product before application.

WHEN TO APPLY: Treat in the spring (mid-May to June) or when your "Lawn "rogram" calls for a Surface Insect control applications. Repeat as the program indicates or as needed for control. Sod Webworms may have 3 to 4.... generations of larvae in 1 year which will require additional treatments at 30 to 40 day intervals during the summer months. Therefore repeat as needed for continued protection of lawn. Lightly sprinkle the area aften treatment as soon as possible to move the insecticide into the zone of insect infestation. Do not to allow children or pets on treated areas until material has been sprinkled in and the grass is dry.

COMFILE B:32TRCHLR.LA3 #4

EPA FILE SYMBOL: 32802-_ TRICHLORFON 6.2G TURF GRANULES

DIRECTIONS FOR USE (Cont.)

WHITE GRUB LARVAE CONTROL IN THE TURF

FOR ROOT FEEDING "White Grub" insect larvae of JAPANESE BEETLE, EUROPEAN CHAFER, & SOUTHERN CHAFER apply 3 lbs./ 1,000 Sq.Ft. of turf (15 lb. bag treats 5,000 Sq.Ft.). Make sure your spreader is properly calibrated to apply this product. Irrigate the turf after treatment as soon as possible to wash the insecticide into the root zone where the insects are feeding. Apply when the White Grub Larvae are young and actively feeding near the soil surface in mid July and early August. Consult your Agricultural Extension Service for the best time to treat for "Grubs" in your area. A second treatment at the same rate may be needed for mature large sized grubs.

HOW TO APPLY: IMPORTANT Do not attempt to control White Grubs in turf that has over 1/2 to 3/4 inch thatch build up since heavy thatch will prevent the insecticide from penetrating down to the area where the insects are feeding. Therefore troublesome thatch must be removed before treating for White Grubs. If thatch is not removed before treatment, poor "Grub" control (11 result.

The following spreader settings are for use with new equipment. Your used spreader may need calibrating. Since proper application is based on the spreaders condition with regard to age and use, your walking speed and the eveness of the terrain, your spreading equipment may require adjustments.

If you have reason to believe that your spreader is not calibrated correctly test apply by placing the amount for 500 Sq.Ft. into your spreader and apply to your pre-measured 500 Sq.Ft. (5 ft. wide by 100 ft long equals 3 passes with a 20 inch wide spreader) or by other suitable calibrating methods.

| | | SPREADER SETTINGS_ | |
|------|-------------------------|-----------------------|-----------------------|
| CTS | SURFACE FEEDING INSECT: | ROOT FEEDING INSECTS | |
| :. i | PER 7,500 SQ.FT. | PER 5000 SQ.FT. | APPLY |
| Mt. | 2.0 lbs./1,000 Sq.Ft. | 3.0 lbs./1,000 Sq.Ft. | i (|
| i | # 4 | # 4 1/2 | Scott 15 pounds |
| i | # 3 | # 3 1/2 | Cyclone 15 pounds _ |
| | # 4# 3 | | |

When using a 30 lb. bag; spreader settings will be the same as for the 15 lb. bag but it will treat twice as much Sq.Ft. as the 15 lb bag. These settings are based on a "Once Over" application.

NOTICE: Buyer and user assumes all risk and liability of use, storage and/or handling of this product not in accordance with the terms of this label.

