

DIRECTIONS FOR USE

Read and follow the label directions carefully. Do not use in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide sprays, mixtures, and concentrates that cannot be used or otherwise disposed of should be disposed of in a manner approved for pesticide disposal (e.g., incineration, deep well injection, or other approved method).


CONTAINER DISPOSAL: Use only containers approved for pesticide disposal (e.g., incineration, deep well injection, or other approved method).

GENERAL: For more information on safe disposal of pesticides, see the label and the appropriate literature. Do not use in a manner inconsistent with its labeling.

POTATO CUT SEED: For use on Seed Piece Disease. Apply 1.0 part by weight of SEED TREATER to each 1.0 part by weight of seed. For other uses, see label. Do not use on seed pieces that are not cut. Do not use on seed pieces that are not cut immediately after cutting. Do not use on seed pieces that are not cut immediately after cutting.

POTATO-WHOLE SEED: See label for use on seed. Apply 1.0 part by weight of SEED TREATER to each 1.0 part by weight of seed. Do not use on seed pieces that are not cut immediately after cutting.

CAUTION: This product is a highly toxic substance. It is extremely irritating to the eyes, nose, and throat. It is also highly toxic to aquatic life. Do not use in a manner inconsistent with its labeling. Do not use in a manner inconsistent with its labeling.



POTATO SEED TREATER FUNGICIDE

ACTIVE INGREDIENTS:	
A mixture of 5.2 part by weight (83.9%) of ammoniates of [ethylenebis (dithiocarbamate) - zinc with 1 part weight (16.1%) ethylenebis - [dithiocarbamic acid] bimolecular and trimolecular cyclic anhydrosulfides and disulfides 7.0%	
INERT INGREDIENTS:	93.0%
TOTAL	100.0%

Zinc expressed as metallic 1.23%

CAUTION

KEEP OUT OF REACH OF CHILDREN

May be harmful if swallowed. Avoid contact with eyes, nose, and throat. If contact occurs, flush with plenty of water. For more information, see label. Do not use in a manner inconsistent with its labeling.

DO NOT USE TREATED SEED FOR FOOD OR FEED PURPOSES

NET WEIGHT 50 POUNDS
EPA REG. NO. 337-3-17
EPA EST. NO. 31204-00-01

USAGE CAUTIONS

Do not use in a manner inconsistent with its labeling. Do not use in a manner inconsistent with its labeling.

DO NOT ALLOW THIS MATERIAL TO DRIFT ONTO NEIGHBORING CROPS OR NON-CROP AREAS OR USE IN A MANNER OR AT A TIME OTHER THAN IN ACCORDANCE WITH LABEL DIRECTIONS. DAMAGE TO NEARBY PLANTS OR CROPS, INCLUDING NEIGHBORING CROPS, MAY OCCUR.

NOTICE

This product is a highly toxic substance. It is extremely irritating to the eyes, nose, and throat. It is also highly toxic to aquatic life. Do not use in a manner inconsistent with its labeling. Do not use in a manner inconsistent with its labeling.

1983

SOD WEBWORMS, WHITE GRUBS, ANTS, FLEAS, BROWN DOG TICKS, CRICKETS,
CHINCH BUGS, CUTWORMS, EARWIGS, SOWBUGS, AND ARMYWORMS
EUROPEAN CRANE FLY LARVAE
HYPERODES (TURFGRASS) WEEVIL
IMPORTED FIRE ANT

ACCEPTED

IN HOME LAWNS, ORNAMENTAL & RECREATIONAL TURF

FOR PREMISE TREATMENT AROUND THE HOME

One Pound Treats 400 Square Feet

BROWN DOG TICKS - FLEAS - ANTS - CRICKETS - SOWBUGS

IN THE CONTROL and REDUCTION OF IMPORTED FIRE ANTS
BY DIRECT ANT MOUND APPLICATION USE

One Pound Treats 200 Square Feet

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 32802-49

ACTIVE INGREDIENT:

Chlorpyrifos: [0,0,-diethyl 0-(3,5,6-
trichloro-2-pyridyl) phosphorothioate]. 1.00%

INERT INGREDIENTS: 99.00%

Total 100.00%

DURSBAN® is a Registered Trademark of The Dow Chemical Company

KEEP OUT OF REACH OF CHILDREN

C A U T I O N

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Induce vomiting by giving victim 1 or 2 glasses of water and touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

IF IN EYES: Flush eyes with plenty of water. Get medical attention.

IF ON SKIN: Remove contaminated clothing and wash affected area with soap & warm water. Wash clothing before re-use.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated. Get medical attention immediately.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine only by injection is an antidote.

SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

EPA REC. NO. 32802-UO

EPA EST. NO. 32802-WJ

-MO

NET WEIGHT 25 POUNDS (1 lb.; 4 lb.; 50 lb.)

HOWARD JOHNSON'S ENTERPRISES, INC.

P.O. BOX 2990

MILWAUKEE WI 54665

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed. May be injurious to eyes and skin. Do not get on skin or in eyes. Wash thoroughly after handling. Do not wear contaminated clothing. Wash contaminated clothing before reuse. Avoid breathing dust. Keep away from food, feedstuffs, and water supplies. Flush contaminated eyes with plenty of water and get medical attention.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. STORAGE: Store product in its original container in a cool, dry, locked place out of reach of children. PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke. HOUSEHOLD: Do not re-use empty container. Wrap container and put in trash.

LAWNS AND ORNAMENTAL TURF

SURFACE FEEDING INSECTS

For control of Chinch Bugs, Sod Webworms (Lawn Moth), Ants, Fleas, Armyworms, Brown Dog Ticks, Crickets, Cutworms, Earwigs, Sowbugs and Millipedes apply 50 lb. to treat 22,000 Sq.Ft. Refer to Spreader Settings.

Treat in the spring or when insects first appear troublesome. Additional treatments at 30 day intervals may be needed for season long control of Sod Webworms. For best results after application lightly sprinkle the area to move the granules into the zone of insect infestation. Do not allow children or pets on treated areas until the grass is dry.

FOR ROOT FEEDING INSECTS

For Billbug Larvae, and the "White Grub" larvae of Japanese Beetle, European Chafer, Southern Chafer and Hyperodes Weevil apply 50 lbs. to treat 11,000 Sq.Ft. of lawn.

European Crane Fly larvae feeding in western states turfgrass will be controlled using 50 lbs per 15,000 Sq.Ft. with an individual application or if present, simultaneously with the same application being applied for control of "White Grubs" e.i. (50 lbs/11,000 Sq.Ft.). Consult your Agricultural Extension Agent for proper time to apply.

For the Hyperodes (Turfgrass) Weevil apply in Mid-April and again in Mid-May using 50 lbs. per 11,000 Sq.Ft.

Refer to the Spreader Settings Chart. Apply uniformly over the area and