



WHEELER DURSBAN "5M" GRANULES

Lawn and Turf Insect Control - 12 Pounds Treats Up To 5,000 Square Feet of Lawn

KILLS SO D WEBWORMS, WHITE GRUBS, ANTS, FLEAS, BROWN DOG TICKS, CRICKETS, CHINCH BUGS, CHIGGERS, CUTWORMS, EARWIGS, SOWBUGS, ARMYWORMS, & HYPERODES WEEVIL IN HOME LAWNS, ORNAMENTAL & RECREATIONAL TURF.

FOR PREMISE TREATMENT AROUND THE HOME for CONTROL OF BROWN DOG TICKS - FLEAS - ANTS - CRICKETS - SOWBUGS

AS AN AID IN THE CONTROL AND REDUCTION OF IMPORTED FIRE ANTS WHEN USED AS A MOUND TREATMENT
One Pound Treats 200 Square Feet

ACTIVE INGREDIENT:

Chlorpyrifos: (O,O-diethyl O-(3,5,6-trichloro-2-pyridyl) phosphorothioate) 1.00%

INERT INGREDIENTS: 99.00%
Total 100.00%

DURSBAN® is a Registered Trademark of The Dow Chemical Co.

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Induce vomiting by giving victim 1 or 2 glasses of water and touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

IF IN EYES: Flush eyes with plenty of water. Get medical attention.

IF ON SKIN: Remove contaminated clothing and wash affected area with soap & warm water. Wash clothing before re-use.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated. Get medical attention immediately.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine only by injection is an antidote.

SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS
EPA REG. NO. 36216-4 EPA EST. NO. 36216-FL-1

NET WEIGHT 12 POUNDS

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed. May be injurious to eyes and skin. Do not get on skin or in eyes. Wash thoroughly after handling. Do not wear contaminated clothing. Wash contaminated clothing before reuse. Avoid breathing dust. Keep away from food, feedstuffs, and water supplies. Flush contaminated eyes with plenty of water and get medical attention.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store product in its original container in a cool, dry, locked place out of reach of children. **PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke. **HOUSEHOLD:** Do not re-use empty container. Wrap container and put in trash.

LAWNS AND ORNAMENTAL TURF

SURFACE FEEDING INSECTS

For control of Chinch Bugs, Sod Webworms (Lawn Moth), Ants, Fleas, Armyworms, Brown Dog Ticks, Crickets, Cutworms, Earwigs, Grasshoppers, Sowbugs and Millipedes apply 12 lb. to treat 5,000 Sq. Ft. Refer to Spreader Settings.

Treat in the spring or when insects first appear troublesome. Additional treatments at 30 day intervals may be needed for season long control of Sod Webworms. For best results after application lightly sprinkle the area to move the granules into the zone of insect infestation. Do not allow children or pets on treated areas until the grass is dry.

FOR ROOT FEEDING INSECTS

For Billbug Larvae, and the "White Grub" larvae of Japanese Beetle, European Chafer, Southern Chafer and Hyperodes Weevil apply 12 lbs. to treat 2,500 Sq. Ft. of lawn.

For the Hyperodes (Turfgrass) Weevil apply in Mid-April and again in Mid-May using 12 lbs. per 2,500 Sq. Ft.

Refer to the Spreader Settings Chart. Apply uniformly over the area and immediately follow with a thorough watering to wash the insecticide into the soil where insects are feeding. For best control apply when the "grubs" are young & actively feeding near the soil surface in mid July & early August.

PREMISE TREATMENT AROUND THE HOME

To protect the dwelling and other buildings from possible insect infestations a band of granules may be placed around the building to control Ants, Brown Dog Ticks, Crickets, Earwigs, Fleas, Millipedes, Sowbugs, Springtails and Spiders. One half pound (8 ounces) of this product will treat (100 Sq. Ft.) a 5 foot wide band 20 ft long around the structure. This will act as a barrier against insects invading the home. Apply the protective band when insects have become troublesome or before they cause problems in the spring or early fall. Repeat one month later and then as needed for control but not more than once every 7 days. Consult your Agricultural Extension Service for the best time to treat in your area. Keep children and pet off treated area until grass is dry.

IMPORTED FIRE ANT

For individual Ant mounds measuring from 3 to 12 inches in diameter treat by applying 4 level tablespoonfuls (2/3 ounce) of granules evenly in a circle around the outer edges (1 to 2 feet from the center) of the mound. Finish the treatment then by applying 2 level tablespoonfuls (1/3 ounce) sprinkled evenly over the center of the mound. Best results will be obtained if mound is not disturbed after treatment thus allowing ants to come and go and to be exposed to the insecticide treated area. Repeat treatment as needed for additional control but not more than once every 7 days.

KNOW YOUR SPREADER

The following spreader settings are offered for use with new equipment. Your used spreader may need calibrating. Since proper application is based on the spreaders condition with regard to age and use, your walking speed and the evenness of the terrain, your spreading equipment may require adjustments from the following figures. If you have reason to believe that your spreader is not calibrated correctly, test apply by placing the amount for 500 Sq. Ft. into your spreader and apply to your pre-measured 500 Sq. Ft. (5 ft. wide by 100 ft long). Faulty and/or erratic application will result in poor insect control!

SPREADER SETTINGS

For SURFACE FEEDING INSECTS - Scott #4; Cyclone #3
For ROOT FEEDING INSECTS - Scott #6; Cyclone #6

NOTICE: Buyer assumes all risk and liability of use, storage and/or handling of this material not in accordance with the terms of this label. 11-15-85.

JAN 3 1986

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460	EPA REGISTRATION NO.	DATE OF ISSUANCE
	32802-51	JANUARY 31, 1989
NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	TERM OF ISSUANCE	
	Until Reregistration	
	NAME OF PESTICIDE PRODUCT	
	5% Sevin Brand Carbaryl Insecticide Granules	
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)		
Howard Johnson's Enterprises, Inc. P.O. Box 2990 Milwaukee, WI 53201		
NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.		
On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.		
A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.		
Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.		
This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:		
1. Submit, cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Act now requires all registrants of similar products to submit such data.		
2. Make the labeling changes listed below before you release the product for shipment:		
a. Add the phrase "EPA Registration No. 32802-51."		
b. Change the preharvest interval (PHI) for alfalfa to 7 days.		
c. In the broccoli, Brussels sprouts, cabbage . . . etc., use paragraph, specify turnip roots, or delete turnips from that paragraph.		
d. Add a 7-day PHI for grapes.		
<input type="checkbox"/> ATTACHMENT IS APPLICABLE		
SIGNATURE OF APPROVING OFFICIAL		DATE
Dennis H. Edwards		1/31/89

3. A 12-month storage stability study is needed for this product. The formulated product must be analyzed for its active ingredient at time zero and during a year of storage. The storage should be in warehouse conditions of temperature and humidity and stored in similar containers you will be using in the trade. A conditional registration can be granted provided that you submit the storage stability study within 15 months from the date of this Registration Notice.

4. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Dennis H. Edwards, Jr.
Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosures