



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

Janet P. Baguhn  
Howard Johnson's Enterprises, Inc.  
700 W. Virginia Street #222  
Milwaukee, WI 53204

FEB - 1 2010

Dear Ms. Baguhn:

SUBJECT: Label Amendment  
Crabgrass Preventer Plus with .20 Prodiamine  
Preemergence Herbicide  
EPA Registration No. 32802-65  
Your Application Dated October 30, 2009

The label amendment referred to above, submitted in accordance with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable with the following provisions:

1. Add "to the extent permitted by applicable law..." to the appropriate sections of the warranty language, regardless of which option is used.

A stamped copy is enclosed for your records. Please submit one (1) copy of your final printed labeling before you release the product for shipment. This amended labeling supersedes all previously accepted ones.

Sincerely yours,

Kathryn W. Montague  
Product Manager (23)  
Herbicide Branch  
Registration Division (7505P)

Enclosure

2/5

**CRABGRASS PREVENTER  
PLUS WITH .20 PRODIAMINE  
PREEMERGENCE HERBICIDE**  
FOR SELECTIVE PREEMERGENCE CONTROL OF GRASS AND  
BROADLEAF WEEDS IN LAWNS AND ORNAMENTAL TURF  
(excluding golf course putting greens),  
LANDSCAPE ORNAMENTALS, ESTABLISHED PERENNIALS  
AND WILDFLOWER PLANTINGS  
STOPS MANY UGLY WEED GRASSES BEFORE THEY GROW  
PREVENTS CRABGRASS, ANNUAL BLUEGRASS, FOXTAIL &  
MORE

ACTIVE INGREDIENT:  
Prodiamine: [N<sup>2</sup>,N<sup>2</sup>-Di-n-propyl-2,4-dinitro-6-  
(trifluoromethyl)-m-phenylenediamine] .....0.20%  
INERT INGREDIENTS: ..... 99.80%  
TOTAL: ..... 100.00%

EPA Reg. No. 32802-65  
EPA Est. No. 32802-WI-1 (A), 32802-MO-1 (B)  
First letter of bag code shows establishment where manufactured.  
See tag attached to bag for fertilizer guaranteed analysis.  
Manufactured by:  
**HOWARD JOHNSON'S ENTERPRISES, INC.**  
700 W. Virginia Street, Milwaukee, WI 53204-1548

Read the entire "Directions for Use" and "Warranty Statements" before using this product. If terms are not acceptable, return the unopened product container at once to the seller.

NET WEIGHT: 16 lbs (or 18, 20, 25, 30, 36, 40, 50 or 60 lbs)

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION:** See back panel for further precautions and First Aid information.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Causes moderate eye injury (irritation). Harmful if inhaled or absorbed through the skin. Avoid contact with skin, eyes, or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Prolonged or repeated skin contact with product may cause allergic reactions in some individuals.

**ENVIRONMENTAL HAZARDS:** This product has low solubility in water. At the limits of solubility, this product is not toxic to fish. However, at concentrations above the level of water solubility, it may be toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water when disposing of equipment washwaters.

*(Alternate wording for household use:)*  
**ENVIRONMENTAL HAZARDS:**  
To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather will help to ensure that wind does not blow pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.


Guaranteed Analysis	
Total Nitrogen (N)	XX.XX%
Available Phosphate (P2O5)	XX.XX%
Soluble Potash (K2O)	XX.XX%
Derived from:	
Chlorine (Cl), not more than XX.XX%	

First Aid	
<b>if in eyes</b>	<ul style="list-style-type: none"> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
<b>if on skin or clothing</b>	<ul style="list-style-type: none"> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
<b>if swallowed</b>	<ul style="list-style-type: none"> <li>Call a poison control center or physician immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by the poison control center or physician.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
<b>if inhaled</b>	<ul style="list-style-type: none"> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>

**Hot line number:**  
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Telecommunications Network at 1-800-858-7378.

**ACCEPTED**  
**with COMMENTS**  
**in EPA Letter Dated:**  
FEB - 1 2010  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

32802-65



3/5

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for use on plants being grown for sale or other commercial use, for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on golf courses or lawns and grounds.

*(Alternate wording for WPS exclusionary statement, for use when the product labeling contains only turf uses (ie when label is split to exclude the directions for use on ornamental sites:)*

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.


This product is a selective preemergence herbicide that provides residual control of many grass and broadleaf weeds in established lawns and ornamental turf (excluding golf course putting greens), landscape ornamentals and established perennials and wildflower plantings. It controls susceptible weeds by inhibiting weed seed germination and root development. When used according to directions, it will control: barnyardgrass; bluegrass, annual (*Poa annua*); carpetweed; chickweed, common; chickweed, mouseear (from seed); crabgrass (large, smooth); crowfootgrass; cupgrass, woolly; foxtails, annual; goosegrass<sup>1</sup>; henbit; itchgrass; johnsongrass (from seed); junglerice; knotweed; kochia; lambsquarter, common; lovegrass; panicum (Texas, fall, browntop); pigweed; purslane, common; pusley, Florida; rescuegrass<sup>2</sup>; shepard's purse<sup>2</sup>; signalgrass, broadleaf; speedwell, Persian; sprangletop; spurge, prostrate; witchgrass; woodsorrel, yellow (from seed).

<sup>1</sup> In many areas a single application of 7.6 to 17.2 pounds/1000 square feet (330 to 750 pounds/acre) will control goosegrass. However, under heavy goosegrass pressure and/or an extended growing season, most effective weed control may be obtained with an initial application of 7.6 to 11.5 pounds / 1000 square feet (330 to 500 pounds/acre), followed after 60 to 90 days by a second application at doses that would not exceed the maximum annual rate (see "Minimum and Maximum Application Rate by Turfgrass Species" table in the Rates of Application section of this label).

<sup>2</sup> For this weed, apply in late summer, fall or winter prior to germination.

<sup>3</sup> Suppression only.

**WHEN TO APPLY TO ESTABLISHED TURF:** This product must be applied prior to germination of weed seeds, as it will not control established weeds.



**THIS MAP SHOWS APPROXIMATE CRABGRASS GERMINATION DATES**

- ☐ After May 30
- ▨ After May 10
- ▩ After April 30
- ▧ After March 20
- January 1 to March 20

**APPLICATION DIRECTIONS:** Apply this product uniformly, using a suitable spreader that has been properly calibrated. Most effective weed control will be obtained when this product is activated by at least 0.5 inch of rainfall or irrigation, or with shallow (1-2 inches) incorporation, prior to weed seed germination and within 14 days after application.

**USE PRECAUTIONS:** The following precautions apply to the use of this product in turf grasses and lawns. Application of this product may thin emerged annual bluegrass and newly overseeded grasses. Do not apply to overseeded turf within 60 days after seeding or until after the second mowing, whichever is longer. Injury to desirable seedlings is likely if this product is applied before seedling secondary roots are in the second inch of soil (not thatch plus soil). Do not apply to newly set sod until the following year. Application to turf stressed by drought, low fertility, or pest damage may result in turf injury. Disturbing the herbicide barrier with cultural practices (such as core aeration) may result in reduced weed control. Do not apply to putting greens, or areas where dichondra, colonial bentgrass, velvet bentgrass or annual bluegrass (*Poa annua*) are desirable species. Do not apply through any type of irrigation system. Do not apply aerially. Do not graze or feed livestock forage cut from treated areas.

**RATES OF APPLICATION:** This product is recommended for use on the turf grass species listed in the following table. The maximum amount of this product that may be applied per year is given for each turf grass species. Do not exceed the maximum yearly rate listed:

Turf Species	MINIMUM AND MAXIMUM APPLICATION RATES (by Turf Grass Species)	
	Minimum Rate	Maximum Annual Rate <sup>1</sup>
Bahiagrass, Bermudagrass <sup>2</sup> Centipedegrass, Zoysiagrass Seashore Paspalum St. Augustinegrass Tall Fescue (including turf-type)	4 lbs / 1000 sq ft (174 lbs / acre)	17.2 lbs / 1000 sq ft per year (750 lbs / acre per year)
Buffalograss Kentucky Bluegrass Perennial Ryegrass	4 lbs / 1000 sq ft (174 lbs / acre)	11.5 lbs / 1000 sq ft per year (500 lbs / acre per year)
Creeping Red Fescue	4 lbs / 1000 sq ft (174 lbs / acre)	8.5 lbs / 1000 sq ft per year (370 lbs / acre per year)
Creeping Bentgrass	4 lbs / 1000 sq ft (174 lbs / acre)	7.6 lbs / 1000 sq ft per year (330 lbs / acre per year)

<sup>1</sup>These are the maximum rates per calendar year.

<sup>2</sup>May be used on newly sprigged or plugged Bermudagrass at rates not to exceed 6 pounds/1000 square feet (260 pounds/acre). Newly sprigged or plugged Bermudagrass stolon rooting may be temporarily retarded. Suppression only of foxtail, goosegrass and rescuegrass due to reduced rates used in sprigging situations.

This product may be applied as a single application or in sequential applications to control weeds germinating throughout the year. Sequential applications may be made so long as the total amount of product applied does not exceed the maximum annual application rates recommended for each turf species. The length of time of residual weed control provided by this product is related to the rate applied. Use the higher rates listed for longer periods of weed control.

**WHEN TO OVERSEED AFTER APPLICATION:** This product will inhibit germination of turf seed if overseeded too soon after application. Follow rates and intervals in table for best overseeding/ reseeding results.

USE RATE	MONTHS BEFORE OVERSEEDING		
	North	Transition	South
4 pounds / 1000 sq ft (174 pounds / acre)	4	4	4
7.6 pounds / 1000 sq ft (330 pounds / acre)	5	4	4
8.5 pounds / 1000 sq ft (370 pounds / acre)	6	5	5
9.2 pounds / 1000 sq ft (400 pounds / acre)	---	6	6
11.5 pounds / 1000 sq ft (500 pounds / acre)	---	7	7
13 pounds / 1000 sq ft (570 pounds / acre)	---	---	9
14.9 pounds / 1000 sq ft (650 pounds / acre)	---	---	10
17.2 pounds / 1000 sq ft (750 pounds / acre)	---	---	12

SPREADER SETTINGS	to apply at the listed pounds per 1000 square feet					
	4 lbs	6 lbs	7.6 lbs	8.5 lbs	11.5 lbs	17.2 lbs
Spreader A	X	X	X	X	X	X

*(May contain additional spreader brands/models, spreader settings and spreader use instructions as appropriate for the product.)*

**LANDSCAPE ORNAMENTALS** (including established perennials and wildflower plantings): This product may be applied for residual preemergence weed control in ornamentals. Apply at the rate of 7.6 to 17.2 pounds/1000 square feet (330 to 750 pounds/acre) in fall and/or spring. Use higher rates of application for longer control periods. Sequential applications may be made so long as the total amount of product applied does not exceed the maximum annual application rate of 17.2 pounds/1000 square feet (750 pounds/acre) per year.

**APPLICATION TIMING AND INFORMATION:** This product may be applied to newly transplanted and established ornamentals a broadcast, over the top or directed application. Around new transplants, delay application to allow soil to settle and water thoroughly before applying. Apply after cuttings form roots and become established. Apply before budding/grafting or after buds/grafts have taken to avoid any inhibition of the tissue union. This product is a preemergence herbicide and will not control emerged weeds. Most effective weed control in ornamentals will be obtained when this product is activated by at least 0.5 inch of rainfall or irrigation, or with shallow (1 to 2 inch) mechanical incorporation, prior to weed seed germination and within 14 days following application. Best weed control is obtained when applied to soil free of clods, weeds and debris such as leaves. Prior to application, control existing vegetation by hand weeding, cultivation or the use of an appropriate postemergence herbicide.

**TOLERANT ORNAMENTAL SPECIES:** This product will not harm most trees, shrubs, vines and flowers. The species listed below are tolerant to this product. Best results will be obtained when product is uniformly applied to the soil surface; avoid applying to ornamental shoots which may defeat the effort to get uniform distribution on the soil surface. This product may be applied over the top of these species. When plants are under stress (such as heat, drought or frost damage) some cultivars of listed plants may be sensitive to this product.

SCIENTIFIC NAME	COMMON NAME		
Abies spp.	Fir species** (Balsam, Frasier, Noble, etc.)	Ligustrum amurense . . . . . Amur Privet	
Abelia grandiflora	Abelia: Sherwood	Ligustrum sinense . . . . . Chinese Privet; Variegata	
Acer palmatum	Japanese Maple	L. japonicum . . . . . Japanese Privet	
A. platanoides	Norway Maple	L. lucidum . . . . . Glossy Privet (Waxleaf)	
Achillea spp.	Yarrow: King Edward	Lilium spp. . . . . Lily; Jazz	
Actinidia chinensis	Kiwi*	Liriope muscari . . . . . Big Blue Lily; Silver Mound, Evergreen Giant	
Agapanthus africanus	Lily-of-the-Nile (African Lily)	Liriope muscari var. variegata Liriope, Variegated	
Agapanthus orientalis		Liriope spicata . . . . . Liriope, Creeping	
Akebia quintata	Five-Leaf or Chocolate Vine	Lobelia Cardinalis . . . . . Cardinal Flower, Indian Pink	
Allium cernuum	Lady's Look, Nodding Onion	Lonicera japonica . . . . . Japanese Honeysuckle	
Anemone hybrida	Japanese Anemone	L. tatarica . . . . . Tatarian Honeysuckle	
Aquilegia spp.	Aquilegia: Red and Gold	Lorapetalum chinense . . . . . Burgundy	
Arctostaphylos densiflora	Vine Hill Manzanita	Lythrum spp. . . . . Loosestrife; Modern Pink	
Arctotheca calendula	Cape Weed	Magnolia spp. . . . . Magnolia species**	
Artemesia spp.	Wormwood; Silver Mound, Castle	Malephora luteola . . . . . Ice Plant	
Aster spp.	Aster: Bonnie Blue, Purple Dome	Malus spp. . . . . Crabapple*	
Aster X Frikartii		Miscanthus sinensis . . . . . Yaku Jima, Silberfeder	
Athrium Filiz-femina	Lady Fern; Fern Lady	Nandina domestica . . . . . Heavenly Bamboo	
Aucuba japonica	Japanese Aucuba	Narcissus spp. . . . . Narcissus species**	
Begonia spp.	Fibrous Begonia: Hardy Grandis	Nerium oleander . . . . . Oleander	
Berberis gladwynensis	Barberry	Olea europaea . . . . . Olive *	
B. Julianae	Wintergreen Barberry	Ophiopogon japonicus . . . . . Mondo Grass	
B. mentorensis	Mentor Barberry	Osmanthus heterophyllus . . . . . Osmanthus (False Holly): Gulf Tide	
B. Thunbergii	Japanese Barberry	Osteospermum fruticosum . . . . . Trailing African Daisy	
B. verruculosa	Warty Barberry	Oxydendrum arboreum . . . . . Sourwood	
Bergenia cordifolia		Paeonia suffruticosa . . . . . Tree Peony	
Boltonia asteroides	Snowbank	Pennisetum setaceum . . . . . Fountain Grass (Dwarf)	
Buddleia davidii	Butterfly-Bush (Dwarf Blue); Royal Red	Perovskia atriplicifolia	
Buxus microphylla	Japanese Boxwood	Persea americana . . . . . Avocado*	
Callistemon viminalis	Weeping Bottlebrush	Photinia Fraseri . . . . . Frasier's Photinia (Redtip)	
Calluna vulgaris	Scotch Heather	Physotegla Virginiana . . . . . Dragonhead, False; Vivid	
Campanula carpatica	Tussock Bellflower, (White Clips)	Picea spp. . . . . Spruce species** (Colorado Blue, Norway, etc.)	
Campis X Tagliabuana	Trumpet Flower, Madame Galen	Pieris japonica . . . . . Lily-of-the-Valley Bush	
Carpobrotus edulis	Hottentot Fig (Ice Plant)	Pinus brutia . . . . . Calabrian Pine	
Cassia artemisoides	Feathery Cassia	P. canariensis . . . . . Canary Island Pine	
Ceanothus rigidus	Wild Lilac	P. eliottii . . . . . Slash Pine	
Ceratostigma plumbagonoides		P. halepensis . . . . . Aleppo Pine	
Chamaecyparis pisifera	False Cypress	P. nigra . . . . . Austrian Pine	
Cleyera japonica	Cleyera	P. palustris . . . . . Longleaf Pine	
Citrus spp.	Citrus species*	P. radiata . . . . . Monterey Pine	
Coreopsis spp.	Coreopsis (Calliopsis) Early Sunrise, Moonbeam	P. strobus . . . . . Eastern White Pine	
Cornus florida	Flowering Dogwood	P. sylvestris . . . . . Scotch Pine	
C. stolonifera	American Dogwood	P. taeda . . . . . Loblolly Pine	
Cortaderia selloana	Pampas Grass	P. Thunbergiana . . . . . Japanese Black Pine	
Cotoneaster apiculatus	Cranberry Cotoneaster	P. virginiana . . . . . Virginia Pine	
C. buxifolius	Cotoneaster	Pistachio spp. . . . . Pistachio*	
C. dammeri	Bearberry Cotoneaster	Pittosporum rhombifolium . . . . . Queensland Pittosporum	
C. microphyllus	Rockspray Cotoneaster	P. tobira . . . . . Japanese Pittosporum	
Cretaeogus spp.	Hawthorne	Podocarpus macrophyllus . . . . . Japanese Yew	
Crocosmia spp.	Lucifer	Prunus laurocerasus . . . . . English Laurel	
Cupressus sempervirens	Italian Cypress	Prunus spp. . . . . Almond, Apricot, Nectarine, Peach, Plum and Prune*	
Delosperma alba	White Trailing Ice Plant	Pseudotsuga menziesii . . . . . Douglas Fir**	
Delosperma spp.	Cooperi Pink	Pyracantha coccinea . . . . . Firethorn (Scarlet)	
Delphinium spp.	Larkspur: Blue Elf	P. fortuneana . . . . . Firethorn	
Dianthus deltoides	Dianthus; Maiden Pinks "Zing"	P. koidzumii . . . . . Firethorn	
D. gratianopolitanus	Cheddar Pink	Pyrus spp. . . . . Bradford Pear spp.	
Dodonea viscosa	Hop Bush	Quercus shumardii . . . . . Oak, Shumard's Red	
Echinacea pupurea	Coneflower, Purple; Magnus	Quercus spp. . . . . Oak species	
Elaeagnus pungens	Silverberry	Raphiolepis indica . . . . . Indian Hawthorne	
Euonymus fortunei	Wintercreeper	Raphiolepis umbellata . . . . . Yedda Hawthorne	
E. japonica	Evergreen Euonymus	Rhododendron spp. . . . . 'Coral Bells,' 'Formosa,' 'Hino-crimson,' 'PJM' (including Azalea) . . . . . 'Delaware Valley White,' 'Roseum Elegans,' 'Flame Creeper,' 'Girard Crimson,' 'Wakeiebisu,' 'White Gumbo,' 'George L. Tabor'	
E. kiautschovica	Spreading Euonymus	Rosa banksiae . . . . . Lady Bank's Rose	
Fatsia japonica	Japanese Aralia	Rosmarinus officinalis . . . . . Rosemary*	
Forsythia intermedia	Border Forsythia	Rudbeckia spp. . . . . Black-Eyed Susan; Goldstrum	
Forsythia suspensa	Weeping Forsythia	Santolina virens . . . . . Santolina	
F. viridissima	Greenstem Forsythia	Saxifraga spp. . . . . Saxifrage; Purple Dome	
Gaillardia spp.	Gaillardia, Blanket Flower: "Goblin"	Scabiosa spp. . . . . Pincushion Flower	
Gardenia jasminoides	Gardenia, Cape-Jasmine	Sedum album . . . . . Stonecrop	
Gaura spp.		Sedum caudicicola . . . . . Stonecrop; Lidakense	
Gentiana daturica	Gentian	Sedum dasyphyllum . . . . . Stonecrop	
Geranium cinereum	Cranesbill	Sedum spuriun . . . . . Stonecrop; Dragon's Blood	
Gladiolus spp.	Gladiolus species**	Spiraea bumalda . . . . . Spiraea: Anthony Waterer	
Gypsophila repens	Baby's Breath	Syzygium paniculatum . . . . . Australian Brushcherry	
Hedera helix	English Ivy	Taxus cuspidata . . . . . Japanese Yew	
Hellanthemum spp.	Sunrose	T. media . . . . . Yew	
Hemerocallis spp.	Daylily: Aztec Gold, Stella de Oro, Tender Love	Teucrium spp. . . . . Germander	
Hibiscus	Rose of Sharon**	Thalictrum dipterocarpum . . . . . Meadow Rue	
Hibiscus spp.	Mallow: Disco Belle White	Thuja occidentalis . . . . . American Arborvitae	
Hibiscus rosa-sinensis	Chinese Hibiscus	Trachelospermum asiaticum . . . . . Star Jasmine	
Hosta plantaginea	Hosta, Plantain Lily (Fragrant)	Tsuga canadensis . . . . . Canada Hemlock	
H. Sieboldiana	Hosta, "Seersucker"	Tulipa spp. . . . . Tulip species	
Houttuynia cordata var. variegata		Veronica spp. . . . . Veronica, Speedwell; Sunny Border	
Hydrangea macrophylla	Bigleaf Hydrangea	Viburnum japonicum . . . . . Japanese Viburnum	
Ilex Berryl	Holly	V. odoratissimum . . . . . Sweet Viburnum	
Ilex cornuta	Chinese Holly	V. plicatum . . . . . Japanese Snowball	
I. crenata	Japanese Holly	V. rigidum . . . . . Canary Island Viburnum	
I. opaca	American Holly	V. suspensum . . . . . Arrowwood Viburnum	
I. vomitoria	Yaupon Holly, Schillings	V. tinus . . . . . Laurustinus	
Inula ensifolia		V. trilobium . . . . . Cranberry Bush	
Iris ensata	Sword-Leaved Iris; Jodlesong	V. wrightii . . . . . Leatherleaf Viburnum	
Iris siberica	Siberian Iris; Cabemet	Vinca major . . . . . Greater Periwinkle, Vinca	
Iris spp.	Iris species**	Vinca minor . . . . . Common Periwinkle, Vinca	
Jasminium nudiflorum	Winter Jasmine	Vitis spp. . . . . Grape*	
Juniperus chinensis	Chinese Juniper; Nick's Compact, Parsonii	Weigela florida . . . . . Old Fashioned Weigela	
J. conferta	Shore Juniper; Blue Pacific	Yucca aloifolia . . . . . Spanish Bayonet, Yucca	
J. davurica	Parsoni	Y. filametosa . . . . . Adam's Needle, Yucca	
J. horizontalis	Creeping Juniper		
Juglans spp.	Walnut*		
Justicia brandegeana	Shrimp Plant		
Lagerstromia indica	Crape Myrtle		
Lagerstromia indica X Fauriei	Crape Myrtle; Tuscarora		
Lantana montevidensis	Weeping Lantana		
Lavender spp.	Lavender; Munstead		
Leonopodium alpinum	Edelweiss		

S/S

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**STORAGE:** Store in original container in a locked storage area out of reach of children and domestic animals.

*(wording for Commercial use label:)*

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Completely empty bag into application equipment. Nonrefillable container: Do not reuse or refill this container. Offer for recycling, if available. If not available then dispose of empty bag in a sanitary landfill, or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

*(Alternate wording for household use:)*

**IF EMPTY:** Nonrefillable container: Do not reuse or refill this container. Offer for recycling, if available. **IF PARTLY FILLED:** Call your local solid waste agency for disposal instructions. Never place any unused product down any indoor or outdoor drain or toilet.

**GUARANTEE:** This product is unconditionally guaranteed.

*(Alternate wording for warranty statement:)*

**GREEN GUARANTEED:** Your satisfaction is guaranteed when this product is used in accordance with instructions. If product performance is less than satisfactory, seller will refund the full purchase price with evidence of purchase.

*(Alternate wording for warranty statement:)*

**NOTICE:** Buyer and user assumes all risks and liability of use, storage and/or handling of this product not in accordance with the terms of this label.

*(Alternate wording for warranty statement:)*

**WARRANTY AND DISCLAIMER:** Manufacturer/seller warrants that this product conforms to the ingredient statement on the label, and that the product is reasonably suited for the labeled use when applied according to directions. Buyer and user assumes all risks and liability of use, storage and/or handling of this product not in accordance with the terms of this label.

*(Alternate wording for warranty statement:)*

**WARRANTY AND DISCLAIMER:** Manufacturer/seller warrants that this product conforms to the ingredient statement on the label, and that the product is reasonably suited for the labeled use when applied according to directions. No other warranty, expressed or implied, is made concerning the merchantability or fitness for a particular purpose. Manufacturer/seller's liability shall be limited to the purchase price of the product. In no case shall manufacturer/seller be liable for consequential or incidental damages or loss. Buyer and user assumes all risks and liability of use, storage and/or handling of this product not in accordance with the terms of this label.

*(Alternate wording for warranty statement:)*

**WARRANTY AND DISCLAIMER:** Manufacturer/seller warrants that this product conforms to the ingredient statement on the label, and that the product is reasonably suited for the labeled use when applied according to directions. No other warranty, expressed or implied, is made concerning the merchantability or fitness for a particular purpose. Manufacturer/seller's liability shall be limited to the purchase price of the product. In no case shall manufacturer/seller be liable for consequential or incidental damages or loss. Buyer and user assumes all risks and liability of use, storage and/or handling of this product not in accordance with the terms of this label. Products not accepted under these terms should be returned within 20 days in the original, unopened container for return of purchase price.

*(Alternate wording for warranty statement:)*

Warranty

The directions for use of this product are believed to be adequate and must be followed carefully, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result due to such factors as weather conditions, presence or absence of other materials, or the manner of use or application, all of which are beyond the control of Howard Johnson's Enterprises, Inc the manufacturer, or the seller. To the extent consistent with applicable law, the products sold to you are furnished "as is" by Howard Johnson's Enterprises, Inc. The manufacturer and the seller are subject only to the manufacturer's warranties, if any, which appear on the label of the product sold to you. Except as warranted by this label Howard Johnson's Enterprises, Inc, the manufacturer, or the seller makes no warranties, guarantees, or representations of any kind to the buyer or the user, either express or implied, or by usage of trade, statutory or otherwise, with regard to the product sold or use of the product, including, but not limited to, merchantability, fitness for a particular purpose or use, or eligibility of the product for any particular trade usage. To the extent consistent with applicable law, Buyer's or user's exclusive remedy, and Howard Johnson's Enterprises, Inc the manufacturer's or the seller's total liability shall be limited to damages not exceeding the cost of the product. No agent or employee of Howard Johnson's Enterprises, Inc, or the seller is authorized to amend the terms of this warranty disclaimer or the product's label or to make a presentation or recommendation different from or inconsistent with the label of this product. To the extent consistent with applicable law, Howard Johnson's Enterprises, Inc, the manufacturer, or the seller shall not be liable for consequential, special, or indirect damages resulting from the use, handling, application, storage, or disposal of this product or for damages in the nature of penalties, and the buyer and the user waive any right that they may have to such damages.

*(Optional wording required by some states in order to effect fertilizer registration:)*

When soil testing or professional advice indicates the need for additional plant nutrients, make additional applications of fertilizer products over the growing season.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.wa.gov/ag/>

*(Optional wording for use with fertilizer inert ingredients that cause staining:)*

This product may stain driveways, walks, patios, pools, etc. Wash or sweep off thoroughly immediately after each use.

*(Optional marketing statement when Barricade® is formulated in formula:)*

Contains .20 BARRICADE® PREEMERGENCE HERBICIDE BARRICADE® is a registered trademark of Syngenta Crop Protection

**Optional Fertilizer Marketing Claims**

- Contains slow release Nitrogen for extended greening
- Contains slow release Nitrogen for extended feeding
- Nitrogen for a lush green lawn
- Phosphate improves root growth
- potassium Vital for growth & drought resistance
- Phosphate free fertilizer

**Optional Marketing Claims**

STOPS MANY UGLY WEED GRASSES BEFORE THEY GROW  
3-5 month Weed Grass Control