

## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Janet P. Baguhn Howard Johnson's Enterprises 700 West Virginia Street, No 222 Milwaukee, WI 53204

JUN 8 2011

Subject: Notification per PR Notice 98-10 – Add Alternate Brand Name

Crabgrass Preventer Plus with .37 Prodiamine Preemergence Herbicide

EPA Reg. No. 32802-66

Application Dated - May 25, 2011

Proposed Alternate Name: Pennington Seed Crabgrass Control Plus with 0.37% Prodiamine

Dear Ms. Baguhn:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the subject product.

The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10. The label submitted with the application has been date-stamped "Notification" and will be placed in our records.

If you have any questions regarding this letter, please contact Maggie Rudick at (703) 347-0257 or <u>rudick.maggie@epa.gov</u>.

Sincerely,

Kathryn Montague, Product Manager 23

Herbicide Branch

Registration Division (7505P)

2095

	(					(				rint Form	
Please read instructions on I	everse before comple	ting form.			Form Appr	oved,	OMB No.	2070-00	80 E	[2] (1] [2] [2] [2] [2] [2] [2] [2] [2] [2] [2	
O FDA United States						Regist		OPP id	entifier Number		
Environmental Protection Age Washington, DC 20480			ency			Amend	lment	1			
	Wastington, DC 2046					Ľ	Other				
		Application	on for	Pestici	de - Sect	tion	1				
1. Company/Product Number 32802-66	•		2. EPA Product Menager			3.	3. Proposed Classification				
4. Company/Product (Name) Howard Johnson's Enter	prises, Inc	nggang ang Pipenin Pagana dalah di Paga da	arpete <del>ylani, alaş</del> ı	PN45 23				None	Restricte	d	
5. Name and Address of App	olicent <i>(Include ZIP Co</i>	ode)	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)						-		
Howard Johnson's Ente	envicas Inc		(b)(i), my product is similar or identical in composition and labeling								
700 West Virginia Street		53204	to:								
				EPA Reg. No.						-	
Check if this	is a new address	A SECTION AND ADDRESS OF THE		Produ	ct Name						
			So	ction - I							
Amendment - Explain	below.				Final printed	i lebe	la in respon	en to			
Resubmission in resp	ones to Ameneu latter	deted			Agency lett			******	····		
<u> </u>	• •	4000	<del>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</del>	_  _							
X Notification - Explain	below.				Other - Exp	lein be	dow.				
Explanation: Use eddition	al page(s) if necesses	y. (For sectio	n I and S	lection (I.)						the second second second second	(America)
Notification of additiona	brand name: Penn	ington Seed	Crabgra	ass Contro	l Plus with (	0.37%	6 Prodiami	ne			
		_	_								
			Sec	ction - I	1						
1. Material This Product Wil	Be Packaged In:										
Child-Resistant Packaging	Child-Resistent Packaging Unit Packaging		Water Soluble Packaging		2. Type of Container						
Yes	You		Yes			Metsi Plasti					
× №	X No		<u> </u>	No		-		Glass	•		
• Certification must	H "Yes" Unit Peckaging wat	No. per container	II "Y	ego wet	No. per container	,	<del> </del> ×	Peper	(Specify)		
be submitted					1		B		(opozii yi		
3. Location of Not Contents	Information	4. Size(s) Re	el Cont	diner		S, Lo	Cation of La		tions		
Label 🛛 C	ontainer	50 lbs		·					empanying	product	
6. Manner in Which Lebel is	Affixed to Product	X Lithou	reph		Other						
6. Manner in Which Label is Affixed to Product    Lithograph   Other											
Section - IV											
1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this epilication.)											
Name Janet P. Baguhn		Tido Compliance Manager		Telephone No. 4m		stude Area Code	j				
			4/			414	the state of the s	کری شربر	-		
Certification I certify that the statements I have made on this form and all attachment				hunanda al-					G. Dota	.∆ppliestic. jyski cc	(
I acknowledge that any knowingly false or misleading statement may										Scamped)	ŧ
both under applicable law.							4-43-1-7-C-10-10-10-10-10-10-10-10-10-10-10-10-10-		(((	t	
2. Signature			3. Title				,	( (((	•		
pur			Compliance Manager					( ( (			
4. Typed Name			5. Dato					((			
Janet P. Baguhn			5-25-11								
<b>1</b> / -									1		



May 25, 2011

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) U.S. Environmental Protection Agency 1200 Pennsylvania Ave, N.W. Washington, DC 20460

RE: Notification of Additional Brand Name

CRABGRASS PREVENTER PLUS WITH .37 PRODIAMINE PREEMERGENCE

**HERBICIDE** 

Pennington Seed Crabgrass Control Plus with 0.37% Prodiamine

EPA Reg. No. 32802-66

Dear Ms. Miller,

Enclosed please find three applications for Notification of Additional Brand Name to the above-reference pesticide registration.

Thanks you for your assistance. Please contact me if you have any questions: janet.baguhn@hjefertilizer.com, or 414-276-1505 ext 105

Sincerely,

Janet P. Baguhn

Enclosures: Notification of Additional Brand Name

Copy of Product label

Certifications



Date:

May 25, 2011

Product:

CRABGRASS PREVENTER PLUS WITH .37 PRODIAMINE

PREEMERGENCE HERBICIDE

Pennington Seed Crabgrass Control Plus with 0.37% Prodiamine

EPA Reg. No. 32802-66

Registrant:

Howard Johnson's Enterprises, Inc.

700 W. Virginia Street

Milwaukee, WI 53204-1548

Action:

Notification of Additional Brand Name

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152-46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and CFR 152-46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Jan∉t P. Baguhn

Compliance Manager

NOTIFICATION

JUN - 8 2011



## CRABGRASS CONTROL PLUS WITH 0.37% PRODIAMINE

FOR SELECTIVE PREEMERGENCE CONTROL OF GRASS & BROADLEAF WEEDS IN LAWNS AND ORNAMENTAL TURF GRASSES (EXCLUDING GOLF COURSE PUTTING GREENS) LANDSCAPE ORNAMENTALS, ESTABLISHED PERENNIALS & WILDFLOWER PLANTINGS. STOPS MANY UGLY WEED GRASSES BEFORE THEY GROW. PREVENTS CRABGRASS ANNUAL BLUEGRASS, FOXTAIL, & MORE.

ACTIVE INGREDIENT:

Prodiamine: [Nº,Nº-Di-n-propyl-2,4-dinitro-8-INERT INGREDIENTS: 99,63% 

EPA Reg. No. 32802-66 EPA Est. No. 32802-MO-1 (R)

First letter of bag code shows establishment where manufactured.

Manufactured by: Howard Johnson's Enterprises, Inc. 700 W. Virginia St., No. 222 Milwaukee, WI 53204

Read the entire "Directions for Use" and "Warranty Statements" before using this product. If terms are not acceptable, return the unopened product container at once to the seller.

**GUARANTEED ANALYSIS** 

NOTIFICATION ... JUN - 8 2011

Net Weight 50 lbs (22.70 kg)

## KEEP OUT OF REACH OF CHILDREN CAUTION

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye injury (irritation). Harmful if inhaled or absorbed through the akin. Avoid contact with akin, eyes or clothing. Avoid breathing duat. Wash thoroughly with acap and water after handling. Prolonged or repeated skin contact with product may cause allergic reactions in some individuals. <u>ENVIRONMENTAL HAZARDS</u>: This product has low solubility in water. At the timits of salubility, his product is not toxic to fish. However, at concentrations above the level of water solubility, it may be toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms

	First Ald
if in eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes.     Remove contact lenses, if present, after the first 5 minutes, then continue inising eye.     Call a poison control center or doctor for treatment advice.
If on skin or clothing	Take off contaminated clothing. Rinsa skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If ewallowed	Call a poison control center or physician immediately for reatment advice.     Have person sip a glass of water it able to swallow.     Do not induce vemilting unless told to do so by the poison control center or physician.     Do not give anything by mouth to an unconscious person.
If inhaled	Move person to fresh air.     Il person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.     Call a poison control center of doctor or fir ther treatment advice.

Have the product container or lane, with you who a calling a pulson control center or doctor, or going for trestment. For information on his pesticide product (including health concerns, medical emergencies, or pesticide Incidents), call the National Pesticide Telecommunications Network at 1-800-

internet at http://www.wa.gov/agr/

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Not for use on plants being grown for sale or other commercial use, for commercial sead production, or for research purposes. For use on plants intended for sestinetic purposes of climatio pumposes. For use on plants intended for seethelic purposes or climate modification and being grown in omaninating jardinar or partia, or on golf courses or lawns and grounds. This product is a selective preemerpence harbicide that provides residual control of many grass and broadleal weeds in established lawns and omamental turn (excluding golf courses putting present), landscaped omamentals and established permittels and wildflower plantings. In control omamentals and established permittels and wildflower plantings. In control omamentals and established permittels and wildflower plantings. In control omamentals and established permittels and wildflower plantings. In control of the plantings of the plantings of the planting of the pumposes of the planting of the planting

In many areas a single spole of the second s

For this weed, apply in late summer, fall or winter prior to germination

WHEN TO APPLY TO ESTABLISHED TURE: This product must be applied prior to permination of weed seeds, as it will not control established weeds.

RPEI/GATION DIRECTIONS: Apply this product uniformly, using a suitable syracter that has been properly calibrated. Most effective weed control will be bottched when this product is activated by at least 0.5 hoch or rainfall or irrigation, or with shallow (1 to 2 inches) incorporation, prior to weed seed germination and

Incidents), call the National Pesticide Telecommunications Network at 1-800858-7378.

Was PRECATIONS: The following precautions apply to the use of this product in 858-7378.

Was PRECATIONS: The following precautions apply to the use of this product in 858-7378.

Was PRECATIONS: The following precautions apply to the use of this product in 858-7378.

Was PRECATIONS: The following precautions apply to the use of this product in 858-7378.

Was PRECATIONS: The following precautions apply to the use of this product in 858-7378.

Was PRECATIONS: The following precautions apply to the use of this product in 858-7378.

Was PRECATIONS: The following precautions apply to the use of this product in 858-7378.

Was PRECATIONS: The following precautions apply to the use of this product in 858-7378.

Was PRECATIONS: The following precautions apply to the use of this product in 858-7378.

Was PRECATIONS: The following precautions apply to the use of this product in 858-7378.

Was PRECATIONS: The following precautions apply to the use of this product in 858-7378.

Was PRECATIONS: The following precautions apply to the use of this product in 858-7378.

Was PRECATIONS: The following precautions apply to the use of this product in 858-7378.

Was PRECATIONS: The following precautions apply to the use of this product in 858-7378.

Was PRECATIONS: The following precautions apply to the use of this product in 858-7378.

Was PRECATIONS: The following precautions apply to the use of this product in 858-7378.

Was PRECATIONS: The following precautions apply to the use of this product in 858-7378.

Was PRECATIONS: The following precautions apply to the use of this product in 858-7378.

Was PRECATIONS: The following precautions apply to the use of this product in 858-7378.

Was PRECATIONS: The following precautions apply to the use of this product in 858-7378.

Was PRECATIONS: The following precautions apply to the use of this product in 858-7378.

Was PRECATIONS: The following precautions apply to the use of this precaution apply to th roots are in the second inch of soil (not thatch plus soil)

Spreader setting to	apply at the listed Cone setting	rate (lbs p 3.0 lbs	er 1000 aq 1 4,0 lbs	N) 4,6 lbs	6.2 lbs	9.3lbs
Accu-Pro 2000	- 6	L 1/2	M 1/2	N 1/2	O 1/2	Q 1/2
SR2000	6	L 1/2	N	0 1/2	P	R
Lesco 021820	0.25 Closed	D 1/2	E 1/2	F 1/2	G 1/2	1 1/2
Spyker 76-22		4.3	4.5	4.7	4.9	5.5
PSB Bigfoot	A.S	J 1/2	K 1/2	L 1/2	М	N 1/2
Lely HR	N-B	5.25	6	6.5	7	8.5
Vicon 203		15	17	19	21	27

Minimum and Maximum Application Rates (by Turf Grass Species)  Turf Species Minimum Rate Maximum Annual Rate				
Bahlagrass, Centipedegrass Bermudagrass <sup>1</sup> , Zoysiagrass Seashore Paspalum St. Augustinegrass Tall Fescue (including turf-type)	3.2 pounds per 1000 sq. ft	9.3 pounds per 1000 sq. ft. per year		
Buffalograss Kentucky Bluegrass Perennial Ryegrass	3.2 pounds per 1000 sq. ft.	6.2 pounds per 1000 sq. ft. per year		
Creeping Red Fescue	3.2 pounds per 1000 sq. ft.	4.6 pounds per 1000 sq. ft. per year		
Creeping Bentgrass	3.2 pounds per 1000 sq. ft.	4.0 pounds per 1000 sq. ft. per year		

These are the maximum rates per calendar year.

May be used on newly sprigged or plugged Barmudagrass at rates not to exceed
3.3 be / 1000 square feet. Newly sprigged or plugged Barmudagrass stolon rooting
nay be temporarily retarded. Suppression only of foxfall, goosegrass and rescuegrass
use to reduced rates used in aprigging statisticing.

Use Rate	Months Before Overseeding			
lbs / 1000 aq ft	North	Transition	South	
3 lbs	4	4	4	
4 lbs	5	4	4	
4,6 lbs	. 6	5	5	
4.9 lbs		6	6	
6.2 ibs		7	7	
7 lbs			9	
ed18			10	
9.3 lba			12	

On not apply to newly set sod until the tolowing year. Application to turt stressed by drought, low fertility, or peer damage may result in furt injury. Describing the many set of the peer of the pe RATES OF APPLICATION: This product is recommended for use on the turl grass species listed in the following table. The maximum amount of this product that may be applied per year is given for each turl grass species. Do not exceed the maximum yearly rate listed:

This product may be applied too single application or in sequential applications are too the product may be applied too single applications or any be controlled to the product of the maximum application rates recommended for seath full species. The length of time of residual weed control provided by this product is related to the rate applied. Use the higher rates listed for longer periods of weed control.

WHEN TO OVERSEED AFTER APPLICATION: This product will inhibit germination of furl seed if overseeded too soon after application. Follow rates and intervals in table for best overseeding/ resealing results.

ANDESCAPE: ONNABENTA'S (incutiving established penernials and wildthown-hands of the penernials of the penernials and wildthown-hands of the penernials. Apply at the rate of 3.2 to 9.3 the x 1000 square feet in fall and/or spring Use higher traits of application for longer control periods. Sexuandal applications may be made so long as the total amount of product applied does not exceed the maximum annual application rate of 9.3 be / 1000 square feet per year.

per 4.0 pounds per 1000 og. ft. per year 100

TOLERANT ORNAMENTAL SPECIES: This product will not harm most trees, shrubs, vines and flowers. The species listed below are loterant to this product. Beat results will be obtained when product is uniformly applied to the soil surface; avoid applying to ornamental shoots which may deleat the effort to get uniform distribution on the soil surface. This product may be applied over the top of these species. When plants are under stress (such as heat, drought or frost

SCIENTIFIC NAME	COMMON NAME
Abies spp	Fir species** (Balsam, etc.
Acer palmatum	Japanese Maple
A. platanoides	Norway Maple
Actinidia chinenals	Kiwi*
Agapanthus africanus	Lily-of-the-Nile (African Lily
Arctostaphylos densillora	Vine Hili Manzanita
Arototheca calendula	Cape Weed
Auouba japonica	Japanese Aucuba
Berberis gladwynensis	Barberry
B, julianae	Wintergreen Barberry
B. mentorensis	Mentor Barberry
B. thunbergil	Japanese Barberry
Buxus microphylla	Japanese Boxwood
Caliletemon viminalis	Weeping Bottlebrush
Calluna vulgaris	Scotch Heather
Carpobrotus edulis	Hottentot Fig (Ice Plant)
Cassia artemisoides	Feathery Cassia
Ceanothus rigidus	Wild Lilac
Chamaecyparis plaifera	False Cypress
Cleyera Japonica	Cleyera
Citrus sop. Cornus florida	Citrus species*
C. stoionilera	Flowering Dogwood
Cortaderia selloana	American Dogwood Pampas Grass
Cotoneaster apiculatus	
C. buxifolius	Cranberry Cotoneaster Cotoneaster
C. dammeri	Bearberry Cotoneaster
C mlamphulius	Rockspray Cotoneaster
C. microphyllus	Hawthome
Cretaegus app. Cupresaus sempervirens	Halian Custom
Delasperma alba	White Trailing foe Plant
Deiphinium app.	Larkspur, Blue Elf
Dodonea viacosa	Hop Bush
Elaeagnus pungens	Silverberry
Euonymus fortunei	Wintercreeper
E. Japonica	Evergreen Euonymus
E. klautechovica	Spreading Eugnymus
Fatsia japonica	Japanese Aralia
Forsythia Intermedia	Border Forsythia
F. viridiseima	Greenstern Forsythia
Gardenia jasminoides	Gardenia, Cape-Jasmine
	, _ ape ottarino

CIENTIFIC NAME	COMMON NAME	SCIENT
dera helix	English Ivy	P. tobira
blacus rosa-sinensis	Chinese Hibiscus	Podocal
x comuta	Chinese Holly	Prunus
orenata	Japanese Holly	Prunus
opaça	American Holly	Nectarin
spp.	ins species**	Pyracan
sminium nudiflorum	Winter Jasmine	P. fortur
niperus chinensis	Chinese Juniper	P. koldzi
conferta	Shore Juniper	Pyrus sp
horizontalis	Creeping Juniper	Quercus
glans sp.	Walnut*	Raphiole
sticia brandegeana	Shrimp Plant	Rhodod
geratromia indica	Crepe Myrtle	(Includin
senerum amutant	Amur Privet	
Japonicum	Japanese Privet	Rosa ba
lucidum	Glossy Privel (Waxleaf)	Rosman
riope muscari	Big Blue Uly, Silver Mound	Santolin
nicera japonica	Japanese Honeysuckle	Sedum
tatarica	Tatarian Honeysuckle	Syzyglu
aleophora luteola	loe Plant	Taxus o
alus sp.	Crabapple*	T. media
andina domestica	Heavenly Bamboo	Thuja o
ea europaea	Olive*	Trachelo
phlopogon japonicus	Mondo Grass	Tsuga c
steospermum fruticosu	m Trailing African Dalay	Viburnu
kydendrum arboreum	Sourwood	V. odora
ersea americana	Avocado*	V. plicat
notinia fraseri	Frasier's Photinia (Redtip)	V. rigidu
cea app.	Spruce species**	V. tinus
eria japonica	Lily-of-the-Valley Bush	V. trilobi
nua brutia	Calabrian Pine	V. wrigh
canadensis	Canary Island Pine	Vinca m
halepensis	Aleppo Pine	Vince m
niara	Austran Pine	Vinca
radiata	Monterey Pine	Vitis sp.
thunberglana	Japanese Black Pine	Welgela
strobus	Eastern White Pine	Yucca
sylvestris	Scotch Pine	Y. filami
stachio sp.	Pistachio*	*Do not
	nQueensiand Pittosporum	plants.
waporum mombiloliur	independent of the sporting	phanta.

SCIENTIFIC NAME	COMMON NAME			
P. tobira	Japanese Pittosporum			
Podocarpus macrophyli				
Prunus laurocerasus	English Laurel			
Prunus sp.	Almond, Apricol,			
Nectarine	Peach, Plum and Prune*			
Pyracantha coccinea	Firethorn (Scarlet)			
P. fortuneana	Firethorn (Scarret)			
P. koldzumii	Firethorn			
Pyrus sp.	Bradford Pear sp.			
Quercus spp.	Oak species			
Raphiolepsis indica	Indian Hawthorne			
Rhododendron	'Coral Bells'			
(Including Azalea)	Formosa, 'Hino-crimson,'			
(mondatification)	'PJM', 'Roseum Elegans'			
Rosa banksiae	Lady Bank's Rose			
Rosmarinus officinalis	Rosemary			
Santolina virens	Santolina			
Sedum album	Stonecrop			
Syzyglum paniculatum	Japanese Brushcherry			
Taxus ouspidata	Japanese Yew			
T. media	Yew			
Thuja occidentalis	American Arborvitae			
Trachelospermum astatu	um Star Jasmine			
Tsuga canadensis	Canada Hemlock			
Viburnum Japonicum	Japanese Vibumum			
V. odoratissimum	Sweet Viburnum			
V. plicatum	Japanese Snowball			
V. rigidum	Canary Island Vibumum			
V. tinus	Laurustinus			
V. triloblum	Cranberry Bush			
V. wrightii	Leatherleaf Viburnum			
Vinca major	Greater Pertwinkle, Vinca			
Vinca minor	Common Periwinkle.			
Vinca	201111011110111101			
Vitis sp.	Grape*			
Weigela florida	Old Fashioned Weigela			
Yucca alolfolia	Spanish Bayonet, Yucca			
Y. filamentosa	Adam's Needle, Yucca			
*Do not use on load pro	ducing trees, vines or			
plants. **Not for use on container grown plants.				

STORAGE AND DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Storage: Store in original container in a tocked storage area out of reach of children and domestic animals. Pasticide diagonal: Waster resulting from the use of this product may be disposed of on site or at an approved waste disposal of the CONTAINER DISPOSAL; Completely empty bag into application equipment. Nonterelliable container: Do not reuse or refull this container. Offer for recycling, it evaluable. If not evaluable then disposed of empty bag in a sentiary lendfill, or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Warranty
The directions for use of file product are believed to be adequate and must be followed carefulty, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ireflectiveness, or other unintended consequences may result due to such factors as weether conditions, presence or obsence of other metation of the product. Crop injury, ireflectiveness, or other unintended consequences may result due to such factors as weether conditions, presence or obsence of other metation of the extent consistent with applicable law, but no products add to you are furnished as all by the consistent with applicable law, but no products add to you are furnished as all by the consistent with applicable law, but no product add to you are furnished as a law of the consistent with applicate or presentations of any kind to layer or the user, either express or implied, or by usage of trade, stitution or otherwise, with regard to the product add or use of the product, including, but not limited to, merchantability, thress for a particular purpose or user a serious presentation of any particular trade usage. To the settent consistent with applicable law, Buyer's or user's arcticular energy, and however discharged and consistent with applicable law. Buyer's or user's arcticular energy, and however discharged to a fund of the product. The seller is authorized to amend the terms of this warranty disclaimer or the product's label or to make a piesentation or recommendation different from or inconsistent with the label of this product.

defined in the properties of the state of the product of the produ

Prodiamine-86 37% (02-01-2010A)