

32802-68

9/11/2009

1/3



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

4 B 3 3
OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

SEP 11 2009

Mrs. Janet P. Baguhn
Compliance Manager
Howard Johnson's Enterprises, Inc.
700 West Virginia Street #222
Milwaukee, WI 53204

RE: Notification of Additional Brand Name: **Seeton Turf Warehouse LLC Prevents Crabgrass Plus with 0.086 Dimension**
Registration Number: 32802-68
Submission Dated: August 5, 2009

Dear Mrs. Baguhn:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated, August 5, 2009, for the above mentioned product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Joyce Edwards of my staff at 703-308-5479.

Sincerely yours,

A handwritten signature in black ink, appearing to read "Linda Arrington".

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs



Please read instructions on reverse before completing form.

Form Approved EPA No. 2070-0060

Print Form

2
5



United States
Environmental Protection Agency
Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 32802-68	2. EPA Product Manager JoAnne Miller	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Dimension 0.086 Plus	PM# 23	
5. Name and Address of Applicant (Include ZIP Code) Howard Johnson's Enterprises, Inc 700 west Virginia str. #222 Milwaukee, WI 53204 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

NOTIFICATION
SEP 11 2009

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification if Additional Brand Name: Seeton Turf Ware house LLC Prevents Crabgrass Plus with 0.086 Dimension

Section - III

1. Material This Product Will Be Packaged In:			
Child-Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container	4. Size(s) Retail Container 20#	5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled <input checked="" type="checkbox"/> Other _____			

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Janet P. Baguhn	Title Compliance Manager	Telephone No. (Include Area Code) 414-276-1505
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped) .
2. Signature 	3. Title Compliance Manager	
4. Typed Name Janet P. Baguhn	5. Date August 5, 2009	



August 5, 2009

Document Processing Desk ((NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
1200 Pennsylvania Ave. NW
Washington, D.C. 20460


RE: Notification of Additional Brand Name
Dimension 0.086% Plus
EPA Reg. No. 32802-68


Dear Ms. Miller,

Enclosed please find an application for the notification of additional brand name to the above-referenced pesticide registration.

Thank you for your assistance. Please contact me if you have any questions; janet.baguhn@hjfertilizer.com.

Sincerely,


Janet P. Baguhn





Date: August 5, 2009


Product: Dimension 0.086%

Registrant: Howard Johnson's Enterprises, Inc.
700 W. Virginia Street
Milwaukee, WI 53204-1548

Action: Notification of Additional Brand Name

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152-46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and CFR 152-46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Janet P. Baguhn
Compliance Manager





PREVENTS CRABGRASS PLUS with 0.086% DIMENSION® SELECTIVE HERBICIDE PLUS FERTILIZER FOR PREEMERGENCE CONTROL OF LISTED ANNUAL GRASSES AND BROADLEAF WEEDS IN ESTABLISHED LAWNS & ORNAMENTAL TURF

ACTIVE INGREDIENT:
 Dithiopyr, 3,5-pyridinedicarbonyl acid, 2-(difluoromethyl)-4-(2-methylpropyl)-6-(trifluoromethyl)-5,5-dimethyl ester, 0.086%
INERT INGREDIENTS: 99.914%
TOTAL: 100.000%

EPA Reg. No. 32802-B8
 EPA Est. No. 2802-MO-1

DIMENSION® is a trademark of Dow AgroSciences
 Read the entire "Directions for Use" and "Warranty Statement" before using this product. If terms are not acceptable, return the unopened product container at once to the seller.

GUARANTEED ANALYSIS

18-0-10

Total Nitrogen (N)18.00%
 2.61% Water Insoluble Nitrogen*
 11.70% Urea Nitrogen
 3.69% Slowly Available Water Soluble Nitrogen*
 Soluble Potash (K₂O)10.00%

Derived From: Methylene Urea, Muriate of Potash, Urea.

*3.69% Slowly Available Water Soluble Nitrogen
 *2.61% Slowly Available Nitrogen from Methylene Urea.

Chlorine, (Cl), not more than 6.00%

FGB55113 F315 3/09

Net Weight 20 lbs (9.10 kg)

KEEP OUT OF REACH OF CHILDREN

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes eye irritation. Harmful if inhaled. Avoid contact with eyes or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and highly toxic to other aquatic organisms including oysters and shrimp. Use with care when applying to turf areas adjacent to any body of water. Drift or runoff may adversely affect aquatic organisms in adjacent aquatic sites. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water when disposing of equipment washwaters.

First Aid	
If in eyes	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If inhaled	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
If on skin or clothing	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If swallowed	<ul style="list-style-type: none"> Call a poison control center or physician immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or physician. Do not give anything by mouth to an unconscious person.
<p>Hot line number: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this pesticide product, call 1-800-851-7827. For information on this pesticide product, call 1-800-851-7827. For information on this pesticide product, call 1-800-851-7827. For information on this pesticide product, call 1-800-851-7827.</p>	

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Use only in accordance with the labeling on the State of New York: For use by professional turf applicators only, at no more than 13.3 lbs per 1000 square feet per year (0.5 pounds AI per acre per year). Not for use in Nassau or Suffolk Counties.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.
GENERAL INFORMATION: This product contains turf fertilizer plus a selective herbicide for control of crabgrass and other annual grasses and broadleaf weeds in established lawns and ornamental turf. Apply this product only to seeded, sodded, or sprigged turf that is well established. Turf must develop a good root system and uniform stand, and have received at least two mowings following seeding, sodding or sprigging before making the first application of this product. Use of this product on turf that is not well established, or weakened by weather, pests or other stress, may increase the chance of turf injury.

This product provides pre-emergence control of crabgrass (large, smooth, and southern species) when applied prior to emergence of crabgrass from the ground. In addition, this product provides "early post-emergence" control during the early stages of growth after crabgrass emerges from the ground. This early post-emergence crabgrass control is limited, and post-emergence applications are only effective if applied before crabgrass has developed its fifth leaf or first tiller (which generally corresponds to time when you can first see the crabgrass plants in the lawn). The benefit of this post-emergence activity is that it gives the user a 2 to 4 week longer period of time to make applications for effective control of crabgrass.
WHERE TO USE: This product may be used on the following established turfgrasses: Creeping Bentgrass (*Agrostis patens*), Kentucky Bluegrass (*Poa pratensis*), Fine Fescue (*Festuca rubra*), Tall Fescue (*Festuca arundinacea*), Perennial Ryegrass (*Lolium perenne*), Bahiagrass (*Paspalum notatum*), Bermudagrass (*Cynodon dactylon*), Buffalograss (*Buchloe dactyloides*),

Manufactured by:
 Howard Johnson's Enterprises, Inc.
 700 W. Virginia St., No. 222
 Milwaukee, WI 53204

NOTIFICATION
 SEP 11 2009

Carpetgrass (*Axonopus compressus*), Centipedegrass (*Eremochloa ophiuroides*), Kikuyugrass (*Pennisetum clandestinum*), St. Augustinegrass (*Stenotaphrum secundatum*), Zoysiagrass (*Zoysia japonica*).

*Turfgrass injury may result from use of this product on certain varieties of creeping bentgrass, such as Cohansay, Carmen, Seaside and Washington. Not all varieties of creeping bentgrass have been tested. Do not apply this product to Cobral Bentgrass (*Agrostis tenuis*) varieties.

**Turfgrass injury may result from use of this product on the following Fescue varieties which are sensitive to this product: Atlanta, Banner, Beauty, Bilgart, CF-2, Enjoy, HF-03, Highlight, Ivado, Kokoi, Jamestown, Majenta, Mary, Pennlawm, Tamara, Tajana, Walford and Waldina. Not all varieties of fescue have been tested.

***Do not use this product on seedling Buffalograss in the spring of the first year of establishment until the turfgrass is fully green and has established new roots.

SPRING APPLICATIONS: For single applications in the spring or early summer, use the appropriate rate from "Application Rates" table (depending on user's location, mowing height, pre- or post-emergent use). The duration of residual weed control is directly related to the total rate applied, but varies depending on weather, weed pressure and location. Use "Program 1" for preemergence control on areas where turf is cut high (home lawns) for 3 to 5 months of crabgrass control. This program should not be used for postemergence crabgrass control.

Use "Program 2" for preemergence control where turf is cut low (golf course fairways) or where weed control was not conducted the previous year. This program provides 4 to 6 months of preemergence weed control, and also for early post-emergence control of crabgrass.

This product may be applied as a single application or as a split application for crabgrass control in the spring, summer or fall.

FALL APPLICATION: This product can also be applied in late summer or early fall (late August through November) at the "Program 2" rates for crabgrass control through the early part of the next spring. Fall applications must be followed by an appropriate spring application to provide season-long control.

USE PRECAUTIONS: Do not apply more than 13.3 pounds per 1000 square feet (0.5 pounds AI per acre) per application. Do not apply more than 40 pounds per 1000 square feet (1.5 pounds AI per acre) per year. (In New York, do not apply more than 13.3 lbs per 1000 square feet per year.) Cultural practices such as aeration and de-thatching should be completed, and the turf allowed to recover before application of this product. Do not use clippings from treated turf for animal feed or for mulching around vegetables or fruit trees. Do not allow domestic animals to feed or forage on treated turf. Keep people and pets off treated areas until dust has settled. Do not use on golf course putting greens.

TIPS FOR IMPROVED CONTROL: For best results, apply this product within a few days after mowing and delay mowing again for a few days after the application. Irrigation or rainfall within 7 days after application may improve weed control. Use of split (half rate) applications spaced 6-8 weeks apart may provide improved weed control.

REGION	APPLICATION RATES for Crabgrass Control			
	PROGRAM 1		PROGRAM 2	
	PREEMERGENCE USE (high cut turfgrass)	PREEMERGENCE USE (low cut turfgrass)	PREEMERGENCE USE (low cut turfgrass)	POSTEMERGENCE USE
North	3.33 lbs / 1000 sq ft (1.45 lbs / acre)	0.125 lbs AI / acre	6.67 lbs / 1000 sq ft (2.90 lbs / acre)	0.25 lbs AI / acre
Transition	4.89 lbs / 1000 sq ft (2.13 lbs / acre)	0.183 lbs AI / acre	9.77 lbs / 1000 sq ft (4.25 lbs / acre)	0.366 lbs AI / acre
South	6.67 lbs / 1000 sq ft (2.90 lbs / acre)	0.25 lbs AI / acre	13.3 lbs / 1000 sq ft (5.80 lbs / acre)	0.50 lbs / acre
Coastal South	9.77 lbs / 1000 sq ft (4.25 lbs / acre)	0.366 lbs AI / acre	13.3 lbs / 1000 sq ft (5.80 lbs / acre)	0.50 lbs AI / acre
North: All other areas. Transition: DE, KS, KY, MD, MO, NJ, VA, southeastern PA, southern areas of IL, IN, OH, and coastal areas of CT, NY and RI South: AL, AR, AZ, CA, GA, LA, MS, NC, NM, NV, OK, SC, TN and TX Coastal South: HI, FL, southern coastal areas of AL, GA, LA, MS, NC, SC, TX	3.33 lbs / 1000 sq ft (1.45 lbs / acre)	0.125 lbs AI / acre	6.67 lbs / 1000 sq ft (2.90 lbs / acre)	0.25 lbs AI / acre

RESEEDING, OVERSEEDING, OR SPRIGGING: Reseeding, overseeding, or sprigging of treated areas within 4 months after application of this product may inhibit the establishment of desirable turfgrasses. When reseeding, follow good cultural practices such as soil cultivation, irrigation and fertilization. For best results, use "fill seeders" for good seed-to-soil contact.

CONTROL OF OTHER GRASS AND BROADLEAF WEEDS: **SPRING APPLICATIONS:** Used as directed for crabgrass control in spring, this product will also control or suppress the following weeds when applied prior to their emergence: Barnyardgrass, Bluegrass (annual, roughstalk), Crowfootgrass, Foxtail (yellow & green), Goosegrass, Kikuyugrass, Lespedeza (common), Oxalis (buttercup, creeping & yellow woodsore), Purslane (common), Ryegrass (annual & perennial), Smartgrass, Speedwell (common), Spurge (prostrate and spotted).
FALL APPLICATIONS: Used as directed in late summer or early fall, for crabgrass control through the early part of the next spring, this product will also control or suppress the following weeds when applied prior to their emergence: Bluegrass (annual, roughstalk), Bittercress, Chickweed, Geranium (Carolina), Henbit, Parsley-plant, Pineappleweed, Shepherd's purse.

NOTE: Buyer and user assume all risks and liability of use, storage and/or handling of this product not in accordance with the terms of this label.

Spreader setting to apply at the listed rate (lbs per 1000 sq ft)						
Spreader	Cone setting	3.3 lbs	4.89 lbs	6.67 lbs	9.77 lbs	
Accu-Pro 2000	6	L 1/2	N 1/2	P	R	
SR2000	6	L 1/2	O 1/2	Q 1/2	R 1/2	
Lesco 021820	0.25	Class	D 1/2	F 1/2	H	J 1/2
Spyker 76-22		4.3	4.7	5.1	5.7	
PSB Bigfoot	A.5	J 1/2	L 1/2	M 1/2	O	
Lely HR	11-B	5.25	6.5	7	9	
Vicon 203		15	19	23	29	

Settings shown are approximate for new equipment. Your spreader may need calibration, due to differences in terrain, walking speed and equipment condition. Calibrate your spreader to ensure proper coverage. Clean & lubricate spreader after use.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
STORAGE: Store in original container in a locked storage area out of reach of children and domestic animals.
PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill, or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke. 00322A