· · · PM 23 3	2802-69 Page 173	
Please read instructions on reverse before completing form. United States Environmental Protection Washington, DC 2046		
Application for Pesticide - Section I		
1. Company/Product Number 32802-69	2. EPA Product Manager 3. Proposed Classification	
4. Company/Product (Name) DIMENSION 0.172 PLUS FERTILIZEF	Joanne I. Miller X/ Restricted PM# 23 OPP ID NO 249049	
5. Name and Address of Applicant <i>[Include ZIP Code]</i> HOWARD JOHNSON'S ENTERPRISES, 1 P.O. BOX 2990 MILWAUKEE, WI 53201		
Section - II		
 > originally found in the Environ > the product. Rohm & Haas, the 	cement - Cther - Explain below. APR 2 4 1996	
	Section - III	
1. Material This Product Will Be Packaged In:		
Child-Resistant Packaging Yes* No * Certification must be submitted Unit Packaging Unit Packaging No. per Unit Packaging No. per Unit Packaging	Water Soluble Packaging 2. Type of Container Yes > No > If "Yes" No. per Package wgt container X/ Paper Other > Yes Other	
3. Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Label Directions -> On label		
X/Label Container 6. Manner in Which Label is Affixed to Product X Lithograph Other Lithograph Other Lithograph Stenciled		
1. Contact Point (Complete items directly below for identification	of individual to be contacted, if necessary, to process this application.)	
Name H. R. MCLANE, INC. By H. R. MCLANE;	TitleTelephone Ne. (Include Area Code)Authorized Agent305 661 1706Howard Johnson's800 642' 4656	
Certification considered attachments are true, accurate and complete I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		
2. Signature ARUKane 3	. Title Authorized Agent	
4. Typed Name Tom Schmit, Mgr. Reg. Affairs	MAR 2 I 1996	
EPA Form 8570-1 (Rev. 8-94) Previous editions are obsolete.	White - EPA File Copy (original) Yellow - Applicant Copy	

¢.



H. R. McLANE, INC.

7210 Red Road, Suite 206 - Miami, Florida 33143-5321 Phone & FAX - 305 661 1706 Chemical Consultants in EPA Regulatory Affairs FIFRA Licensing & Registrations - Since 1976

March 21, 1996

Ms. Joanne I. Miller PM-23 Document Processing Desk (NOTIF/AMEND) Office Of Pesticide Programs (7505C) U. S. Environmental Agency 401 "M" Street S.W. Washington DC 20460

Registrant: HOWARD JOHNSON'S ENTERPRISES, I		HOWARD JOHNSON'S ENTERPRISES, INC.
-		P.O. BOX 2990 - MILWAUKEE, WI 53201
		EPA Est. No. 32802
Subject:	Not	tification Amendment to remove the Bird Caution
Product:	1.	DIMENSION 0.086 PLUS FERTILIZER
		EPA File Symbol: 32802-68
		OPP ID NO 249048
	2.	DIMENSION 0.172 PLUS FERTILIZER
		EPA File Symbol: 32802-69
		OPP ID NO 249049
	3.	DIMENSION 0.107 PLUS FERTILIZER
		EPA File Symbol: 32802-71
		OPP ID NO 249050

2 7 3

Dear Ms. Miller:

Enclosed you will find the following information for these Notification Amendments.

- 1. EPA Reg. form 8570-1 for each of the above products.
- Five copies of revised Labeling which have the following statement removed from the Environmental Hazards section.

"BIRD CAUTION: While avian toxicology studies have shown low acute toxicity to birds, the potential for avian reproduction effects is being evaluated. To reduce potential exposure to birds, do not apply this product in split applications; make only one application per season; do not apply more tha 0.5 lbs. of A.I. per acre. Avoid known bird nesting sites and areas where birds are actively feeding when applying this product."

If there are changes that might be resolved by phone, please call 305-661-1706. Thank you for your cooperation.

Sincerely H. R. MCLANE, INC. 1 Manl

H. R. McLane, Authorized Agent for <u>Alex Antonio, CEO</u> <u>HOWARD JOHNSON'S ENTERPRISES. INC.</u> HRM/nb/ENCL: as above. cc/AA/HJEI

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION: Causes eye Irritation. Harmful if inhaled. Avoid contact with eyes or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. STATEMENTS OF PRACTICAL TREATMENT IF IN EYES: Immediately flush eyes with plenty of water. Get medical attention if irritation persists. IF INHALED: Remove individual to fresh air. Seek medical attention if breathing difficulty develops. ENVIRONMENTAL HAZARDS This pesticide is toxic to fish. Drift or runoff may adversely affect aquatic organism. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. DIRECTIONS FOR USE It is a violation of Federal law to use this product in a manner inconsistent with its labeling. In the State of New York Only: For Professional Turf Applicators Only. Not for use in Nassau or Suffolk Counties. STORAGE AND DISPOSAL Do not contaminate water, foodstuffs, feed or seed by storage or disposal. STORAGE: Store this product in original container only. In case of spill, sweep up material and dispose of material according to label directions. <u>PESTICIDE DISPOSAL</u>: Wastes resulting form the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, state or local procedures. <u>CONTAINER DISPOSAL</u>: Do not reuse emptied container. Completely empty bag into application equipment. Dispose of emptied bag(s) in a sanitary landfill, or by incineration, or , if allowed by state and local authorities, by burning.. If burned, stay out of smoke. **GENERAL PRECAUTIONS WHEN APPLYING (Cont.) GENERAL USE INSTRUCTIONS FOR TURFGRASSES** 2. This product should be applied 7 to 14 days prior to the seed This product may be used on the following established turfgrasses. ccol Creeping Bentgrass SEASON Kentucky Bluegrass (Agrostis palustris) germination of annual grasses and/or broadleaf weeds. 3. New lawn and/or seedling growth may be inhibited if surface seeding or sprigging is done within 4 months after an application. Use a "Slit Seeder" or equivalent for best results. (Poa pratensis) Fine Fescue* (Festuca rubra) **Tall Fescue** (Festuca arundinacea) This product may be applied to any <u>healthy well established</u> <u>turfgrass</u> that has been seeded, sodded, or sprigged. Use on Perennial Ryegrass (Lolium perenne) WARM Bahiagrass (Paspalum notatum) BRASSES Bermudagrass turf that is poorly established, weakened, or mechanically stressed may increase the potential for delayed recovery. (Cynodon dactylon) Buffulograss (Buchloe dactyloides) Carpetgrass (Axonopus compressus), 5. Do not apply over-the-top of desirable flowers, vegetables shrubs or trees. Centipedegrass (Eremochloa ophiuroides), 6. Do not use clippings from treated turf for animal feed or for mulching around fruit trees, flowers, shrubs, or vegetables.
 7. Do not allow domestic animals to feed or forage on the treated Kikuyugrass (Pennisetem clandestinum), St. Augustinegrass (Stenotaphrum secundatum) Zoysiagrass (Zoysia japonica) <u>*The following Fescues varieties are sensitive to this product:</u> Atlanta, Banner, Beauty, Bilgart, CF-2, Enjoy, HF-93, Highlight, Ivalo, Koket, Majenta, Mary, Pennlawn, Tamara, Tatjana, Walforf and Waldina. WEEDS CONTROLLED turf. 8. For control of annual bluegrass and winter annuals, apply in the fall of the year prior to their seed germination. 9. Do not use this product on putting greens. imension 0.172 Plus controls the following weeds when applied proper rates and times for Northern and Southern grasses. **USE/RATE EQUIVALENTS CHART** Ibs. A.I. North Ibs. A.I. South 0.125 to 0.25 * 0.25 to 0.38* Weeds 50 lbs. Covers | lbs. / acre lbs. /1,000-sq.ft lbs. A.I./acre Crabgrass Large; Smooth 30,000 sq.ft. 75 lbs •••••1.67 lbs 0.125 lbs Foxtail Green: Yellow 20,000 sq.ft. 110 lbs 2.50 lbs 0.1875 lbs. Barnyardgrass 0.25 0.38 ::::3.33 ibs 15,000 sq.ft. 145 lbs 0.250 lbs. Crowfootarass 10,000 sq.ft. 220 lbs 5.00 îbîsî -0.380 lbs. (equiv. to (equiv. to Kikuyugrass •6.67 lbs 50 lbs. to Lespedeza, common 50 lbs. to 7,500 sq.ft. 290 lbs 0.500 lbs, Oxalis. treat treat SPREADER SETTINGS 15,000 10,000 **Buttercup Oxalis** Creeping Woodsorrel Yellow Woodsorrel The following spreader settings are for new spreader equip-ment. Your spreader may need adjustment since proper applisq.ft.) sq.ft.) cation is based on the spreader's age, and use. Follow the directions in your spreader "Manual" for proper calibration. Poor Purslane, common Speedwell, corn weed control will result from uneven or improper application. Sinulgrass 0.25 to 0.38* Bluegrass, annual 0.38 to 0.50* Pounds A. I. per acre. Spreader Bittergrass (equiv. to (equiv. to 0.125 0,25 0.38 0,500 Chickweed 0,188 Geranium, Carolina 50 lbs. to 50 lbs. to Spyker Pro 3.3 3.6 3.9 4.4 4.9 treat treat Goosegrass Scotts Ε F-G G-H I-J Κ Henbit 10.000 to 7.500 to Ε F-G κ Lesco G-H I-J 15,000 10,000 Parsley-plert Prize 3.3 4.0 4.4 4.8 5.4 Pineappleweed sq.ft.) sq.ft.) Ryegrass, Annual; Perennial Cyclone 3.3 3.6 3.9 4.4 4.9 Shepardspurse Leiv 2.0 2.2 2.8 3.4 3.8 Spurge, Prostrate; Spotted Notice: Buyer and user assume all risk and liability of use, storage, and/or handling of this product not in accordance with the terms of this label. (69BIRD-N.PM5 / Remove (no longer required)Bird Caution by Notification/03/20/96 he higher rates (more product per acre) are recommended here infestations are heavy and/or dense. GENERAL PRECAUTIONS WHEN APPLYING GUARANTEED ANALYSIS (Found on Separate Tag) Cultural practices such as aerification; dethatching, and verticutting should be completed and the turf allowed to recover

before application of this product. Irrigation or rainfall within

7 days after application may improve weed control. Ammonium Phosphate, Murlate of Potash HOWARD JOHNSON'S ENTERPRISES, INC. P.O. BOX 2990 - MILWAUKEE, WI 53201