# **PLEASE NOTE**

This image contains more than one label approved for this product on this date.

32802-69

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

12/10/2010

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

DEC 1 0 2010

Ms. Janet P. Baguhn Howard Johnson's Enterprises, Inc. 700 West Virginia Street #222 Milwaukee, WI 53204

Subject:

Application for Pesticide Notification (PRN 98-10) Request Alternate Brand Name "TERRE Crabgrass Preventer Plus with 0.172% Dithiopyr4-0-20" EPA Reg. No. 32802-69 Application Dated: October 5, 2010

Dear Ms. Baguhn,

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for Crabgrass Preventer Plus with 0.172% Dithiopyr (EPA Reg. No. 32802-69) dated October 5, 2010. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at (703) 305-1243.

incerely. Kathryn V. Mohtague, Product Manager 23

Kathryn V. Montague, Product Manage Herbicide Branch Registration Division (7505P) Office of Pesticide Programs

	· · · · · · · · · · · · · · · · · · ·				-~~~		2/8
Please read instructions on reve	rese before completing form.		Form Appr	roved.	UMB No. 2070	-0060	Print Form
	United Stat IVironmental Protec Washington, DC	ction Agenc		×	Registratic Amendme Other		OPP Identifier Number
	Applica	ation for Pe	sticide - Sec	tion	1		
1. Company/Product Number 32802-69			EPA Product Man Ailler	nager	· · · · · · · · · · · · · · · · · · ·	3. Pro	None Restricted
4. Company/Product (Name) Crabgrass Preventer Plus wi	th 0.172% Dithiopyr		<b>V#</b> 23				None Restricted
5. Name and Address of Applica Howard Johnson's Enterpris 700 West Virginia Street #22	ses, Inc 22, Milwaukee, WI 53204	(b to E	)(i), my product :: :PA Reg. No	is sim	ilar or identical	in cor	FIFRA Section 3(c)(3) nposition and labeling
		Sectio	Product Name				
	e to Agency letter dated	Sec (10	Final printe Agancy lett "Me Too"	ter dat Applica	ation.		
X Notification - Explain belo			Other - Exp		BIOW.		
TERRE Crabgrass Preventer P Certification attached	Plus with 0.172% Dithiopy						
		Sectio	<u>n - III</u>				
Yes* X No * Certification must	Packaged In: nit Packaging Yes No "Yes" No. per nit Packaging wgt. contain	Ye X No	No. per		X P G X P	letai Iastic Iass aper	pecify)
be submitted							· · · · · · · · · · · · · · · · · · ·
B. Location of Net Contents Info	40#	Retail Container		5. Lo	cation of Label D On Label On Labeling		ns panying product
5. Manner in Which Label is Affi	X_Pa	thograph aper glued	Othe	۰ <u> </u>			
		enciled Section	2 - IV				<u>0000000000000000000000000000000000000</u>
. Contact Point <i>(Complete iten</i>	ns directly below for identifi			<i>H</i> =		oo thi-	<u>ງງງວ</u> ວ ພິດປະຊີຊີຊີ ໄ
lame anet P. Baguhn		Title Compliance	······································	" ""	2, 2, 2 2, <b>1 e</b> l 2	ephone cyhone c	No. (Include Area Code)
	ts I have made on this form nowingly false or misleading				urate and comple		6. DອີເເອັດApplication Rບໍ່ເອເບີຍຢີ (Stamped)
2. Signature		3. Title					່ວ ວ່າມີມີ ເ
Jon the	eep	Compliance	e Manage				د د د ز د د ز ز
Ianet P. Bagyhn		<b>5. Date</b> October 5,	2010				•

EPA Form 8570-1 (Rev. 8-94) Previous editions are obsolete.

Yellow - Applicant Copy



## October 5, 2010

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) U.S. Environmental Protection Agency 1200 Pennsylvania Ave. NW Washington, D.C. 20460

RE: Notification of Additional Brand Name TERRE Crabgrass Preventer Plus with 0.172% Dithiopyr 4-0-20 Reg. No. 32802-69


Dear Ms. Miller,

Enclosed please find an application for the notification of additional brand name to the above-referenced pesticide registration.

Thank you for your assistance. Please contact me is you have any questions; janet.baguhn@hjefertilizer.com.

Sincerely, et P. Bag

Enclosures: Notification of Additional Brand Name Copy of Product Label Certification



Howard Johnson's Enterprises 700 West Virginia Street, No 222, Milwaukee, WI 53204 Phone 414-276-1505 Fax 414-276-4184 hjefertilizer.com

Date: October 5, 2010

Product: Crabgrass Preventer Plus with 0.172% Dithiopyr EPA Reg. No. 32802-69

Registrant: Howard Johnson's Enterprises, Inc. 700 W. Virginia Street Milwaukee, WI 53204-1548

Action:

Notification of Additional Brand Name

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152-46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and CFR 152-46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.


00

Janet P. Baguhn Compliance Manager



# PREVENTS CRABGRASS PLUS with 0.172% DITHIOPYR

SELECTIVE HERBICIDE PLUS FERTILIZER FOR PREEMERGENCE CONTROL OF LISTED ANNUAL GRASSES AND BROADLEAF WEEDS IN ESTABLISHED LAWNS & ORNAMENTAL TURF







NOTIFICATION DEC 10 2010

ACTIVE INGREDIENT: Dithiopyr: 3,5-pyridinedicarbothioic acid, 2-(difluoromethyl)-4-(2-methylpropyl)-6-(trifluoromethyl)-S,S-dimethyl ester ...0.172%

EPA Reg. No. 32802-69

EPA Est. No. 32802-WI-1 (A), 32802-MO-1 (B) First letter of bag code shows establishment where manufactured.

Read the entire "Directions for Use" and "Warranty Statement" before using this product. If terms are not acceptable, return the unopened product container at once to the seller.

### **GUARANTEED ANALYSIS**

Net Weight 50 lbs (22.68 kg)

Derived from: Urea, Muriate of Potash

Chlorine (Cl), not more than 6% FGP60085 F315

# KEEP OUT OF REACH OF CHILDREN CAUTION PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes eye irritation. Harmful if inhaled. Avoid contact with eyes or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and highly toxic to other aquatic organisms including oysters and shrimp. Use with care when applying to turf areas adjacent to any body of water. Drift or runoff may adversely affect aquatic organisms in adjacent aquatic sites. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water when disposing of equipment washwaters.

	First Aid
lf in eyes	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
If inhaled	<ul> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>
lf on skin or clothing	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
lf swal- lowed	<ul> <li>Call a poison control center or physician immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by the poison control center or physician.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
	Hot line number:
control cente pesticide pro pesticide inc	oduct container or label with you when calling a poison er or doctor, or going for treatment. For information on this oduct (including health concerns, medical emergencies, or idents), call the National Pesticide Telecommunications -800-858-7378.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. <u>STORAGE</u>: Store in original container in a locked storage area out of reach of children and domestic animals. <u>PESTICIDE DISPOSAL:</u> Wastes resulting from the use

**<u>PESTICIDE DISPOSAL</u>**: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Nonrefillable container. Do not reuse or refill this container. Completely empty bag into application equipment. Then offer for recycling if available or dispose of empty bag in a sanitary landfill or by incineration or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

#### Manufactured by:

Howard Johnson's Enterprises, Inc. 700 W. Virginia St., No. 222 Milwaukee, WI 53204

Information regarding the contents and levels of metals in this product is available on the internet at http://www.aapfco.org/metals.htm

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

In the State of New York: For use by professional turf applicators only, at no more than 6.67 lbs per 1000 square feet per year (0.5 pounds AI per acre per year) Not for use in Nassau or Suffolk Counties.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

PRODUCT INFORMATION: This product contains turf fertilizer plus a selective herbicide for control of crabgrass and other annual grasses and broadleaf weeds in established lawns and ornamental turf. Apply this product only to seeded, sodded, or sprigged turf that is well established. Turf must develop a good root system and uniform stand, and have received at least two mowings following seeding, sodding or sprigging before making the first application of this product. Use of this product on turf that is not well established, or weakened by weather, pests or other stress, may increase the chance of turf injury.

This product provides pre-emergence control of crabgrass (large, smooth, and southern species) when applied prior to emergence of crabgrass from the ground. In addition, this product provides "early post-emergence" control during the early stages of growth after crabgrass emerges from the ground. This early postemergence crabgrass control is limited, and post-emergence applications are only effective if applied before crabgrass has displayed its fifth leaf or first tiler (which generally corresponds to time when you can first see the crabgrass plants in the lawn). The benefit of this post-emergence activity is that it gives the user a 2 to 4 week longer period of time to make applications for effective control of craborass.

WHERE TO USE: This product may be used on the following established turfgrasses: Creeping Bentgrass\* (Agrostis palustris), Kentucky Bluegrass (Poa pratensis), Fine Fescue\*\* (Festuca rubra), Tall Fescue (Festuca arundinacea), Perennial Ryegrass (Lolium perenne), Bahiagrass (Paspalum notatum), Bermudagrass (Cynodon dactylon), Buffalograss\*\*\* (Buchloe dactyloides), Carpetgrass (Axonopus compressus), Centipedegrass (Eremochloa ophiuroides), Kikuyugrass (Pennisetem clandestinum), St. Augustinegrass (Stenotaphrum secundatum), Zoysiograss (Zoysia japonica).

\*Turfgrass injury may result from use of this product on certain varieties of creeping bentgrass, such as Cohansey, Carmen, Seaside and Washington. Not all varieties of creeping bentgrass have been tested. Do not apply this product to Colonial Bentgrass (Agrostis tenuis) varieties.

\*\*Turfgrass injury may result from use of this product on the following Fescue varieties which are sensitive to this product: Atlanta, Banner, Beauty, Bilgart, CF-2, Enjoy, HF-93, Highlight, Ivalo, Koket, Jamestown, Majenta, Mary, Pennlawn, Tamara, Tatjana, Walfort and Waldina. Not all varieties of fescue have been tested. \*Do not use this product on seedling Buffalograss in the spring of the first year of establishment until the turfgrass is fully green and has established new roots.

REGION	PROGRAM 1	PROGRAM 2
	PREEMERGENCE USE	PREEMERGENCE USE
	(high cut turfgrass)	(low cut turfgrass)
		POSTEMERGENCE USE
North	1.66 lbs / 1000 sq ft	3.33 lbs / 1000 sq ft
	(73 lbs / acre	(145 lbs / acre
	0.125 lbs Al / acre)	0.25 lbs Al/acre)
Transition	2.45 lbs / 1000 sq ft	4.9 lbs / 1000 sq ft
	(107 lbs / acre	(213 lbs / acre
	0.183 lbs Al / acre)	0.366 lb Al / acre)
South	3.33 lbs / 1000 sq ft	6.67 lbs / 1000 sq ft
	(145 lbs / acre	(291 lbs / acre
	0.25 lbs AI / acre)	0.50 lbs / acre)
Coastal South	4.9 lbs / 1000 sq ft	6.67 lbs / 1000 sq ft
	(213 lbs / acre	(291 lbs / acre*
	0.366 lb AI / acre)	0.50 lbs Al / acre*)

SPRING APPLICATIONS: For single applications in the spring or early summer, use the appropriate rate from "Application Rates" table (depending on user's location, mowing height, pre- or post-emergent use). The duration of residual weed control is directly related to the total rate applied, but varies depending on weather, weed pressure and location. Use "Program 1" for preemergence control on areas where turf is cut high (home lawns) for 3 to 5 months of crabgrass control. This program should not be used for Use "Program 2" for postemergence crabgrass control. preemergence control where turf is cut low (golf course fairways) or where weed control was not conducted the previous year. This program provides 4 to 6 months of preemergence weed control, and also for early postemergence control of crabgrass. This product may be applied as a single application or as a split application for crabgrass control in the spring, summer or fall.

FALL APPLICATION: This product can also be applied in late summer or early fall (late August through November) at the "Program 2" rates for crabgrass control through the early part of the next spring. Fall applications must be followed by an appropriate spring application to provide season-long control.

coastal areas of CT, NY and RI

South: AL, AR, AZ, CA, GA, LA, MS, NC, NM, NV, OK, SC, TN and TX

Coastal South: HI, FL, southern coastal areas of AL, GA, LA, MS, NC, SC, TX \*May require split or sequential applications for full control.

**USE PRECAUTIONS:** Do not apply more than 6.67 pounds per 1000 square feet (0.5 pounds Al per acre) per application. Do not apply more than 20 pounds per 1000 square feet (1.5 pounds Al per acre) per year. (In

New York, do not apply more than 6.67 lbs per 1000 square feet per year.) Cultural practices such as aerification and de-thatching should be completed, and the turf allowed to recover before application of this product. Do not use clippings from treated turf for animal feed or for mulching around vegetables or fruit trees. Do not allow domestic animals to feed or forage on treated turf. Keep people and pets off treated areas until dust has settled. Do not use on golf course putting greens.

TIPS FOR IMPROVED CONTROL: For best results, apply this product within a few days after mowing and delay mowing again for a few days after the application. Irrigation or rainfall within 7 days after application may improve weed control. Use of split (half rate) applications spaced 6-8 weeks apart may provide improved weed control.

RESEEDING. OVERSEEDING OR SPRIGGING: Reseeding, overseeding, or sprigging of treated areas within 4 months after application of this product may inhibit the establishment of desirable turfgrasses. When seeding, follow good cultural practices such as soil cultivation, irrigation and fertilization. For best results use "slit seeders" for good seed-to-soil contact.

CONTROL OF OTHER GRASS AND BROADLEAF WEEDS:

SPRING APPLICATIONS; Used as directed for crabgrass control in spring, this product will also control or suppress the following weeds when applied prior to their emergence: Barnyardgrass, Bluegrass (annual, roughstalk), Crowfootgrass, Foxtail (yellow & green)\*, Goosegrass, Kikuyugrass, Lespedeza (common), Oxalis (buttercup, creeping & yellow woodsorrel), Purslane (common), Ryegrass (annual & perennial), Smutgrass, Speedwell (corn), Spurge (prostrate and spotted).

\*Foxtail is also controlled at the program 2 rates.

FALL APPLICATIONS. Used as directed in late summer or early fall, for crabgrass control through the early part of the next spring, this product will also control or suppress the following weeds when applied prior to their emergence: Bluegrass (annual, roughstalk), Bittercress, Chickweed, Geranium (Carolina), Henbit, Parsley-piert, Pineappleweed, Shepherd's purse.

Spreader setting to a	pply at the listed ra	te (ibs per	1000 sq ft	).		·;•
Spreader	Cone setting			3.33 lbs	4.89 lbs	6.67 lbs
Accu-Pro 2000	6	K 1/2	L 1/2	M 1/2	N 1/2	Р
SR2000	· 6	K 1/2	∼ L 1/2	N	O 1/2.	Q #
Lesco 021820	0.25 Closed	C 1/2	D 1/2	E 1/2	F 1/2	н
Spyker 76-22		4.1	4.3	4.5	4.7	5.1
PSB Bigfoot	A.5	კ	J 1/2	K1/2	L 1/2	M 1/2
Lely HR	II-B	4.75	5.25	6	6.5	7.5
Vicon 203		13	15	17	19	23
Cub Cadat		9	11	13	15	18

#### Warranty

Warranty The directions for use of this product are believed to be adequate and must be followed carefully, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result due to such factors as weather conditions, presence or absence of other materi-als, or the manner of use or application, all of which are beyond the control of Howard Johnson's Enterprises, Inc. the manufacturer, or the seller. To the extent consistent with applicable law, the products sold to you are furnished 'as is' by Howard Johnson's Enterprises, Inc. the manufacturer and the seller are sub-ject only to the manufacturer's warranties, if any, which appear on the label of the product sold to you. Except as warranted by this label Howard Johnson's Enterprises, Inc, the manufacturer, or the seller makes no warranties, guarantees, or representations of any kind to the buyer or the user, either express or implied, or by usage of trade, statutory or otherwise, with regard to the product sold or use of the product, including, but not limited to, merchantability, fitness for a particular purpose or use, or eligibility of the product for any particular trade usage. To the extent consistent with applicable law, Buyer's or user's exclusive remedy, and Howard Johnson's Enterprises, Inc the manufacturer's or the seller's total liability shall be limited to damages not exceeding the cost of the product's label or to make a presentation or recommendation different from or inconsistent with the label of this product.

different from or inconsistent with applicable law, Howard Johnson's Enterprises, Inc, the manufacturer, or the seller shall not be liable for consequential, special, or indirect damages resulting from the use, handling, application, storage, or disposal of this product or for damages in the nature of penalties, and the buyer and the user waive any right that they may have to such damages.

Dithiopyr 0.172(06-15-2010A)Professional PP

NEXT

LABEL

32802-69

12/10/2010



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

> OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Ms. Janet P. Baguhn Howard Johnson's Enterprises, Inc. 700 West Virginia Street #222 Milwaukee, WI 53204

DEC 10 2010

Subject:

Application for Pesticide Notification (PRN 98-10) Request Alternate Brand Name "TERRE Crabgrass Preventer Plus with 0.172% Dithiopyr 7-0-0" EPA Reg. No. 32802-69 Application Dated: October 5, 2010

Dear Ms. Baguhn,

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for Crabgrass Preventer Plus with 0.172% Dithiopyr (EPA Reg. No. 32802-69) dated October 5, 2010. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at (703) 305-1243.

Sincerely, Kathryn V. Montague, Product Manager 23

Herbicide Branch Registration Division (7505P) Office of Pesticide Programs

Please read instructions on reverse before completing form.	Form Annual	red, OMB No. 2070	Print Form
United States Environmental Protection A Washington, DC 20460	gency	Registratio Amendme × Other	n OPP Identifier Number
Application fo	or Pesticide - Section	on l	
1. Company/Product Number 32802-69	2. EPA Product Manag Miller	er	3. Proposed Classification
4. Company/Product (Name) Crabgrass Preventer Plus with 0.172% Dithiopyr	<b>PM#</b> 23		None Restricted
5. Name and Address of Applicant <i>(Include ZIP Code)</i> Howard Johnson's Enterprises, Inc 700 West Virginia Street #222, Milwaukee, WI 53204			with FIFRA Section 3(c)(3) in composition and labeling
Check if this is a new address	Product Name		<u> </u>
S	ection - II	•	
Amendment - Explain below.         Resubmission in response to Agency letter dated	Final printed I Agency letter "Me Too" Ap Other - Explai	plication.	
Additional Brand name: TERRE Crabgrass Preventer Plus with 0.172% Dithiopyr 7-0-0 Certification attached	Х		
Se	ection - III		
1. Material This Product Will Be Packaged In:	· · · · · · · · · · · · · · · · · · ·		
Child-Resistant Packaging Unit Packaging Wa	ter Soluble Packaging	2. Type of Con	tainer
Yes* Yes	Yes		etal
	No		astic
If "Yes" No. per If "	'Yes" No. per		858
	ckage wgt container		
Certification must     Unit Packaging wgt. container     Pac     be submitted     Unit Packaging wgt. container     Pac     4. Size(s) Retail Cor     40#	ckage wgt container	Location of Label D	ass aper ther (Specify) irections
Certification must     Unit Packaging wgt. container     Pac     be submitted     Unit Packaging wgt. container     Pac     accontainer     A. Size(s) Retail Cor     40#     Anner in Which Label is Affixed to Product     X Lithograph	ckage wgt container	Location of Label D	ass aper ther (Specify)
Certification muSt     Unit Packaging wgt. container     Pac     be submitted     Unit Packaging wgt. container     Pac     A. Size(s) Retail Cor     40#     Container     A. Size(s) Retail Cor     40#     Container     A. Size(s) Retail Cor     40#     Container     Label     X Container     Lithograph     Paper glued     Stenciled	ckage wgt container	Location of Label D	ass aper ther (Specify) irections accompanying product
Certification must be submitted       Unit Packaging wgt. container       Pac         3. Location of Net Contents Information       4. Size(s) Retail Cor         Label       Container       40#         6. Manner in Which Label is Affixed to Product       Lithograph Paper glued Stenciled	ckage wgt container	Location of Label D On Label On Labeling	ass aper ther (Specify) irections secompanying product 
Certification muSt     Unit Packaging wgt. container     Pac     be submitted     Unit Packaging wgt. container     A. Size(s) Retail Cor     4. Size(s) Retail Cor     40#     Container     40#     Container     Amount of the container     A. Size(s) Retail Cor     40#     Container     A. Size(s) Retail Cor     A	ckage wgt container	Location of Label On Label On Labeling	ass aper ther (Specify) irections secompanying product 
Certification must Unit Packaging wgt. container Pac be submitted     Unit Packaging wgt. container Pac a. Location of Net Contents Information     4. Size(s) Retail Cor 40#     40#     6. Manner in Which Label is Affixed to Product     X Lithograph Paper glued Stenciled     Se     1. Contact Point <i>(Complete items directly below for identification of in</i> Name     Title	ckage wgt container Intainer 5 Other Ction - IV Individual to be contacted, if pliance Manager	Location of Lebel D On Label On Labeling necessary, to process Tel L C accurate and compts	ass aper ther (Specify) irections accompanying product <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>cccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>ccccc</u> <u>cccccc</u> <u>cccccc</u> <u>cccccc</u> <u>cccccc</u> <u>cccccc</u> <u>cccccc</u> <u>cccccc</u> <u>cccccc</u> <u>ccccccc</u> <u>cccccccc</u>
Certification must be submitted     Unit Packaging wgt. container     Pac     action of Net Contents Information     Label     Container     4. Size(s) Retail Cor     40#     40#     Container     40#     Container     Action     Contact Point Label is Affixed to Product     Se     Contact Point <i>IComplete items directly below for identification of in</i> Name     Janet P. Baguhn     Certify that the statements I have made on this form and all att.     I acknowledge that any knowingly false or misleading statement     both under applicable law.     Signature     Certification     Se     Se     Certification     Se     Se     Certification     Se     Se	ckage wgt container Intainer 5 Other Contacted, if pliance Manager Cachments thereto are true, may be punishable by fine	Location of Lebel D On Label On Labeling necessary, to process Tel L C accurate and compts	ass aper ther (Specify) iractions accompanying product 



October 5, 2010

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) U.S. Environmental Protection Agency 1200 Pennsylvania Ave. NW Washington, D.C. 20460

RE: Notification of Additional Brand Name TERRE Crabgrass Preventer Plus with 0.172% Dithiopyr 7-0-0 Reg. No. 32802-69

Dear Ms. Miller,

Enclosed please find an application for the notification of additional brand name to the above-referenced pesticide registration.

Thank you for your assistance. Please contact me is you have any questions; janet.baguhn@hjefertilizer.com.

Sincerely, Janet P. Baguhr

Enclosures: Notification of Additional Brand Name Copy of Product Label Certification

cccc



# PREVENTS CRABGRASS PLUS with 0.172% DITHIOPYR

SELECTIVE HERBICIDE PLUS FERTILIZER FOR PREEMERGENCE CONTROL OF LISTED ANNUAL GRASSES AND BROADLEAF WEEDS IN ESTABLISHED LAWNS & ORNAMENTAL TURF

DEC : U 2010	<b>J-U</b>
	. , .
ACTIVE INGREDIENT:	GUARANTEED A
Dithiopyr: 3,5-pyridinedicarbothioic acid, 2-	
(difluoromethyl)-4-(2-methylpropyl)-6-	Total Nitrogan (N)
(trifluoromethyl)-S,S-dimethyl ester0.172%	Total Nitrogen (N) 7.0% Urea Nitrogen
INERT INGREDIENTS:	
TOTAL:	

EPA Reg. No. 32802-69 EPA Est. No. 32802-WI-1 (A), 32802-MO-1 (B) First letter of bag code shows establishment where manufactured.

Read the entire "Directions for Use" and "Warranty Statement" before using this product. If terms are not acceptable, return the unopened product container at once to the seller.

### NALYSIS

Net Weight 50 lbs (22.68 kg)

Derived from: Urea

Chlorine (CI), not more than 6% FGP60086 F315

# **KEEP OUT OF REACH OF CHILDREN** CAUTION PRECAUTIONARY STATEMENTS

## HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes eye irritation. Harmful if inhaled. Avoid contact with eyes or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals

some individuals. ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and highly toxic to other aquatic organisms including oysters and shrimp. Use with care when applying to turf areas adjacent to any body of water. Drift or runoff may adversely affect aquatic organisms in adjacent aquatic sites. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water when disposing of equipment washwaters.

-	
	First Aid
lf in eyes	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
If inhaled	<ul> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>
If on skin or clothing	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
If swal-	<ul> <li>Call a poison control center or physician immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by the poison control center or physician.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
	Hot line number:
control cente pesticide pro pesticide inc	oduct container or label with you when calling a poison er or doctor, or going for treatment. For information on this oduct (including health concerns, medical emergencies, or cidents), call the National Pesticide Telecommunications -800-858-7378.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
STORAGE: Store in original container in a locked storage area out o
reach of children and domestic animals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Completely empty bag into application equipment. Then offer for recycling if available or dispose of empty bag in a sanitary landfill or by incineration or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

#### Manufactured by:

Howard Johnson's Enterprises, Inc. 700 W. Virginia St., No. 222 Milwaukee, WI 53204

Information regarding the contents and levels of metals in this product is available on the internet at http://www.aapfco.org/metals.htm

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

In the State of New York: For use by professional turf applicators only, at no more than 6.67 lbs per 1000 square feet per year (0.5 pounds AI per acre per year). Not for use in Nassau or Suffolk Counties.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

PRODUCT INFORMATION: This product contains turf fertilizer plus a selective herbicide for control of crabarass and other annual grasses and broadleaf weeds in established lawns and ornamental turf. Apply this product only to seeded, sodded, or sprigged turf that is well established. Turf must develop a good root system and uniform stand, and have received at least two mowings following seeding, sodding or sprigging before making the first application of this product. Use of this product on furf that is not well established, or weakened by weather, pests or other stress, may increase the chance of turf injury.

This product provides pre-emergence control of crabgrass (large, smooth, and southern species) when applied prior to emergence of crabgrass from the ground. In addition, this product provides "early post-emergence" control during the early stages of growth after crabgrass emerges from the ground. This early postemergence crabgrass control is limited, and post-emergence applications are only effective if applied before crabgrass has displayed its fifth leaf or first tiler (which generally corresponds to time when you can first see the crabgrass plants in the lawn). The benefit of this post-emergence activity is that it gives the user a 2 to 4 week longer period of time to make applications for effective control of crabgrass.

WHERE TO USE: This product may be used on the following established turfgrasses: Creeping Bentgrass\* (Agrostis palustris), Kentucky Bluegrass (Poa pratensis), Fine Fescue\*\* (Festuca rubra), Tall Fescue (Festuca arundinacea), Perennial Ryegrass (Lolium perenne), Bahiagrass (Paspalum notatum), Bermudagrass (Cynodon dactylon), Buffalograss\*\*\* (Buchloe dactyloides), Carpetgrass (Axonopus compressus), Centipedegrass (Eremochloa ophiuroides), Kikuyugrass (Pennisetem clandestinum), St. Augustinegrass (Stenotaphrum secundatum), Zoysiagrass (Zoysia japonica).

\*Turfgrass injury may result from use of this product on certain varieties of creeping bentgrass, such as Cohansey, Carmen, Seaside and Washington. Not all varieties of creeping bentgrass have been tested. Do not apply this product to Colonial Bentgrass (Agrostis teriuis) varieties.

\*\*Turfgrass injury may result from use of this product on the following Fescue varieties which are sensitive to this product: Atlanta, Banner, Beauty, Bilgart, CF-2, Enjoy, HF-93, Highlight, Ivalo, Koket, Jamestown, Majenta, Mary, Pennlawn, Temara, Tatjana, Walfort and Waldina. Not all varieties of fescue have been tested. \*\*\*Do not use this product on seedling Buffalograss in the spring of the first year of establishment until the turfgrass is fully green and has established new roots.

REGION	PROGRAM 1	PROGRAM 2
*	PREEMERGENCE USE	PREEMERGENCE USE
	(high cut turfgrass)	(low cut turfgrass)
		POSTEMERGENCE USE
lorth	1.66 lbs / 1000 sq ft	3.33 lbs / 1000 sq ft
	(73 lbs / acre	(145 lbs / acre
_	0.125 lbs Al /'acre)	0.25 lbs Al/acre)
ransition	2.45 lbs / 1000 sq ft	4.9 lbs / 1000 sq ft
	(107 lbs / acre	. (213 lbs / acre
	0.183 lbs AI / acre)	0.366 lb Al / acre)
iouth	3.33 lbs / 1000 sq ft	6.67 lbs / 1000 sq ft
	(145 lbs / acre	(291 lbs / acre
	0.25 lbs AI / acre)	0.50 lbs / acre)
oastal South	4.9 lbs / 1000 sq ft	6.67 lbs / 1000 sq ft*
	(213 lbs / acre	(291 lbs / acre*
	0.366 lb AI / acre)	0.50 lbs A! / acre*)

South: AL, AR, AZ, CA, GA, LA, MS, NC, NM, NV, OK, SC, TN and TX

Coastal South: HI, FL, southern coastal areas of AL, GA, LA, MS, NC, SC, TX

\*May require split or sequential applications for full control.

SPRING APPLICATIONS: For single applications in the spring or early summer, use the appropriate rate from "Application Rates" table (depending on user's location, mowing height, pre- or post-emergent use). The duration of residual weed control is directly related to the total rate applied, but varies depending on weather, weed pressure and location. Use "Program 1" for preemergence control on areas where turf is cut high (home lawns) for 3 to 5 months of crabgrass control. This program should not be used for postemergence crabgrass control. Use "Program 2" for preemergence control where turf is cut low (golf course fairways) or where weed control was not conducted the previous year. This program provides 4 to 6 months of preemergence weed control, and also for early postemergence control of crabgrass. This product may be applied as a single application or as a split application for crabgrass control in the spring, summer or fall.

FALL APPLICATION: This product can also be applied in late summer or early fall (late August through November) at the "Program 2" rates for crabgrass control through the early part of the next spring. Fall applications must be followed by an appropriate spring application to provide season-long control.

USE PRECAUTIONS: Do not apply more than 6.67 pounds per 1000 square feet (0.5 pounds Al per acre) per application. Do not apply more than 20 pounds per 1000 square feet (1.5 pounds Al per acre) per year. (In New York, do not apply more than 6.67 lbs per 1000 square feet per year.)

Cultural practices such as aerification and de-thatching should be completed; and the fund allowed to recover before application of this product. Do not use clippings from treated turf for animal feed or for mulching around vegetables or fruit trees. Do not allow domestic animals to feed or forage on treated turf. Keep people and pets off treated areas until dust has settled. Do not use on golt course putting greens.

TIPS FOR IMPROVED CONTROL: For best results, apply this product within a few days after mowing and delay mowing again for a few days after the application. Irrigation or rainfall within 7 days after application may improve weed control. Use of split (half rate) applications spaced 6-8 weeks apart may provide improved weed control.

RESEEDING, OVERSEEDING, OR SPRIGGING: Reseeding, overseeding, or sprigging of treated areas within 4 months after application of this product may inhibit the establishment of desirable turfgrasses. When seeding, follow good cultural practices such as soil cultivation, irrigation and fertilization. For best results, use "slit seeders" for good seed-to-soil contact.

#### CONTROL OF OTHER GRASS AND BROADLEAF WEEDS:

SPRING APPLICATIONS: Used as directed for crabgrass control in spring, this product will also control or suppress the following weeds when applied prior to their emergence: Barnyardgrass, Bluegrass (annual, roughstalk), Crowfootgrass, Foxtail (yellow & green)\*, Goosegrass, Kikuyugrass, Lespedeza (common), Oxalis (buttercup, creeping & yellow woodsorrel), Purslane (common), Ryegrass (annual & perennial), Smutgrass, Speedweil (corn), Spurge (prostrate and spotted).

\*Foxtail is also controlled at the program 2 rates.

FALL APPLICATIONS: Used as directed in late summer or early fall, for crabgrass control through the early part of the next spring, this product will also control or suppress the following weeds when applied prior to their emergence: Bluegrass (annual, roughstalk), Bittercress, Chickweed, Geranium (Carolina), Henbit, Parsley-piert, Pineappleweed, Shepherd's purse.

Spreader	Cone setting	1.66 lbs	2.45 lbs	3.33 lbs	4.89 lbs	6.67 lbs
Accu-Pro 2000	6	K 1/2	L 1/2	M 1/2	N 1/2	Р
SR2000	• • 6	K 1/2	L 1/2	N	O 1/2	Q
Lesco 021820	0.25 Closed	C 1/2	D 1/2	E 1/2	F 1/2	н
Spyker 76-22		4.1	4.3	4.5	4.7	5.1
PSB Bigfoot	A.5	J	J 1/2	K1/2	L 1/2	M 1/2
Lely HR	il-B	4.75	5.25	· 6	6.5	. 7.5
Vicon 203		13	15	17	19	23
Cub Cadat		9	11	13	15	18

#### Warranty

Warranty The directions for use of this product are believed to be adequate and must be followed carefully, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result due to such factors as weather conditions, presence or absence of other materi-als, or the manner of use or application, all of which are beyond the control of Howard Johnson's Enterprises, Inc. The manufacturer, or the seller. To the extent consistent with applicable law, the products sold to you are furnished "as is" by Howard Johnson's Enterprises, Inc. The manufacturer and the seller are sub-ject only to the manufacturer's warranties, if any, which appear on the label of the product sold to you. Except as warranted by this label Howard Johnson's Enterprises, Inc, the manufacturer, or the seller makes no warranties, guarantees, or representations of any kind to the buyer or the user, either express or implied, or by usage of trade, statutory or otherwise, with regard to the product sold or use of the product, including, but not limited to, merchantability, fitness for a particular purpose or use, or eligibility of the product for any particular trade usage. To the extent consistent with applicable law, Buyer's or user's exclusive remedy, and Howard Johnson's Enterprises, Inc the manufacturer's or the seller's total liability shall be limited to damages not exceeding the cost of the product. Isoled to ward 'Johnson's Enterprises, Inc, or the seller is authorized to amend the terms of this warranty disclaimer or the product's label or to make a presentation or recommendation different from or inconsistent with the label of this product.

different from or inconsistent with label of this product. To the extent consistent with applicable law, Howard Johnson's Enterprises, Inc, the manufacturer, or the seller shall not be liable for consequential, special, or indirect damages resulting from the use, handling, application, storage, or disposal of this product or for damages in the nature of penalties, and the buyer and the user waive any right that they may have to such damages