



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Janet P. Baguhn
Howard Johnson's Enterprises, Inc.
700 West Virginia Street #222
Milwaukee, WI 53204

FEB - 3 2011

Subject: Amendment Adding Marketing Claims
Crabgrass Preventer Plus with .29 Prodiamine Preemergence Herbicide
EPA Reg. No. 32802-70
Application, Dated November 18, 2010, Converted by EPA from Notification to
Amendment

Dear Ms. Baguhn:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable, provided you make the following changes:

1. On page 2, under "Application Timing and Information," insert the missing word "as" into the first sentence so that it reads "This product may be applied to newly transplanted and established ornamentals as a broadcast, over the top or directed application."
2. Near the bottom of column two on page 4 move the statements numbered 1 ("Determine size of area to be treated ..."), 2 ("Use the spreader setting chart to determine the appropriate setting"), and 3 ("Apply evenly over dry grass ..."), as well as the "Note" regarding spreader settings to the "Application Directions" section of the Directions for Use. These statements may be designated as "optional" or "alternate" wording.
3. In column 2 on page 4, delete the phrase "Helping our Water Sources." The statement is considered an implied safety claim and, therefore, false and misleading under 40 CFR 156.10(a)(5). Alternatively, you may revise the statement to read "Helping reduce phosphorus contamination of water sources" or "Helping reduce phosphorus in water sources."

NOTE: Should you wish to retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E).


2/7

40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

A stamped copy of your label is enclosed for your records. This label supersedes all previously accepted labels for the subject product. You must submit one (1) copy of the final printed label before you release the product for shipment. Products shipped after eighteen (18) months from the date of this letter or the next printing of the label, whichever occurs first, must bear the new, revised label. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA §6(e). Your release for shipment of the product constitutes acceptance of these conditions.

If you have any questions, please call me directly at (703) 305-1243 or Susan Stanton of my staff at (703) 305-5218.

Sincerely,



Kathryn Montague, Product Manager 23
Herbicide Branch
Registration Division (7505P)
Office of Pesticide Programs

Enclosure

317

**CRABGRASS PREVENTER
PLUS WITH .29 PRODIAMINE
PREEMERGENCE HERBICIDE**
FOR SELECTIVE PREEMERGENCE CONTROL OF GRASS
AND BROADLEAF WEEDS IN LAWNS AND ORNAMENTAL
TURF (excluding golf course putting greens),
LANDSCAPE ORNAMENTALS, ESTABLISHED
PERENNIALS AND WILDFLOWER PLANTINGS
STOPS MANY WEED GRASSES BEFORE THEY GROW
PREVENTS CRABGRASS, ANNUAL BLUEGRASS, FOXTAIL &
MORE

ACTIVE INGREDIENT:
Prodiamine: (CAS 29091-21-2) 0.29%
INERT INGREDIENTS: 99.71%
TOTAL: 100.00%

EPA Reg. No. 32802-70
EPA Est. No. 32802-WI-1 (A), 32802-MO-1 (B)

First letter of bag code shows establishment where manufactured.
See tag attached to bag for fertilizer guaranteed analysis.
Manufactured by:

HOWARD JOHNSON'S ENTERPRISES, INC.
700 W. Virginia Street, Milwaukee, WI 53204-1548

Read the entire "Directions for Use" and "Warranty Statements" before
using this product. If terms are not acceptable, return the unopened prod-
uct container at once to the seller.

NET WEIGHT: 16 lbs (or 18, 20, 25, 30, 36, 40, 50 lbs)

KEEP OUT OF REACH OF CHILDREN
CAUTION: See back panel for further precautions
and First Aid information.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION: Causes moderate eye injury (irritation).
Harmful if inhaled or absorbed through the skin. Avoid contact
with skin, eyes, or clothing. Avoid breathing dust. Wash
thoroughly with soap and water after handling. Prolonged
or repeated skin contact with product may cause allergic
reactions in some individuals.
ENVIRONMENTAL HAZARDS: This product has low
solubility in water. At the limits of solubility, this product is not
toxic to fish. However, at concentrations above the level of
water solubility, it may be toxic to fish. Do not apply directly to
water, to areas where surface water is present or to intertidal
areas below the mean high water mark. Drift and runoff from
treated areas may be hazardous to aquatic organisms in
adjacent sites. Do not contaminate water when disposing of
equipment washwaters.
(Alternate wording for home owner use:)
ENVIRONMENTAL HAZARDS:
To protect the environment, do not allow this product to enter
or run off into storm drains, drainage ditches, gutters or
surface waters. Applying this product in calm weather will help
to ensure that wind does not blow this product off the treated
area. Sweeping any product that lands on a driveway,
sidewalk, or street, back onto the treated area of the lawn or
garden will help to prevent run off to water bodies or drainage
systems.

Guaranteed Analysis	
Total Nitrogen (N)	XX.XX%
Available Phosphate (P2O5)	XX.XX%
Soluble Potash (K2O)	XX.XX%
Derived from:	
Chlorine (Cl), not more than XX.XX%	

First Aid	
If in eyes	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If on skin or clothing	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If swallowed	<ul style="list-style-type: none"> Call a poison control center or physician immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or physician. Do not give anything by mouth to an unconscious person.
If inhaled	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
Hot line number:	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Telecommunications Network at 1-800-858-7378.	

ACCEPTED
with COMMENTS
In EPA Letter Dated:
FEB - 3 2011
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
32802-70

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for use on plants being grown for sale or other commercial use, for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on golf courses or lawns and grounds.

(Alternate wording for WPS exclusionary statement, for use when the product labeling contains only turf uses (ie when label is split to exclude the directions for use on ornamental sites:)

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

This product is a selective preemergence herbicide that provides residual control of many grass and broadleaf weeds in established lawns and ornamental turf (excluding golf course putting greens), landscape ornamentals and established perennials and wildflower plantings. It controls susceptible weeds by inhibiting weed seed germination and root development. When used according to directions, it will control: barnyardgrass; bluegrass, annual (*Poa annua*); carpetweed; chickweed, common; chickweed, mouseear (from seed); crabgrass (large, smooth); crowfootgrass; cupgrass, woolly; foxtails, annual; goosegrass¹; henbit; itchgrass; johnsongrass (from seed); junglerice; knotweed; Kochia; lambsquarter, common; lovegrass; panicum (Texas, fall, browntop); pigweed; purslane, common; pusley, Florida; rescuegrass²; shepherd's purse²; signalgrass, broadleaf; speedwell, Persian; sprangletop; spurge, prostrate; witchgrass; woodsorrel, yellow (from seed).

¹ In many areas a single application of 5.2 to 11.9 pounds/1000 square feet (225 to 518 pounds/acre) will control goosegrass. However, under heavy goosegrass pressure and/or an extended growing season, most effective weed control may be obtained with an initial application of 5.2 to 7.9 pounds / 1000 square feet (225 to 345 pounds/acre), followed after 60 to 90 days by a second application at doses that would not exceed the maximum annual rate (see "Minimum and Maximum Application Rate by Turfgrass Species" table in the Rates of Application section of this label).

² For this weed, apply in late summer, fall or winter prior to germination.

³ Suppression only.

WHEN TO APPLY TO ESTABLISHED TURF: This product must be applied prior to germination of weed seed, as it will not control established weeds.



APPLICATION DIRECTIONS: Apply this product uniformly, using a suitable spreader that has been properly calibrated. Most effective weed control will be obtained when this product is activated by at least 0.5 inch of rainfall or irrigation, or with shallow (1-2 inches) incorporation, prior to weed seed germination and within 14 days after application.

USE PRECAUTIONS: The following precautions apply to the use of this product in turf grasses and lawns. Application of this product may thin emerged annual bluegrass and newly overseeded grasses. Do not apply to overseeded turf within 60 days after seeding or until after the second mowing, whichever is longer. Injury to desirable seedlings is likely if this product is applied before seedling secondary roots are in the second inch of soil (not thatch plus soil). Do not apply to newly set sod until the following year. Application to turf stressed by drought, low fertility, or pest damage may result in turf injury. Disturbing the herbicide barrier with cultural practices (such as core aeration) may result in reduced weed control. Do not apply to putting greens, or areas where dichondra, colonial bentgrass, velvet bentgrass or annual bluegrass (*Poa annua*) are desirable species. Do not apply through any type of irrigation system. Do not apply aerially. Do not graze or feed livestock forage cut from treated areas.

RATES OF APPLICATION: This product is recommended for use on the turf grass species listed in the following table. The maximum amount of this product that may be applied per year is given for each turf grass species. Do not exceed the maximum yearly rate listed:

Turf Species	MINIMUM AND MAXIMUM APPLICATION RATES (by Turf Grass Species)	
	Minimum Rate	Maximum Annual Rate ¹
Bahiagrass, Bermudagrass ² Centipedegrass, Zoysiagrass Seashore Paspalum St. Augustinegrass Tall Fescue (including turf-type)	2.75 lbs / 1000 sq ft (120 lbs / acre)	11.9 lbs / 1000 sq ft per year (518 lbs / acre per year)
Buffalograss Kentucky Bluegrass Perennial Ryegrass	2.75 lbs / 1000 sq ft (120 lbs / acre)	7.9 lbs / 1000 sq ft per year (345 lbs / acre per year)
Creeping Red Fescue	2.75 lbs / 1000 sq ft (120 lbs / acre)	6 lbs / 1000 sq ft per year (260 lbs / acre per year)
Creeping Bentgrass	2.75 lbs / 1000 sq ft (120 lbs / acre)	5.2 lbs / 1000 sq ft per year (225 lbs / acre per year)

¹These are the maximum rates per calendar year.

²May be used on newly sprigged or plugged Bermudagrass at rates not to exceed 4.1 pounds/1000 square feet (179 pounds/acre). Newly sprigged or plugged Bermudagrass stolon rooting may be temporarily retarded. Suppression only of foxtail, goosegrass and rescuegrass due to reduced rates used in sprigging situations.

This product may be applied as a single application or in sequential applications to control weeds germinating throughout the year. Sequential applications may be made so long as the total amount of product applied does not exceed the maximum annual application rates recommended for each turf species. The length of time of residual weed control provided by this product is related to the rate applied. Use the higher rates listed for longer periods of weed control.

WHEN TO OVERSEED AFTER APPLICATION: This product will inhibit germination of turf seed if overseeded too soon after application. Follow rates and intervals in table for best overseeding/ reseedling results.

USE RATE	MONTHS BEFORE OVERSEEDING		
	North	Transition	South
2.75 pounds / 1000 sq ft (120 pounds / acre)	4	4	4
5.2 pounds / 1000 sq ft (225 pounds / acre)	5	4	4
6 pounds / 1000 sq ft (260 pounds / acre)	6	5	5
6.3 pounds / 1000 sq ft (275 pounds / acre)	---	6	6
7.9 pounds / 1000 sq ft (345 pounds / acre)	---	7	7
9 pounds / 1000 sq ft (393 pounds / acre)	---	---	9
10.3 pounds / 1000 sq ft (448 pounds / acre)	---	---	10
11.9 pounds / 1000 sq ft (518 pounds / acre)	---	---	12

SPREADER SETTINGS	to apply at the listed pounds per 1000 square feet					
	2.75 lbs	5.2 lbs	6 lbs	7.9 lbs	9 lbs	11.9 lbs
Spreader A	X	X	X	X	X	X

(May contain additional spreader brands/models, spreader settings and spreader use instructions as appropriate for the product)

LANDSCAPE ORNAMENTALS (including established perennials and wildflower plantings): This product may be applied for residual preemergence weed control in ornamentals. Apply at the rate of 5.2 to 11.9 pounds/1000 square feet (225 to 518 pounds/acre) in fall and/or spring. Use higher rates of application for longer control periods. Sequential applications may be made so long as the total amount of product applied does not exceed the maximum annual application rate of 11.9 pounds/1000 square feet (518 pounds/acre) per year.

APPLICATION TIMING AND INFORMATION: This product may be applied to newly transplanted and established ornamentals a broadcast, over the top or directed application. Around new transplants, delay application to allow soil to settle and water thoroughly before applying. Apply after cuttings form roots and become established. Apply before budding/grafting or after buds/grafts have taken to avoid any inhibition of the tissue union. This product is a preemergence herbicide and will not control emerged weeds. Most effective weed control in ornamentals will be obtained when this product is activated by at least 0.5 inch of rainfall or irrigation, or with shallow (1 to 2 inch) mechanical incorporation, prior to weed seed germination and within 14 days following application. Best weed control is obtained when applied to soil free of clods, weeds and debris such as leaves. Prior to application, control existing vegetation by hand weeding, cultivation or the use of an appropriate postemergence herbicide.

TOLERANT ORNAMENTAL SPECIES: This product will not harm most trees, shrubs, vines and flowers. The species listed below are tolerant to this product. Best results will be obtained when product is uniformly applied to the soil surface; avoid applying to ornamental shoots which may defeat the effort to get uniform distribution on the soil surface. This product may be applied over the top of these species. When plants are under stress (such as heat, drought or frost damage) some cultivars of listed plants may be sensitive to this product.

SCIENTIFIC NAME	COMMON NAME	SCIENTIFIC NAME	COMMON NAME
Abies spp.	Fir species** (Balsam, Fraser, Noble, etc.)	Ligustrum sinense	Chinese Privet; Variegata
Abelia grandiflora	Abelia; Sherwood	L. japonicum	Japanese Privet
Acer palmatum	Japanese Maple	L. lucidum	Glossy Privet (Waxleaf)
A. platanoides	Norway Maple	Lilium spp.	Lily; Jazz
Achillea spp.	Yarrow; King Edward	Liriope muscari	Big Blue Lily; Silver Mound, Evergreen Giant
Actinidia chinensis	Kiwi*	Liriope muscari var. variegata	Liriope, Variegated
Agapanthus africanus	Lily-of-the-Nile (African Lily)	Liriope spicata	Liriope, Creeping
Agapanthus orientalis		Lobelia Cardinalis	Cardinal Flower, Indian Pink
Akebia quintata	Five-Leaf or Chocolate Vine	Lonicera japonica	Japanese Honeysuckle
Allium cernuum	Lady's Leek, Nodding Onion	L. tatarica	Tatarian Honeysuckle
Anemone hydrida	Japanese Anemone	Lorapetalum chinense	Burgundy
Aquilegia spp.	Aquilegia: Red and Gold	Lythrum spp.	Loosestrife; Modern Pink
Arctostaphylos densiflora	Vine Hill Manzanita	Magnolia spp.	Magnolia species**
Arctotheca catendula	Cape Weed	Maleophora luteola	Ice Plant
Artemisia spp.	Wormwood; Silver Mound, Castle	Malus spp.	Crabapple*
Aster spp.	Aster: Bonnie Blue, Purple Dome	Miscanthus sinensis	Yaku Jima, Silberfeder
Aster X Frikartii		Nandina domestica	Heavenly Bamboo
Athrium Filiz-femina	Lady Fern; Fern Lady	Narcissus spp.	Narcissus species**
Aucuba japonica	Japanese Aucuba	Nerium oleander	Oleander
Begonia spp.	Fibrous Begonia: Hardy Grandis	Olea europaea	Olive *
Berberis gladwynensis	Barberry	Ophiopogon japonicus	Mondo Grass
B. julianae	Wintergreen Barberry	Osmanthus heterophyllus	Osmanthus (False Holly); Gulf Tide
B. mentorensis	Mentor Barberry	Osteospermum fruticosum	Trailing African Daisy
B. thunbergii	Japanese Barberry	Oxydendrum arboreum	Sourwood
B. verruculosa	Warty Barberry	Paeonia suffruticosa	Tree Peony
Bergenia cordifolia		Pennisetum setaceum	Fountain Grass (Dwarf)
Boltonia asteroides	Snowbank	Perovskia atriplicifolia	
Buddleia davidii	Butterfly-Bush (Dwarf Blue); Royal Red	Persea americana	Avocado*
Buxus microphylla	Japanese Boxwood	Photinia Fraseri	Fraser's Photinia (Redtip)
Callistemon viminalis	Weeping Bottlebrush	Physotegia virginiana	Dragonhead, False; Vivid
Calluna vulgaris	Scotch Heather	Picea spp.	Spruce species** (Colorado Blue, Norway, etc.)
Campanula carpatica	Tussock Bellflower, (White Clips)	Pieris japonica	Lily-of-the-Valley Bush
Campis X Tagliabuena	Trumpet Flower, Madame Galen	Pinus brutia	Calabrian Pine
Carpobrotus edulis	Hottentot Fig (Ice Plant)	P. canariensis	Canary Island Pine
Cassia artemisoides	Feathery Cassia	P. elliotii	Slash Pine
Ceanothus rigidus	Wild Lilac	P. halepensis	Aleppo Pine
Ceratostigma plumbagonoides		P. nigra	Austrian Pine
Chamaecyparis pisifera	False Cypress	P. palustris	Longleaf Pine
Cleyera japonica	Cleyera	P. radiata	Monterey Pine
Citrus spp.	Citrus species*	P. strobus	Eastern White Pine
Coreopsis spp.	Coreopsis (Calliopsis) Early Sunrise, Moonbeam	P. sylvestris	Scotch Pine
Cornus florida	Flowering Dogwood	P. taeda	Loblolly Pine
C. stolonifera	American Dogwood	P. thunbergiana	Japanese Black Pine
Cortaderia selloana	Pampas Grass	P. virginiana	Virginia Pine
Cotoneaster apiculatus	Cranberry Cotoneaster	Pistachio spp.	Pistachio*
C. buxifolius	Cotoneaster	Pittosporum rhombifolium	Queensland Pittosporum
C. dammeri	Bearberry Cotoneaster	P. tobira	Japanese Pittosporum
C. microphyllus	Rockspray Cotoneaster	Podocarpus macrophyllus	Japanese Yew
Cretaegus spp.	Hawthorne	Prunus laurocerasus	English Laurel
Crocrosmia spp.	Lucifer	Prunus spp.	Almond, Apricot, Nectarine, Peach, Plum and Prune*
Cupressus sempervirens	Italian Cypress	Pseudotsuga menziesii	Douglas Fir**
Delosperma alba	White Trailing Ice Plant	Pyracantha coccinea	Firethorn (Scarlet)
Delosperma spp.	Cooper Pink	P. fortuneana	Firethorn
Delphinium spp.	Larkspur: Blue Elf	P. koidzumii	Firethorn
Dianthus deltoides	Dianthus; Maiden Pinks "Zing"	Pyrus spp.	Bradford Pear spp.
D. gratianopolitanus	Cheddar Pink	Quercus shumardii	Oak, Shumard's Red
Dodonea viscosa	Hop Bush	Quercus spp.	Oak species
Echinacea purpurea	Coneflower, Purple; Magnus	Raphiolepis indica	Indian Hawthorne
Elaeagnus pungens	Silverberry	Raphiolepis umbellata	Yedda Hawthorne
Euonymus fortunei	Wintercreeper	Rhododendron	'Coral Bells,' 'Formosa,' 'Hino-crimson,' 'PJM' (including Azalea), 'Delaware Valley White,' 'Roseum Elegans,' 'Flame Creeper,' 'Girard Crimson,' 'Wakeiebisu,' 'White Gumbo,' 'George L. Tabor'
E. japonica	Evergreen Euonymus	Rosa banksiae	Lady Bank's Rose
E. kiautschovica	Spreading Euonymus	Rosmarinus officinalis	Rosemary*
Fatsia japonica	Japanese Aralia	Rudbeckia spp.	Black-Eyed Susan; Goldsturm
Forsythia intermedia	Border Forsythia	Santolina virens	Santolina
Forsythia suspensa	Weeping Forsythia	Saxifraga spp.	Saxifrage; Purple Dome
F. viridissima	Greenstem Forsythia	Scabiosa spp.	Pincushion Flower
Gaillardia spp.	Gaillardia, Blanket Flower: "Goblin"	Sedum album	Stonecrop
Gardenia jasminoides	Gardenia, Cape-Jasmine	Sedum cauticola	Stonecrop; Lidakense
Gaura spp.		Sedum dasyphyllum	Stonecrop
Gentiana dahurica	Gentian	Sedum spurium	Stonecrop; Dragon's Blood
Geranium cinereum	Cranesbill	Spiraea bumalda	Spiraea; Anthony Waterer
Gladiolus spp.	Gladiolus species**	Syzygium paniculatum	Australian Brushcherry
Gypsophila repens	Baby's Breath	Taxus cuspidata	Japanese Yew
Hedera helix	English Ivy	T. media	Yew
Helianthemum spp.	Sunrose	Taucrium spp.	Germander
Hemerocallis spp.	Daylily: Aztec Gold, Stella de Oro, Tender Love	Thalictrum dipercarpum	Meadow Rue
Hibiscus	Rose of Sharon**	Thuja occidentalis	American Arborvitae
Hibiscus spp.	Mallow: Disco Belle White	Trachelospermum asiaticum	Star Jasmine
Hibiscus rosa-sinensis	Chinese Hibiscus	Tsuga canadensis	Canada Hemlock
Hosta plantaginea	Hosta, Plantain Lily (Fragrant)	Tulipa spp.	Tulip species
H. Sieboldiana	Hosta, "Seersucker"	Veronica spp.	Veronica, Speedwell; Sunny Border
Houttuynia cordata var. variegata		Viburnum japonicum	Japanese Viburnum
Hydrangea macrophylla	Bigleaf Hydrangea	V. odoratissimum	Sweet Viburnum
Ilex Bernyi	Holly	V. plicatum	Japanese Snowball
Ilex cornuta	Chinese Holly	V. rigidum	Canary Island Viburnum
I. crenata	Japanese Holly	V. suspensum	Arrowwood Viburnum
I. opaca	American Holly	V. tinus	Laurustinus
I. vomitoria	Yaupon Holly, Schillings	V. trilobium	Cranberry Bush
Inula ensifolia		V. wrightii	Leatherleaf Viburnum
Iris ensata	Sword-Leaved Iris; Jodlesong	Vinca major	Greater Periwinkle, Vinca
Iris sibirica	Siberian Iris; Cabernet	Vinca minor	Common Periwinkle, Vinca
Iris spp.	Iris species**	Vitis spp.	Grape*
Jasminum nudiflorum	Winter Jasmine	Weigela florida	Old Fashioned Weigela
Juniperus chinensis	Chinese Juniper; Nick's Compact, Parsonnii	Yucca aloifolia	Spanish Bayonet, Yucca
J. conferta	Shore Juniper; Blue Pacific	Y. filametosa	Adam's Needle, Yucca
J. davurica	Parsoni		*Do not use on food producing trees, vines or plants.
J. horizontalis	Creeping Juniper		**Not for use on container grown plants.
Juglans spp.	Walnut*		
Justicia brandegeana	Shrimp Plant		
Lagerstromia indica	Crape Myrtle		
Lagerstromia indica X Fauriei	Crape Myrtle; Tuscarora		
Lantana montevidensis	Weeping Lantana		
Lavender spp.	Lavender; Munstead		
Leonopodium alpinum	Edelweiss		
Ligustrum amurense	Amur Privet		

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in original container in a locked storage area out of reach of children and domestic animals.

(wording for Commercial use label:)

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Nonrefillable container: Do not reuse or refill this container. Offer for recycling, if available. If not available then dispose of empty bag in a sanitary landfill, or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

(Alternate wording for home owner use:)

IF EMPTY: Nonrefillable container: Do not reuse or refill this container. Offer for recycling, if available. **IF PARTLY FILLED:** Call your local solid waste agency for disposal instructions. Never place any unused product down any indoor or outdoor drain or toilet.

Warranty

The directions for use of this product are believed to be adequate and must be followed carefully, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result due to such factors as weather conditions, presence or absence of other materials, or the manner of use or application, all of which are beyond the control of Howard Johnson's Enterprises, Inc the manufacturer, or the seller.

To the extent consistent with applicable law, the products sold to you are furnished "as is" by Howard Johnson's Enterprises, Inc. The manufacturer and the seller are subject only to the manufacturer's warranties, if any, which appear on the label of the product sold to you. Except as warranted by this label Howard Johnson's Enterprises, Inc, the manufacturer, or the seller makes no warranties, guarantees, or representations of any kind to the buyer or the user, either express or implied, or by usage of trade, statutory or otherwise, with regard to the product sold or use of the product, including, but not limited to, merchantability, fitness for a particular purpose or use, or eligibility of the product for any particular trade usage. To the extent consistent with applicable law, Buyer's or user's exclusive remedy, and Howard Johnson's Enterprises, Inc the manufacturer's or the seller's total liability shall be limited to damages not exceeding the cost of the product. No agent or employee of Howard Johnson's Enterprises, Inc, or the seller is authorized to amend the terms of this warranty disclaimer or the product's label or to make a representation or recommendation different from or inconsistent with the label of this product.

To the extent consistent with applicable law, Howard Johnson's Enterprises, Inc, the manufacturer, or the seller shall not be liable for consequential, special, or indirect damages resulting from the use, handling, application, storage, or disposal of this product or for damages in the nature of penalties, and the buyer and the user waive any right that they may have to such damages.

(Optional wording required by some states in order to effect fertilizer registration:)

When soil testing or professional advice indicates the need for additional plant nutrients, make additional applications of fertilizer products over the growing season.

A lawn typically will utilize 1 to 4 pounds of nitrogen per 1,000 square feet per growing season. When used as directed, this product will supplement your regular fertilizer program by providing (No. of lbs.) pounds of nitrogen per 1,000 square feet and herbicide to control listed weeds. Please consult your local extension office for questions regarding a regular fertilizer program.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.wa.gov/agr/>

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk or street, back onto your lawn/garden.

(Optional wording for use with fertilizer inert ingredients that cause staining:)

This product may stain driveways, walks, patios, pools, etc. Wash or sweep off thoroughly immediately after each use.

(Optional marketing statements:)

STOPS MANY WEED GRASSES BEFORE THEY GROW

3-5 month Weed Grass Control

Quality Products Since 1945

Covers 5,000 Sq ft

In case of emergency call 800-424-9300

Prevents crabgrass and other weed grasses.

Fertilizer that builds thick, green lawns.

Slow Release Nitrogen

Slow Release nitrogen- helps provide extended grass feeding

Helps Provide Extended Feeding

Phosphate-Free Fertilizer

Pennington Coated Slow Release Technology, For a longer lasting Green Lawn with No Burning. (see attached for logo seal)

Controls Crabgrass and Broadleaf Weeds Before they Germinate

Prevent crabgrass and fertilize your lawn in one application

Up to 5 month weed and grass control

(Optional marketing statement when Baricade® is formulated in formula:)

Contains .29 BARRICADE® PREEMERGENCE HERBICIDE

BARRICADE® is a registered trademark of Syngenta Crop Protection

Optional Fertilizer Marketing Claims

Contains slow release Nitrogen for extended greening

Contains slow release Nitrogen for extended feeding

Nitrogen for a lush green lawn

Phosphate improves root growth

Potassium Vital for growth & drought resistance

with controlled release nitrogen

covers up to XXXXX square feet (per application)

Provides Lush, green grass

Phosphorus Free-Helping our Water Sources

1. Determine size of area to be treated - measure length and width in feet, then multiply to determine coverage area in square feet (length x width). Next, subtract non-lawn areas.

2. Use the spreader setting chart to determine the appropriate setting.

3. Apply evenly over dry grass, avoiding streaks, skips and overlaps - thorough coverage is important. On hot days (above 80°F), water the lawn to rinse particles off the grass.

Note: The spreader settings listed at right are approximate. It is important to check calibration of spreader frequently to ensure spreader is functioning properly and applying product evenly. To check calibration, accurately weigh a few pounds into your spreader and apply to a measured area. Then adjust spreader setting if necessary in order to ensure correct rate of application.

LOOK! For more information, visit us on our website at www.Sta-Green.com

With Pennington Coated Technology Greens Quickly Feeds for months

Phosphorus-Free

N Nitrogen for lush, green plant growth

K Potassium for overall plant health and vigor

Stop Read the entire label first. Observe all precautions and follow directions carefully

Optional Fertilizer Marketing Claims (continued)

See back Panel for Analysis Description

***MONEY BACK GUARANTEE**

If you are not completely satisfied with this product, please mail your name, address and proof of purchase (package UPC) and a brief explanation for seeking a refund.

Pennington Coated Technology

Pennington Coated –Slow Release Technology For a Long Lasting Green Lawn With No Burning*

*When used as directed.

For a Beautiful Ste-Green Lawn

Other Recommended (insert product name) Lawn Products

A good fertilization program can keep your lawn green and vigorous. Sta- Green has a wide selection of fertilizers to help you throughout the year.

Sta-Green Crabgrass Preventers

Use these pre-emergent products to control crabgrass and many other weeds in your lawn before they germinate. Crabgrass preventers are available with or without fertilizer. Use these products in early spring before weeds begin to emerge.

Sta-Green Lawn Fertilizer

A high nitrogen fertilizer with iron that feeds any established lawn up to 4 months. Use this product anytime during the active growing season.

Sta-Green Weed And Feed

This post-emergent product controls a wide variety of existing broadleaf weeds while it feeds your desirable grass. Use weed and feeds when weeds are actively growing.

Sta-Green Southern Weed and Feed

This fertilizer is especially formulated to control a wide variety of broadleaf weeds in Centipede and St. Augustine lawns. Use weed and feeds when weeds are actively growing