

Please read instructions on reverse before completing form. Form Approved. OMB No. 2070-0060. Approval expires 05-31-98



United States Environmental Protection Agency Washington, DC 20460

Registration Amendment Other

OPP Identifier Number NOTIFICATION 249050

Application for Pesticide - Section I

1. Company/Product Number 32802-71
2. EPA Product Manager Joanne I. Miller
3. Proposed Classification None Restricted
4. Company/Product (Name) DIMENSION 0.107 PLUS FERTILIZER
5. Name and Address of Applicant HOWARD JOHNSON'S ENTERPRISES, INC.
6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. N/A Product Name N/A

Section - II

Amendment - Explain below. Resubmission in response to Agency letter dated Remove the Bird Caution Statement. Notification - Explain below. Final printed labels in response to Agency letter dated "Me Too" Application. Other - Explain below. APR 24 1996


Explanation: Use additional page(s) if necessary. (For section I and Section II.)
> This is a Notification Amendment to remove the non-required Bird Caution originally found in the Environmental Hazards section when Monsanto owned the product. Rohm & Haas, the new owner, has since removed that statement from all Dimension products since it is not required to protect birds.

Section - III

1. Material This Product Will Be Packaged In: Child-Resistant Packaging, Unit Packaging, Water Soluble Packaging, 2. Type of Container, 3. Location of Net Contents Information, 4. Size(s) Retail Container, 5. Location of Label Directions, 6. Manner in Which Label is Affixed to Product

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Name H. R. MCLANE, INC. Title Authorized Agent Telephone No. 305 661 1706
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete.
2. Signature Tom Schmit, Mgr. Reg. Affairs 3. Title Authorized Agent 4. Typed Name Tom Schmit, Mgr. Reg. Affairs 5. Date MAR 21 1996 6. Date Application Received (Stamped)



H. R. McLANE, INC.

7210 Red Road, Suite 206 - Miami, Florida 33143-5321
Phone & FAX - 305 661 1706
Chemical Consultants in EPA Regulatory Affairs
FIFRA Licensing & Registrations - Since 1976

March 21, 1996

Ms. Joanne I. Miller PM-23
Document Processing Desk (NOTIF/AMEND)
Office Of Pesticide Programs (7505C)
U. S. Environmental Agency
401 "M" Street S.W.
Washington DC 20460

Registrant: HOWARD JOHNSON'S ENTERPRISES, INC.
P.O. BOX 2990 - MILWAUKEE, WI 53201
EPA Est. No. 32802

Subject: Notification Amendment to remove the Bird Caution

- Product: 1. DIMENSION 0.086 PLUS FERTILIZER
EPA File Symbol: 32802-68
OPP ID NO 249048
2. DIMENSION 0.172 PLUS FERTILIZER
EPA File Symbol: 32802-69
OPP ID NO 249049
3. DIMENSION 0.107 PLUS FERTILIZER
EPA File Symbol: 32802-71
OPP ID NO 249050

Dear Ms. Miller:

Enclosed you will find the following information for these Notification Amendments.

1. EPA Reg. form 8570-1 for each of the above products.
2. Five copies of revised Labeling which have the following statement removed from the Environmental Hazards section.

"BIRD CAUTION: While avian toxicology studies have shown low acute toxicity to birds, the potential for avian reproduction effects is being evaluated. To reduce potential exposure to birds, do not apply this product in split applications; make only one application per season; do not apply more than 0.5 lbs. of A.I. per acre. Avoid known bird nesting sites and areas where birds are actively feeding when applying this product."

If there are changes that might be resolved by phone, please call 305-661-1706. Thank you for your cooperation.

Sincerely
H. R. McLane, INC.

H. R. McLane
H. R. McLane, Authorized Agent for
Alex Antonio, CEO
HOWARD JOHNSON'S ENTERPRISES, INC.
HRM/nb/ENCL: as above. cc/AA/HJEI

DIMENSION®

393

0.107 PLUS*

DIMENSION® 0.107 PLUS is a selective herbicide PLUS* fertilizer combination which will provide preemergence control of listed annual grasses and broadleaf weeds in established lawns and ornamental turf areas.

Not for Use on Turf being grown for Sale or other Commercial Use, as Sod, for Commercial Seed Production, or for Research Purposes.

ACTIVE INGREDIENT: Dithiopyr: 3,5-pyridinedicarbothioic acid,
2-(difluoromethyl) -4-(2-methylpropyl)-6-(trifluoromethyl)-S,S-dimethylester - - 0.107%

INERT INGREDIENTS: - - - - - 99.893%

TOTAL 100.000%

NET WEIGHT 50 POUNDS

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

EPA Reg. No. 32802-71 Dimension is a Registered Trade Mark of Rohm & Haas Co. EPA Est. No. 32802-WI-1(A) 32802-MO-1(B)
The first letter of code on package end indicates location of manufacturing plant. Fertilizer guarantee found on separate tag.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes eye irritation. Harmful if inhaled. Avoid contact with eyes or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

STATEMENTS OF PRACTICAL TREATMENT

IF IN EYES: Immediately flush eyes with plenty of water. Get medical attention if irritation persists. **IF INHALED:** Remove individual to fresh air. Seek medical attention if breathing difficulty develops.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Drift or runoff may adversely affect aquatic organism. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. In the State of New York Only: For Professional Turf Applicators Only. Not for use in Nassau or Suffolk Counties.

STORAGE AND DISPOSAL

Do not contaminate water, foodstuffs, feed or seed by storage or disposal. **STORAGE:** Store this product in original container only. In case of spill, sweep up material and dispose of material according to label directions. **PESTICIDE DISPOSAL:** Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, state or local procedures. **CONTAINER DISPOSAL:** Do not reuse emptied container. Completely empty bag into applicator equipment. Dispose of emptied bag(s) in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned stay out of smoke.

GENERAL USE INSTRUCTIONS FOR TURFGRASSES

This product may be used on the following established turfgrasses.

COOL SEASON GRASSES	Creeping Bentgrass (Agrostis stolonifera)
	Kentucky Bluegrass (Poa pratensis)
	Fine Fescue* (Festuca rubra)
	Tall Fescue (Festuca arundinacea)
	Perennial Ryegrass (Lolium perenne)
WARM SEASON GRASSES	Bahia grass (Paspalum notatum)
	Bermudagrass (Cynodon dactylon)
	Buffalograss (Buchloe dactyloides)
	Carpetgrass (Axonopus affinis)
	Centipedegrass (Eremochloa ophiuroides)
	Kikuyugrass (Pennisetum clandestinum)
	St. Augustinegrass (Stenotaphrum secundatum)
Zoysiagrass (Zoysia japonica)	

*The following Fescues varieties are sensitive to this product:
Atlanta, Banner, Beauty, Bilgart, CF-2, Enjoy, HF-93, Highlight, Ivalo, Koket, Majenta, Mary, Pennlawn, Tamara, Tatjana, Walford and Waldina.

WEEDS CONTROLLED

Dimension 0.107 Plus controls the following weeds when applied at proper rates and times for Northern and Southern grasses.

Weeds	lbs. A.I. North	lbs. A.I. South
Crabgrass, Large; Smooth Foxtail, Green; Yellow	0.125 to 0.25*	0.25 to 0.38*
Ramvardgrass	0.25	0.38

(equiv. to)

GENERAL PRECAUTIONS WHEN APPLYING (Cont.)

2. This product should be applied 7 to 14 days prior to the seed germination of annual grasses and/or broadleaf weeds.
3. New lawn and/or seedling growth may be inhibited if surface seeding or sprigging is done within 4 months after an application. Use a "Slit Seeder" or equivalent for best results.
4. This product may be applied to any healthy well established turfgrass that has been seeded, sodded, or sprigged. Use on turf that is poorly established, weakened, or mechanically stressed may increase the potential for delayed recovery.
5. Do not apply over-the-top of desirable flowers, vegetables shrubs or trees.
6. Do not use clippings from treated turf for animal feed or for mulching around fruit trees, flowers, shrubs, or vegetables.
7. Do not allow domestic animals to feed or forage on the treated turf.
8. For control of annual bluegrass and winter annuals, apply in the fall of the year prior to their seed germination.
9. Do not use this product on putting greens.

USE/RATE EQUIVALENTS CHART

50 lbs. Covers	lbs. / acre	lbs. / 21,000 sq.ft.	lbs. A.I./acre
19,200 sq.ft.	117 lbs	2.60 lbs	0.125 lbs
12,500 sq.ft.	175 lbs	4.00 lbs	0.1875 lbs.
9,500 sq.ft.	234 lbs	5.30 lbs	0.250 lbs.
6,250 sq.ft.	355 lbs	8.00 lbs	0.380 lbs.
3,750 sq.ft.	467 lbs	10.6 lbs	0.500 lbs.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes eye irritation. Harmful if inhaled. Avoid contact with eyes or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

STATEMENTS OF PRACTICAL TREATMENT

IF IN EYES: Immediately flush eyes with plenty of water. Get medical attention if irritation persists. **IF INHALED:** Remove individual to fresh air. Seek medical attention if breathing difficulty develops.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Drift or runoff may adversely affect aquatic organism. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. In the State of New York Only: For Professional Turf Applicators Only. Not for use in Nassau or Suffolk Counties.

STORAGE AND DISPOSAL

Do not contaminate water, foodstuffs, feed or seed by storage or disposal. **STORAGE:** Store this product in original container only. In case of spill, sweep up material and dispose of material according to label directions. **PESTICIDE DISPOSAL:** Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, state or local procedures. **CONTAINER DISPOSAL:** Do not reuse emptied container. Completely empty bag into application equipment. Dispose of emptied bag(s) in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned stay out of smoke.

GENERAL USE INSTRUCTIONS FOR TURFGRASSES

This product may be used on the following established turfgrasses.

COOL SEASON GRASSES	Creeping Bentgrass	(Agrostis stolonifera)
	Kentucky Bluegrass	(Poa pratensis)
	Fine Fescue*	(Festuca rubra)
	Tall Fescue	(Festuca arundinacea)
	Perennial Ryegrass	(Lolium perenne)
WARM SEASON GRASSES	Bahiagrass	(Paspalum notatum)
	Bermudagrass	(Cynodon dactylon)
	Buffalograss	(Buchloe dactyloides)
	Carpetgrass	(Axonopus affinis)
	Centipedegrass	(Eremochloa ophiuroides)
	Kikuyugrass	(Pennisetum clandestinum)
	St. Augustinegrass	(Stenotaphrum secundatum)
	Zoysiagrass	(Zoysia japonica)

*The following Fescues varieties are sensitive to this product:

Atlanta, Banner, Beauty, Bilgart, CF-2, Enjoy, HF-93, Highlight, Ivalo, Koket, Majenta, Mary, Pennlawn, Tamara, Tatjana, Walfort and Waldina.

WEEDS CONTROLLED

Dimension 0.107 Plus controls the following weeds when applied at proper rates and times for Northern and Southern grasses.

Weeds	lbs. A.I. North	lbs. A.I. South
Crabgrass, Large; Smooth Foxtail, Green; Yellow	0.125 to 0.25*	0.25 to 0.38*
Barnyardgrass Crowfootgrass Kikuyugrass Lespedeza, (common) Oxalis, Buttercup Oxalis Creeping Woodsorrel Yellow Woodsorrel Purslane, (common) Speedwell, corn Smutgrass	0.25 (equiv. to 50 lbs. to treat 9,500 sq.ft.)	0.38 (equiv. to 50 lbs. to treat 6,250 sq.ft.)
Bluegrass, (annual) Bittergrass Chickweed Geranium, Carolina Goosegrass Henbit Parsley-piert Pineappleweed Ryegrass, (Annual); (Perennial) Shepardspurse Spurge, (Prostrate); (Spotted)	0.25 to 0.38* (equiv. to 50 lbs. to treat 6,250 to 9,500 sq.ft.)	0.38 to 0.50* (equiv. to 50 lbs. to treat 4,700 to 6,250 sq.ft.)

*The higher rates (more product per acre) are recommended where infestations are heavy and/or dense.

GENERAL PRECAUTIONS WHEN APPLYING

- Cultural practices such as aerification; dethatching, and verticutting should be completed and the turf allowed to recover before application of this product. Irrigation or rainfall within 7 days after application may improve weed control.

GENERAL PRECAUTIONS WHEN APPLYING (Cont.)

- This product should be applied 7 to 14 days prior to the seed germination of annual grasses and/or broadleaf weeds.
- New lawn and/or seedling growth may be inhibited if surface seeding or sprigging is done within 4 months after an application. Use a "Slit Seeder" or equivalent for best results.
- This product may be applied to any healthy well established turfgrass that has been seeded, sodded, or sprigged. Use on turf that is poorly established, weakened, or mechanically stressed may increase the potential for delayed recovery.
- Do not apply over-the-top of desirable flowers, vegetables shrubs or trees.
- Do not use clippings from treated turf for animal feed or for mulching around fruit trees, flowers, shrubs, or vegetables.
- Do not allow domestic animals to feed or forage on the treated turf.
- For control of annual bluegrass and winter annuals, apply in the fall of the year prior to their seed germination.
- Do not use this product on putting greens.

USE/RATE EQUIVALENTS CHART

50 lbs. Covers	lbs. / acre	lbs. 71,000 sq.ft.	lbs. A.I./acre
19,200 sq.ft.	117 lbs	2.60 lbs	0.125 lbs
12,500 sq.ft.	175 lbs	4.00 lbs	0.1875 lbs.
9,500 sq.ft.	234 lbs	5.30 lbs	0.250 lbs.
6,250 sq.ft.	355 lbs	8.00 lbs	0.380 lbs.
4,700 sq.ft.	467 lbs	10.6 lbs	0.500 lbs.

SPREADER SETTINGS

The following spreader settings are for new spreader equipment. Your spreader may need adjustment since proper application is based on the spreader's age, and use. Follow the directions in your spreader "Manual" for proper calibration. Poor weed control will result from uneven or improper application.

Spreader	Pounds A. I. per acre.				
	0.125	0.188	0.25	0.38	0.50
Spyker Pro	3.6	4.0	4.4	4.0(2x)	4.4(2x)
Scotts	F	H-I	I-J	H-I(2x)	I-J(2x)
Lesco	F	H-I	I-J	H-I(2x)	I-J(2x)
Prize	4.0	4.4	4.9	4.4(2x)	4.9(2x)
Cyclone	3.6	4.0	4.4	4.0(2x)	4.4(2x)
Lely	2.4	2.8	3.3	2.8(2x)	3.3(2x)

Notice: Buyer and user assume all risk and liability of use, storage, and/or handling of this product not in accordance with the terms of this label.

[71BIRD-N.PMS / Remove (no longer required) Bird Caution by Notification 03120196.

FERTILIZER GUARANTEE FOUND ON TAG AFFIXED TO CONTAINER

HOWARD JOHNSON'S ENTERPRISES, INC.

P.O. BOX 2990 - MILWAUKEE, WI 53201 U.S.A.