



32802-73

2-14-2002

1/4

Please read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0060, Approval expires 2-28-95



United States
Environmental Protection Agency
Washington, DC 20460

☐ Registration
☐ Amendment
☒ Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 32802-73	2. EPA Product Manager Joanne Miller	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Turf Food With Crabgrass Preventer	PM# 23	
5. Name and Address of Applicant (Include ZIP Code) Howard Johnson's Enterprises, Inc. 700 W. Virginia St., Suite 222 Milwaukee, WI 53204-1548 <input type="checkbox"/> Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

NOTIFICATION

FEB 14 2002

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

NOTIFICATION: Remove redundant text from label. KEEP OUT OF REACH OF CHILDREN is on the front of the bag, where it belongs, but is repeated on the back of the bag. It is not needed twice on the label.

Section - III

1. Material This Product Will Be Packaged In:			
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	2. Type of Container <input checked="" type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted			
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container	4. Size(s) Retail Container various	5. Location of Label Directions <input type="checkbox"/> on back of label	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled <input type="checkbox"/> Other _____			

Section - IV


1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Kresti A. Lyddon	Title Director of Regulatory Affairs	Telephone No. (Include Area Code) 414-298-3028, ext. 105
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Director of Regulatory Affairs	
4. Typed Name Kresti A. Lyddon	5. Date 16 January 2002	

Product: Turf Food with Crabgrass Preventer
EPA Reg. No. 32802-73

Registrant: Howard Johnson's Enterprises, Inc.
700 W. Virginia St., Suite 222
Milwaukee, WI 53204-1548

Action: Notification: Deletion of redundant text

This notification is consistent with the provisions of PR Notice 95-2 and EPA regulations (40 CFR § 152.46), and no other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 USC Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 95-2 and 40 CFR §152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.



Krest A. Lyddon, Director of Regulatory Affairs

NOTIFICATION

FEB 14 2002

Date: January 16, 2002

CORPORATE OFFICE

700 W. VIRGINIA STREET
SUITE 222
MILWAUKEE, WI 53204

414-276-1505
800-298-4656
414-276-4184 FAX

TURF FOOD WITH CRABGRASS PREVENTER

CONTAINS DIMENSION®

A SELECTIVE HERBICIDE THAT PROVIDES CONTROL OF LISTED ANNUAL GRASSES AND BROADLEAF WEEDS IN ESTABLISHED LAWNS & ORNAMENTAL TURF

CONTAINS A COMPLETE LAWN FOOD

ACTIVE INGREDIENT:

Dithiopyr: 3,5-pyridinedicarbothioic acid, 2-(difluoromethyl)-4-(2-methylpropyl)-6-(trifluoromethyl)-S,S-dimethyl ester . . . 0.06%

INERT INGREDIENTS: 99.94%

TOTAL: 100.00%

NOTIFICATION

EPA Reg. No. 32802-73

EPA Est. No. 32802-WI-1 (A), 32802-MO-1 (B)

First letter of bag code shows establishment where manufactured. See tag attached to bag for fertilizer guaranteed analysis.

Manufactured by:

HOWARD JOHNSON'S ENTERPRISES, INC.

700 W. Virginia Street, Milwaukee, WI 53204-1548

DIMENSION® is a trademark of Rohm and Haas Co.

FEB 14 2002

KEEP OUT OF REACH OF CHILDREN

CAUTION: See back panel for further cautions, first aid information and directions for use.

NET WEIGHT: 18 lbs (or 20, 24, 30, 36, 40, 50 or 60 lbs)

KEEP OUT OF REACH OF CHILDREN
PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes eye irritation. Harmful if inhaled. Avoid contact with eyes or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Prolonged or frequently repeated skin contact while handling this material may cause allergic reaction in some individuals.

FIRST AID

IF IN EYES: Immediately flush eyes with plenty of water. Get medical attention if irritation persists.

IF INHALED: Remove individual to fresh air. Seek medical attention if breathing difficulty develops.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and highly toxic to other aquatic organisms including oysters and shrimp. Use with care when applying to turf areas adjacent to any body of water. Drift or runoff may adversely affect aquatic organisms in adjacent aquatic sites. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes.

GENERAL INFORMATION: This product controls crabgrass and other annual grasses and broadleaf weeds, and also contains fertilizer for proper turf growth in established lawns. It can be applied 2 to 4 weeks later than other crabgrass preventers, and provides up to 3 to 5 months control of crabgrass and other weed grasses and broadleaf weeds in home lawns. It can be applied according to these directions to the following turfgrasses:

Cool season grasses: creeping bentgrass, Kentucky bluegrass, fine fescue, tall fescue, perennial ryegrass;

Warm season grasses: bahiagrass, bermudagrass, buffalograss, carpetgrass, centipedegrass, kikuyugrass, St. Augustinegrass, zoysiagrass.

Apply only to lawns that are well established. Use of this product on lawns that are not well established, or weakened by weather, pests or mechanical stress, may increase the chance for turf injury. This product will not harm nearby established ornamentals when used according to label directions.

When to apply: This product can be applied 2 to 4 weeks later than other crabgrass preventers, because Dimension® herbicide in this product provides preventive (pre-emergence) control when spread on lawns prior to germination of the weed seeds. It also provides post-emergence control of crabgrass when applied 2 to 4 weeks after crabgrass germination. Post-emergence control is limited to crabgrass only. Application of this product later than 4 weeks after crabgrass germination will result in reduced control of crabgrass. For control of the weed grasses and broadleaf weeds listed on this label (other than crabgrass), it must be applied as a preventative treatment before the weed seeds germinate. ONLY crabgrass can be controlled with delayed application after germination.

APPLICATION DIRECTIONS: This product can be applied in the spring, before weeds become established in the lawn, or in the fall for pre-emergence crabgrass control through the early part of the next spring. Fall applications should be followed by a second (sequential) application the following spring to provide season-long control. Do not apply more than 9.6 pounds per 1000 square feet per year.

Length of weed control: The length of time of weed control is directly related to the amount applied to the lawn. Use the application rates in Table 1 to provide 2 to 3 months of weed control. Use the application rates in Table 2 for 3 to 5 months of weed control. The actual length of weed control will vary depending on weather, weed pressure, and your location in the north or south region.

TABLE 1: RATES FOR 2 TO 3 MONTHS OF CRABGRASS CONTROL*

Region	Preemergence	Postemergence
North	3.6 pounds per 1000 square feet	7.2 pounds per 1000 square feet
South	7.2 pounds per 1000 square feet	9.6 pounds per 1000 square feet

TABLE 2: RATES FOR 3 TO 5 MONTHS OF CRABGRASS CONTROL*

Region	Preemergence	Postemergence
North	4.8 pounds per 1000 square feet	9.6 pounds per 1000 square feet
South	9.6 pounds per 1000 square feet	9.6 pounds per 1000 square feet

*Southern states include AL, AR, AZ, CA, FL, GA, HI, LA, MS, NC, NM, NV, OK, SC, TN, TX, VA, and southern areas of IL, IN and OH. All other states included as North Region.

USE PRECAUTIONS: DO NOT apply more than 9.6 pounds of this product per 1000 square feet per year. DO NOT apply to flowers, vegetables or fruit trees. DO NOT use clippings from treated turf for mulching around flowers, vegetables or fruit trees. DO NOT apply this product to pastures. Keep people and pets off treated areas until dust has settled. Reseeding, overseeding, or sprigging of treated areas within 4 months after application of this product may inhibit the establishment of desirable turfgrasses. When seeding, follow good cultural practices such as soil cultivation, irrigation and fertilization. For best results, use "slit seeders" designed to give good seed-to-soil contact.

TIPS FOR IMPROVED CONTROL: For best results, apply this product within a few days after mowing and delay mowing again for a few days after the application. For improved weed control, water or irrigate treated areas within a few days after application. Aerification, raking or dethatching of lawns should be done before application of this product.

WEEDS CONTROLLED: This product will control (at post-emergence rates) or suppress (at pre-emergence rates) these weed grasses and broadleaf weeds when applied before weeds emerge in lawns: crabgrass, annual bluegrass (*Poa annua*), barnyardgrass, crowfootgrass, foxtail (yellow & green)*, goosegrass, kikuyugrass (seedling), common lespechea, buttercup oxalis, creeping oxalis, yellow woodsorrel, pineappleweed, purslane (common), ryegrass (annual & perennial), smutgrass (seedling), corn speedwell, prostrate spurge, spotted spurge, bittercress, chickweed, Carolina geranium, henbit, parsley-piert.

*Foxtail is also controlled at the pre-emergence rates.

SPREADER SETTINGS to apply at the listed pounds per 1000 square feet				
	3.6 lbs	4.8 lbs	7.2 lbs	9.6 lbs
Spreader A	X	X	X	X
Spreader B	X	X	X	X
Spreader C	X	X	X	X
Spreader D	X	X	X	X

May contain additional spreader brands/models, spreader settings and spreader use instructions as appropriate for the product)

(Optional wording for fertilizer registration in various states:)

When soil testing or professional advice indicates the need for additional plant nutrients, make additional applications of fertilizer products over the growing season.

This product may stain driveways, walks, patios, pools, etc. Wash or sweep off thoroughly immediately after each use.

4/4 STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in original container in a locked storage area out of reach of children and domestic animals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill, or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

(Alternate wording for homeowner use:)

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Fold empty bag and discard in trash.

GUARANTEE: This product is unconditionally guaranteed.

(Alternate wording for warranty statement:)

GREEN GUARANTEED: Your satisfaction is guaranteed when this product is used in accordance with instructions. If product performance is less than satisfactory, seller will refund the full purchase price with evidence of purchase.

(Alternate wording for warranty statement:)

NOTICE: Buyer and user assumes all risks and liability of use, storage and/or handling of this product not in accordance with the directions for use on this label.

(Alternate wording for warranty statement:)

WARRANTY AND DISCLAIMER: Manufacturer/seller warrants that this product conforms to the ingredient statement on the label, and that the product is reasonably suited for the labeled use when applied according to directions. Buyer and user assumes all risks and liability of use, storage and/or handling of this product not in accordance with the directions for use on this label. Manufacturer/seller makes no other warranty, expressed or implied, and shall not be liable for indirect or consequential damages.

(Alternate wording for warranty statement:)

WARRANTY AND DISCLAIMER: Manufacturer/seller warrants that this product conforms to the ingredient statement on the label, and that the product is reasonably suited for the labeled use when applied according to directions. Buyer and user assumes all risks and liability of use, storage and/or handling of this product not in accordance with the directions for use on this label. No other warranty, expressed or implied, is made concerning the merchantability or fitness for a particular purpose. Manufacturer/seller's liability shall be limited to the purchase price of the product. In no case shall manufacturer/seller be liable for consequential or incidental damages or loss.

(Alternate wording for warranty statement:)

NOTICE: Manufacturer/seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on such label only when used in accordance with directions under normal use conditions. It is impossible to eliminate all risks inherently associated with the use of this product. Plant injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of manufacturer/seller. In no case shall manufacturer/seller be liable for consequential, special or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the buyer. Except as expressly provided, manufacturer/seller makes no other warranties or representations, expressed or implied or by usage of trade, statutory or otherwise, including, but not limited to, merchantability, fitness for a particular purpose, use or eligibility of the product for any particular trade usage. Buyer's or user's exclusive remedy for loss or damage resulting from this product shall be limited to the cost of the product.