Janet P. Baguhn

9/4/2006

	13.6	- :	
	n .	_	4 12
-, .	Print	LAT	m
a	L INTE		7.5
The second			357 /2

556

				la.	Print Form /
Please read instructions on reverse before computing form).	Form App	roveg, OMB No.	2070-006	O. Approval expires 2-28
United Sta	atec	[Registra	tion	OPP Identifier Number
Environmental Prote	*	nev	Amend		463-3
Washington, D	_	,	× Other	116111	
		· · · · · · · · · · · · · · · · · · ·			
Applic	ation for P	<u>esticide - Sect</u>	ion I		·
1. Company/Product Number		2. EPA Product Mana	ger	3. Pr	oposed Classification
32802-73		Joanne Miller		\ x	None Restricte
4. Company/Product (Name)		PM#			ا ا
Turf Food With Crabgrass Control		23			
5. Name and Address of Applicant (Include ZIP Code)					FIFRA Section 3(c)(3)
Howard Johnson's Enterprises, Inc		(b)(i), my product is similar or identical in composition and labeling			
700 W. Virginia Str., #222, Milwaukee, WI 53204		to: EPA Reg. No			
					······································
Check if this is a new address		Product Name			
	TCATION	ion - II			
Amendment - Evolsin below SEP			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
Amendment - Explain below.	6 2006	Final printed Agency lette	labels in repsons	e to	
Resubmission in response to Agency letter dated		_ "Me Too" A			
Notification Evoluin halow		Onb 5	-:- b-t		
X Notification - Explain below. Other - Explain below.					
Explanation: Use additional page(s) if necessary. (For s	ection I and Sec	tion (l.)			
Notification of Additional Brand Name: T and N Gre			nter Dluc		
Troumouton of Additional Dialid (Value, 1 and 17 of	chskeeper 3 Be	cici Ciaugiass i ieve	inter i rus		
·					
	Secti	ion - III			
1. Material This Product Will Be Packaged In:					
Child-Resistant Packaging Unit Packaging	Water S	Soluble Packaging	2. Type of	Container	
Yes X Yes		Yes		Metal	
X No No	×	Text No	×	Plastic	
if "Yes" No. po	er if "Yes"	No. per		Glass Paper	
* Certification must Unit Packaging wgt. contai				Other (S	Specify)
		<u> </u>			
3: Location of Net Contents Information 4. Size(s) Retail Contain	i	5. Location of Lal On Label	pel Directio	ons
Label Container	18 & 3	6 lbs		ng accomp	aning product
6. Manner in Which Label is Affixed to Product	Lithograph Paper glued Stenciled	Other			
	Stenciled				
	Secti	on - IV			
1. Contact Point (Complete items directly below for identifi	fication of individ	dual to be contacted, i	f necessary, to pi	ocess this	application.)
Name	Title			Telephon	e No. (Include Area Code
Janet P. Baguhn	Complia	nce Manager		414-276	
0	4:6:0-4:0-				6. Date Application
l certify that the statements I have made on this form	tification n and all attachr	nents thereto are true	accurate and co	molate.	Received
I acknowledge that any knowlingly false or misleading				•	(Stamped)
both under applicable law.					1
2. Signature	3. Title				
Sand 15	Com	diana Mena	an.		1
		niwa 11 ora			
4. Typed Name	5. Date				

August 3, 2006



Date:

August 3, 2006

Product:

Turf Food With Crabgrass Preventer

EPA Reg. No. 32802-73

NOTIFICATION

SEP 6 2006

Registrant:

Howard Johnson's Enterprises, Inc.

700 W. Virginia Street

Milwaukee, WI 53204-1548

Action:

Notification of Additional Brand Name

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152-46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and CFR 152-46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Janet P. Baguhn

Compliance Manager

Howard Johnson s.

August 3, 2006

Document Processing Desk (NOTIF) Ms. Joanne Miller (PM 23) Office of Pesticide Programs (7405P) U.S. Environmental Protection Agency Room S-4900 One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202-4501

RE: Notification of Additional Brand Name Turf Food with Crabgrass Preventer EPA Reg. No. 320802-73

Dear Ms. Miller:

Enclosed please find an application for Notification of Additional Brand Name to the above-referenced pesticide registration.

Thank you for you assistance. Please call me if you have any question: 414-276-1505, ext. 104


Sincerely,

Janet P. Baguhn


Enclosures: Notification of Additional Brand Name

Copy of Product Labels

Certifications



CRABGRASS PREVENTER PLUS GUARANTEED ANALYSIS Total Nitrogen (N) 1.17% Ammoniacal Nitrogen 28.83% Urea Nitrogen Available Phosphate (PzOs) Derived From: Ammonium Phosphate, Muriate of Potash, Urea. Chlorine (CI), not more than..... F315 **ACTIVE INGREDIENT:** Dithiopyr: 3,5-pyridinedicarbothioic acid, 2-(difluoromethyl)-4-(2methylpropyl)-6-(trifluoromethyl)-S,S-dimethyl ester INERT INGREDIENTS: 0.06% 99:94% 100:00% TOTAL . EPA Reg. No. 32802-73 EPA Est. No. 32802-WI-1 (A), 32802-MO-1 (B) First letter of bag code shows establishment where manufactured. See tag attached to bag for fertilizer guaranteed analysis. Manufactured by: HOWARD JOHNSON'S ENTERPRISES, INC. 700 W. Virginia Street, Milwaukee, WI 53204-1548 DIMENSION® is a trademark of Dow AgroSciences LLC KEEP OUT OF REACH OF CHILDREN CAUTION See back panel for additional precautionary statements and first aid information



MITROGEN For a lush green lawn

PHOSPHORUS Improves root growth

POTASSIUM Vital for growth & drought

CRARGRASS PREVENTER PLUS WITH 0.06% DIMENSION

A selective herbicide that provides control of Listed annual grasses and broadleaf weeds in established lawns & ornamental turf. Contains a complete lawn food.

Read the entire "Directions for Use" and "Warranty Statement" before using this product. If terms are not acceptable, return the unopened product container at once to the seller.

KEEP OUT OF REACH OF CHILDREN PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes eye Initiation. Harmful if inhaled. Avoid contact with eyes or clothing. Avoid breathing dust. Wash thoroughly with seep and water after handling. Remove contaminated clothing and wash before reuse. Prolonged or frequently repeated sidn contact while handling this material may cause allergic reaction in some

repeated eich contact while handling this matterial may value away the includings. ENVIPONMENTAL HAZARIDS: This pesticide is toxic to fish and highly toxic to other squatic organisms including cysters and shrimp. Use with care when applying to turf areas adjacent to any body water. Drift or runoff may adversely affect equatic organisms in adjacent aquatic situs. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water marfs, Do not apply when weather conditions favor drift from treated areas. Do not contaminate water when disposing of equipment washwaters.

	First Ald
If in eyes	 Hold eye open and these slowly and gently with water for 15-20 minute Remove contact lenses, if present, after the first 5 minutes, then continue theiring eye. Call a potton control center or doctor for treatment advice.
If inhaled	Move person to tresh air. If person is not breathing, call 911 or an embutance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a potson control center or doctor for further treatment advice.
if on skin or Clothing	Take off contaminated clothing. Rimse skin immediately with plenty of water for 15-20 minutes. Call a polson control center or doctor for treatment advice.
if swallowed	Call a poteon control center or physician immediately for treatment advice. Have person stp a glass of water if able to swallow. Do not include vomiting unless told to do so by the poteon control center or physician. Do not give anything by mouth to an unconscious person.

Hot line number: riave the product comainer of label with you when calling a poison control center or doctor, or going for treatment. For information on this pasticide product (including health concerns, medical emergencies, or pesticide inclidents), call the National Pasticide Telecommunications Network at 1-800-858-7378.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner

DATECT TOVES POR USE It is a violation of Pederal tank to use this product in a manne inconsistent with its labeling.

Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes.

GENERAL INFORMATION: This product controls crabgrass and other annual grasss and breadleaf weeds, and also contains fertilizer for proper turf growth in established lawns. It can be applied 2 to 4 weeks later than other crabgrass preventers, and provides up to 3 to 5 months control of crabgrass and other weed grasses and breadle seds in home lawns. It can be applied according to these directions to the following

Cool season grasses; creeping bentgrass, Kentucky bluegrass, fine feacue, tall feacue, ennial ryegrass;

ryegrass; ison grasses: bahlagrasa, bermudagrasa, buffalograsa, carpeigrasa, grasa, kikuyugrasa, St. Augustinegrasa, zoyatagrasa.

Apply only to lawns that are well established. Use of this product on lawns that are not well established, or weakened by weather, peets or mechanical stress, may increase the chance for turl injury. This product will not harm nearby established ornamentals when used according to label directions.

When to apply: This product can be applied 2 to 4 weeks later than other crabgrass preventers, because Dimension® herbicide in this product provides preventive (pre-emergence) control when spread on lawns prior to germination of the weed seeds. It also provides post-emergence control of crabgrass when applied 2 to 4 weeks after crabgrass germination. Post-emergence control is limited to orabgrass crity. Application of this product later than 4 weeks after crabgrass germination will result in reduced control of control of the weed grasses and breadlest weeds listed on this label (other than crabgrass), it must be applied as a preventative treatment before the weed seeds germinatio. ONLY crabgrass can be controlled with delayed application after remonation.

APPLICATION DIRECTIONS: This product can be applied in the apring, before we become established in the lawn, or in the fall for pro-emergence crabgrass control through the early part of the next apring. Fall applications should be followed by a second (sequential) application the following spring to provide season-horg control, not apply more than 9.8 pounds per 1000 square feet per year. Do not make more than 9.8 pounds per 1000 square feet per year.

LENGTH OF WEED CONTROL: The length of time of weed control is directly related to LEMBLIN OF WEED CONTROLE. The length of time of weed control is directly related the amount applied to the lawn. Use the application rates in Table 1 to provide 2 to 3 months of weed control. Use the application rates in Table 2 for 3 to 5 months of weed control. The actual length of weed control will vary depending on weather, weed pressure, and your location in the north or south region.

TABLE 1:	RATES FOR 2 TO 3 MONTHS OF CRAI	BGRASS CONTROL*	
Region	Preemergence	Post emergence	
North	3.6 pounds per 1000 square feet	7.2 pounds per 1000 square feet	
South	7.2 pounds per 1000 square feet	9.6 pounds per 1000 square feet	
TABLE 2:	RATES FOR 3 TO 5 MONTHS OF CRAI	GRASS CONTROL*	
Region	Preemergence	Post emergence	
North	4.8 pounds per 1000 square feet	9.6 pounds per 1000 square feet	
South	9.6 pounds per 1000 square feet	9.6 pounds per 1000 square feet	
"Southern states include AL, AR, AZ, CA, FL, GA, HI, LA, MS, NC, NM, NV, OK, SC, TN,			
TX. VA. and southern areas of IL. IN and OH. All other states included as North Region.			

USE PRECALITIONS: DO NOT apply more than 9.6 pounds of this product per 1000 square feet per year. DO NOT apply to flowers, vegetables or furth trees. DO NOT use clippings from treated furfil for matching around flowers, vegetables or furth trees. DO NOT use NOT apply this product to pastures. Keep people and pets off treated areas until dust has settled. Reseafing, overseeding, or sprigging of treated areas within 4 months either application of this product may inhibit the establishment of desirable turigrasses. When seeding, tollow good cultural practices such as soil cultivation, infigation and settlization. est results, use "slit seeders" designed to give good seed to coll contact

TIPS FOR IMPROVED CONTROL: For best results, apply this product within a few days after mowing and delay mowing again for a lew days after the application. For improved weed control, water or intigate treated areas within a few days after application. Aeritication, rating or dethatching of fawns should be done before application of this

	3.6 lbs	4.8 lbs	7.2 lbs	9.6 lbs
Spyker 24-22 Rotary	4.0	4.4	5.1	6.5
LESCO Rotary	12(F)	14(G)	16(H)	20(J)
Prizelawn CB Rotary	4.4	4.7	5.6	7.5
EarthWay 2400 Rotary	17	19	. 20	21
Cyclone Pro	3.8	4.4	5.1	6.0
Scotts R&A	1	J	L	N.
Lely Broadcast	2.8	3.3	3.9	5.0
Biofoot	HI	TN.	J-K	LM

angs shown are approximate for new equipment. Your spreader may need calibration, to differences in terrain, waiting speed and equipment condition. Calibrate your ader to ensure proper coverage. Clean & tubricate spreader after use.

WEEDS CONTROLLED: This product-will control (at post-emergence rates) or suppress (at pre-emergence rates) these weed grasses and broadleaf weeds when applied before weeds emerge in items; crabgrass, armuel bituegrass (Foe asputs), bernyardgrass, crowfortgrass, footall (yellow green)*, goosegrass, kidxyugrass (seedling), common lespedeza, buttercup oxalis, orrepring casts, yellow woodcorrel, pinespreewed, pustane (common), ryegrass (annual à perennial), annutgrass (seedling), com speciwel, prostrate spurge, apotted, apurge, biterrorss, chickweed, Cerolina gerantum, herbit, paraley-piert.

"Foutall is also controlled at the pre-emergence rates.

When soil testing or professional advice indicates the need for additional plant nutrients, make additional applications of fertilizer products over the growing season.

This product may stain driveways, walks, patios, pools, etc. Wash or sweep off thoroughly immediately after each use.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal

STORAGE: Store in original container in a locked storage area out of reach of

DISPOSAL:

if empty: Do not reuse this container. Place in trash or offer for recycling if available if parity filled: Call your local solid waste agency for disposal instructions. Never place any unused product down any indoor or outdoor drain or tollet.

NOTICE: Buyer and user assume all risks and liability of use, storage and/or handling of this product not in accordance with the directions for use on this label.

00322



ار در در در

000000

000000 Ö 0000

0000

22.22 20

96

Mennemantal Pol-Fight year.

विश्वित्रके के अनुसारका है । विश्वित कृतिसंख्य ने व Rose the Religious Son Administratives We appeared