

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Wendy Danowski Howard Johnson's Enterprises, Inc. 9675 S 60th Street Franklin, WI 53132

MAY 30 2014

Subject:

Notification per PR Notice 98-10 – Addition of Nitrogen restrictions etc.

Turf Food with Crabgrass Preventer with Dithiopyr

EPA Reg. No.: 32802-73 Decision No.: 490675

Application Dated: April 28, 2014

Dear Ms. Danowski:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the subject product.

The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10. The label submitted with the application has been date-stamped "Notification" and will be placed in our records.

If you have any questions regarding this letter, please feel free to contact Shanta Adeeb at (703) 347-0502 or adeeb.shanta@epa.gov.

Sincerely,

Kathryn Montague Product Manager 23 Herbicide Branch

Registration Division (7505P)

TURF FOOD WITH CRABGRASS PREVENTER with DITHIOPYR

A SELECTIVE HERBICIDE THAT PROVIDES CONTROL OF LISTED ANNUAL GRASSES AND BROADLEAF WEEDS IN ESTABLISHED LAWNS & ORNAMENTAL TURF **CONTAINS A COMPLETE LAWN FOOD**

ACTIVE INGREDIENT:

Dithiopyr: 3,5-pyridinedicarbothioic acid, 2-(difluoromethyl)-4-(2methylpropyl)-6-(trifluoromethyl)-S,S-dimethyl ester ... INERT OTHER INGREDIENTS: TOTAL: . . .

EPA Reg. No. 32802-73

EPA Est. No. 59144-GA-1 (A), 32802-MO-1 (B), 37351-CO-1(C), 8378-1(D), 9404-FL-1(E)

(First letter of bag code shows establishment where manufactured See lag attached to bag for fertilizer guaranteed analysis NOTIFICA' Manufactured by:

HOWARD JOHNSON'S ENTERPRISES, INC. 700 W. Virginia Street, Milwaukee, WI 53 WA 9675 S 60th Street, Franklin, WI 53132

Brackets [] contain optional language for use in states where the maximum application rate is limited by N restrictions.

Agricultural Chemical: Do not ship or store with food, feed, drugs, or clothing.

Covers up to XX,XXX sq. ft. (XXXX' x XX') and /or This bag covers XX,XXX sq. ft.

In the state of Florida, do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands in the driveway, sidewalk, or street, back onto your

KEEP OUT OF REACH OF CHILDREN

CAUTION: See (back, side, other) panel for further cautions, first aid information and directions for use.

NET WEIGHT: 10, 12, 13, 14, 15, 16, 18, 20, 22, 24,25, 26, 27, 28, 30, 32, 33, 35, 36, 39, 40, 42, 44, 45, 46, 49, 50, etc.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes eye irritation. Harmful if inhaled. Avoid contact with eyes or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Prolonged or frequently repeated skin contact while handling this material may cause allergic reaction in some individuals.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and highly toxic to other aquatic organisms including oysters and shrimp. Use with care when applying to turf areas adjacent to any body of water. Drift or runoff may adversely affect aquatic organisms in adjacent aquatic sites. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water when disposing of equipment washwaters.

(Alternate wording for household use:)

ENVIRONMENTAL HAZARDS:

To protect the environment, do not allow this product to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather will help to ensure that wind does not blow this product off the treated area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

Guaranteed Analysis

Total Nitrogen (N) Available Phosphate (P2O5) XX.XX% Soluble Potash (K2O) XX.XX%

Derived from:

Chlorine (CI), not more than XX.XX%

	FIRSTAID					
If in eyes	* Hold eye open and rinse slowly and gently with water for 15-20 minutes. * Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. * Call a poison control center or doctor for treatment advice.					
If on skin or clothing	* Take off contaminated clothing. * Rinse skin immediately with plenty of water for 15-20 minutes. * Call a poison control center or doctor for treatment advice.					
If swallowed	* Call a poison control center or physician immediately for treatment advice.					
ION	* Have a person sip a glass of water if able to swallow.					
014	* Do not induce vomiting unless told to do so by the poison control center or physi cian.					
	* Do not give anything by mouth to an unconscious person.					
If inhaled	* Move person to fresh air. * If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. * Call a poison control center or doctor for further treatment advice.					
	Hot line Number.					

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this pesticide product (including health concems, medical emergencies, or pesticide incidents), call the National Pesticide Telecommunications Network at 1-800-858-7378.

Read The entire "Directions for Use" and "Warranty Statement" before using this product. If terms are not acceptable, return the unopened product container at once to the seller.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes.

PRODUCT INFORMATION: This product controls crabgrass and other annual grasses and broadleaf weeds, and also contains fertilizer for proper turf growth in established lawns. It can be applied 2 to 4 weeks later than other crabgrass preventers, and provides up to 3 to 5 months control of crabgrass and other weed grasses and broadleaf weeds in home lawns. It can be applied according to these directions to the following turfgrasses:

Cool season grasses: creeping bentgrass, Kentucky bluegrass, fine fescue, tall fescue, perennial ryegrass; Warm season grasses: bahlagrass, bermudagrass, buffalograss, carpetgrass, centipedegrass, kikuyugrass, St. Augustinegrass,

carpengrass.

Apply only to lawns that are well established. Use of this product on lawns that are not well established, or weakened by weather, pests or mechanical stress, may increase the chance for turf injury. This product will not harm nearby established ornamentals when used according to label directions.

according to label directions.

When to apply: This product can be applied 2 to 4 weeks later than other crabgrass preventers, because Dimension® herbicide in this product provides preventive (pre-emergence) control when spread on lawns prior to germination of the weed seeds. It also provides postemergence control of crabgrass when applied 2 to 4 weeks after crabgrass germination. Post-emergence control is limited to crabgrass only. Application of this product later than 4 weeks after crabgrass germination will result in reduced control of crabgrass. For control of the weed grasses and broadleaf weeds listed on this label (other than crabgrass), it must be applied as a preventative treatment before the weed seeds germinate. ONLY crabgrass can be controlled with delayed application after germination.

APPLICATION DIRECTIONS: This product can be applied in the spring, before weeds become established in the lawn, or in the fall for pre-emergence crabgrass control through the early part of the next spring. Fall applications should be followed by a second (sequential) application the following spring to provide season-long control. Do not apply more than 9.6 pounds per 1000 square feet per year. Do not make more than one application of this product per year.

Length of weed control: The length of time of weed control is directly related to the amount applied to the lawn. Use the application rates in Table 1 to provide 2 to 3 months of weed control. Use the application rates in Table 2 for 3 to 5 months of weed control. The actual length of weed control will vary depending on weather, weed pressure, and your location in the north or south region.

(Label for EPA Reg. No 32802-73, PAGE 1 OF 3) 06-15-2010A Rev 42814

USE PRECAUTIONS: DO NOT apply [where prohibited by fertilizer use restrictions]** more than 9.6 pounds of this product per 1000 square feet per year. DO NOT apply to flowers, vegetables or fruit trees. DO NOT use clippings from treated turf for mulching around flowers, vegetables or fruit trees. DO NOT apply this product pastures. Keep people and pets off treated areas until dust has settled. Reseeding, overseeding, or sprigging of treated areas within 4 months after application of this product may inhibit the establishment of desirable turfgrasses. When seeding, follow good cultural practices such as soil cultivation, irrigation and fertilization. For best results, use "slit seeders" designed to give good seed-to-soil contact.

**Consult your State Cooperative Extension Service for current information on annual application limitations for lawn fertilizers in your

(X depends on N formulation levels)

(NOTE: If registered in the state of Florida, any of the following statements may be added as appropriate.)

In Florida, do not exceed X applications per year on Bahiagrass in the North, and X per year in Central and South Florida.

In Florida, do not exceed X applications per year on Bermudagrass in the North, and X applications per year in Central and X applications per year in South Florida.

In Florida, do not exceed X applications per year on Centipedegrass in the North, and X applications per year in Central and X applications per year in South Florida.

In Florida, do not exceed X applications per year on Zoysiagrass in the North, and X applications per year in Central and South Florida.

(Note: May also be expressed in tabular format.)

TIPS FOR IMPROVED CONTROL: For best results, apply this product within a few days after mowing and delay mowing again for a few days after the application. For improved weed control, water or irrigate treated areas within a few days after application. Aerification, raking or dethatching of lawns should be done before application of this product.

APPLICATION LIMITS: Certain state(s) [list] have limits on application rates and timing. Consult your local State Cooperative Extension Service for current information on application limits for [turf/lawn] fertilizers in your area.

WEEDS CONTROLLED: This product will control (at post-emergence WEEDS CONI ROLLED: This product will control (at post-emergence rates) or suppress (at pre-emergence rates) these weed grasses and broadleaf weeds when applied before weeds emerge in lawns: crabgrass, annual bluegrass (Poa annua), barnyardgrass, crowfootgrass, foxtail (yellow & green)*, goosegrass, kikuyugrass (seedling), common lespedeza, buttercup oxalis, creeping oxalis, yellow woodsorrel, pineappleweed, purslane (common), ryegrass (annual & perennial), smutgrass (seedling), com speedwell, prostrate spurge, spotted, spurge, bittercress, chickweed, Carolina geranium, henbit narslev-pier. henbit, parsley-piert.
*Foxtail is also controlled at the pre-emergence rates.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. <u>PESTICIDE STORAGE</u>: Store in original container in a locked storage area out of reach of children and domestic animals. <u>PESTICIDE DISPOSAL</u>: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal

CONTAINER DISPOSAL; Nonrefillable container. Do not reuse or refill this container. Completely empty bag into application equipment. Then offer for recycling if available or dispose of empty bag in a sanitary landfill or by incineration or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

(Alternate wording for household use:)

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or

refill this container.

IF EMPTY: Place in trash or offer for recycling if available.

IF PARTLY FILLED: Call your local solid waste agency for disposal instructions. Never place any unused product down any indoor or outdoor drain.

TABLE 1: RATES FOR 2 TO 3 MONTHS OF CRABGRASS CONTROL*

Region	Preemergence	Postemergence		
North	3.6 pounds per 1000 square feet	7.2 pounds per 1000 square feet		
South	7.2 pounds per 1000 square feet	9.6 pounds per 1000 square feet		

TABLE 2: RATES FOR 3 TO 5 MONTHS OF CRABGRASS CONTROL*

Region	Preemergence	Postemergence 9.6 pounds per 1000 square feet		
North	4.8 pounds per 1000 square feet			
L				

*Southern states include AL, AR, AZ, CA, FL, GA, HI, LA, MS, NC, NM, NV, OK, SC, TN, TX, VA, and southern areas of IL, IN and OH. All other states included as North Region.

	SPREADER SETTINGS to apply at the listed pounds per 1000 square feet						
		3.6 lbs	4.8 lbs	7.2 lbs	9.6 lbs		
	Spreader A Spreader B Spreader C Spreader D	×××	X X X	X X X	X X X		
:	May contain additional spreader brands/models, spreader settings and spreade use instructions as appropriate for the product)						

Warranty

The directions for use of this product are believed to be adequate and must be followed carefully, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result due to such factors as weather conditions, presence or absence of other materials, or the manner of use or application, all of which are beyond the control of

Howard Johnson's Enterprises, Inc the manufacturer, or the seller. To the extent consistent with applicable law, the products sold to you are furnished "as is" by Howard Johnson's Enterprises, Inc. The manufacturer and the seller are subject only to the manufacturer's warranties, if any, which appear on the label of the product sold to you. Except as warranted by this label Howard Johnson's Enterprises, Inc, the manufacturer, or the seller makes no warranties, guarantees, or representations of any kind to the buyer or the user, either express or implied, or by usage of trade, statutory or otherwise, with regard to the product sold or use of the product, including, but not limited to, merchantability, fitness for a particular purpose or use, or eligibility of the product for any particular trade usage. To the extent consistent with applicable law, Buyer's or user's exclusive remedy, and Howard Johnson's Enterprises, Inc the manufacturer's or the seller's total liability shall be limited to damages not exceeding the cost of the product. No agent or employee of Howard Johnson's Enterprises, Inc. or the seller is authorized to amend the terms of this warranty disclaimer or the product's label or to make a presentation or recommendation different from or inconsistent with the label of this product.

To the extent consistent with applicable law, Howard Johnson's Enterprises, Inc, the manufacturer, or the seller shall not be liable for consequential, special, or indirect damages resulting from the use, handling, application, storage, or disposal of this product or for damages in the nature of penalties, and the buyer and the user waive any right that they may have to such damages.

NOTICE: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

WARNING: Some crops may be injured by application of boron. This fertilizer is to be used only on soils which respond to-molybdenum. Crops high in molybdenum are toxic to rumi-

We recommend that you follow the Florida Green Industries BMP's at http://www.flaes.org/BMP_Book_final.pdf

We recommend that you follow the Florida Golf Course BMP's at http://flaes.org/pdf/glfmp07.pdf

For Chemical Spill, Leak, Fire or Exposure, Call CHEMTREC (800) 424-9300 For Medical Emergencies Only, Call (877) 325-1840

(Optional wording for fertilizer registration in various states:) When soil testing or professional advice indicates the need for additional plant nutrients, make additional applications of fertilizer products over the growing season.

This product may stain driveways, walks, patios, pools, etc. Sweep off thoroughly immediately after each use.

Optional Marketing Claims:

PCT (Poly Coated Technology) Slow-release Nitrogen for extended feeding.

Premium Fertilizer

Fertilizer may stain driveways, walks, patios, pools, etc. Sweep off thoroughly immediately after each use

Information received by the Washington State Department of Agriculture regarding the components in this product is available on the Internet at http://www.wa.gov/agr/. Information about the contects of this product may be obtained by calling 1-800-298-4656 or by writing to Howard Johnson's Enterprises, Inc. 700 W. Virginia 53294 9675 S 60th Street, Franklin, WI 53132

Information regarding the contents and levels of metals in this product is available on the internet at

http://www.aapfco.org/metals.htm

Contains 0.06 Dimenion[®] PREVENTS CRABGRASS PLUS with 0.06 Dimension® DIMENSION® is a trademark of Dow AgroSciences

Prevents Crabgrass, annual blusgrass, foxtail and More Slow-release nitrogen for extended feeding Provides 3-5 months control No Phosphate Formula Bio-Degradeable bag Phosphate Free Fertilizer

Prevent crabgrass with Dimension Stop crabgrass before it grows. Provides Vital nutrents to your lawn. Apply in early spring, or before germination. controls germinating crabgrass for 12 weeks Step 1