



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:

32802-77

Date of Issuance:

AUG 17 1995

NOTICE OF PESTICIDE:
 Registration
 Reregistration

Term of Issuance:

Conditional

Name of Pesticide Product:

PREVENTS Garden Weed Preventer

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Howard Johnson's Enterprises, Inc.
P.O. Box 2990
Milwaukee, WI 53201

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.

2. Make the following label changes before you release the product for shipment:

a. Revise the EPA Registration Number to read, "EPA Reg. No. "32802-77".

b. Under Hazards to Humans and Domestic Animals:

-Insert the statement "Causes eye irritation" before the statement which begins "Harmful if ..."

-Revise the statement which begins "Harmful if ..." to read: "Harmful if swallowed, inhaled or absorbed through the skin."

Signature of Approving Official:

Date:

AUG 17 1995

195

- c. Revise the dermal statement of practical treatment to read as follows:

"IF ON SKIN: Wash with plenty of soap and water. Get medical attention."

- d. Add the following inhalation statement of practical treatment:

"IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention."

- e. Revise the Pesticide and Container Disposal statements as follows:

"PESTICIDE DISPOSAL: Securely wrap unused product in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse container. Discard container in trash."

The statements on the proposed label are inappropriate for a homeowner product.

- f. Make the following changes to the Directions for Use:

-In the section headed "FOR ESTABLISHED PLANTS, ROSES, FLOWERS, SHRUBS AND TREES", replace the word "sprinkling" with the word "watering" in the sentence which begins "Best results will be obtained..."

-Delete the statement "Apply to soil up to 10 weeks before transplanting." from the paragraph under "FOR VEGETABLES" that begins "Treat Soil Before Transplanting "Sets"". This statement contradicts earlier label statements and does not appear on the cited similar product (Preen "N Green; EPA Reg. No. 961-283) label.

-Revise the directions for potatoes to prohibit use in Maine as on the cited product label. The heading should read: "For Potatoes (except Maine):"

3. Submit one copy of the revised final printed label for the record before you release the product for shipment.

345

page 3
EPA Reg. No. 32802-77

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Joanne I. Miller
Product Manager (23)
Fungicide-Herbicide Branch
Registration Division (7505C)

Enclosure


3

PREVENTS

GARDEN WEED PREVENTER

Contains TREFLAN® Plus Fertilizer

Prevents Weeds (Crabgrass and most other Annual Weed Grasses) around Flowers, Roses, Shrubs, Trees, and Vegetables.
 Contains 8-17-9 Plant food to provide Rich Color and Healthy Vigorous Plant Growth.
1 Pound "Weeds & Feeds" Up To 640 Sq.Ft.



ACTIVE INGREDIENTS: Trifluralin, Alpha, alpha, alpha, trifluoro-2,6-dinitro-N,N-dipropyl-p-toluidine 0.74%
 HERT INGREDIENTS: 99.26%
 Total 100.00%

KEEP OUT OF REACH OF CHILDREN
CAUTION

Treflan® is a Reg. TM of DowEanco

Not For Use On Lawns

STATEMENTS OF PRACTICAL TREATMENTS

IF SWALLOWED: Call a physician or Poison Control Center immediately. Induce vomiting by giving victim 1 or 2 glasses of water and fouching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person. **IF IN EYES:** Flush eyes with plenty of water. Get medical attention. **IF ON SKIN:** Remove contaminated clothing. Wash affected area with soap and water.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION: Harmful if swallowed, or absorbed through the skin. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. Wash thoroughly after handling and before eating or smoking. Do not contaminate feed or foodstuffs. Do not allow persons or pets on treated areas until dusts have settled.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply directly to water. Drift or runoff from treated areas may be hazardous to aquatic organisms in neighboring aquatic sites. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. If granules are sprinkled on cement driveways, walks, patios, or pools thoroughly sweep off or wash off immediately to prevent possible staining.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store product in its original container in a cool, dry, locked place out of reach of children. **RESIDUE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill, or by incineration, or if allowed by State or local authorities, by burning. If burned stay out of smoke. **HOUSEHOLD:** Do not re-use empty bag or container. Wrap and put in trash.

Prevents Garden Weed Preventer is a two way product that feeds with a quality plant food and at the same time prevents many broadleaf and grassy weeds from becoming started around flowers, roses, shrubs, trees and vegetables all season with out effort and time consuming hand weeding. Without weeds to compete for space, plant nutrients and water, your valuable plants can grow larger, stronger and healthier. Do not apply to Ajuga, Myrtle, Pachysandra as injury may result. This product is not for use on lawns.

WEEDS CONTROLLED

GRASSY WEEDS		BROADLEAF WEEDS	
Annual Bluegrass	Cheer	Carrotseed	Kochia
Barnyardgrass	Crabgrass	Carrotweed	Lambquarters
(Watergrass)	Field	Chickweed	Pigweed
Brachiaria	Goosegrass	Florida Pusley	Puncture Vine
(Signal Grass)	Johnsongrass	Gonolobus	Purslane
Bromegrass	(from Seed)	Knockweed	Rustain Thistle
		Wildcane	Singing Herbs

WHEN TO APPLY

Apply as early as possible, before weed seeds germinate. In the growing season to take advantage of the season long weed control it provides. You may apply anytime during the growing season around established flowers, roses, shrub, trees and anytime prior to setting transplants. Do not use on flower seed. For the best results follow directions carefully.

HOW MUCH TO USE

Remove existing weeds before applying this product. Cultivate soil to prepare a smooth soil surface and apply as follows. The surface application rate to ornamentals equal to 1 ounce per 10 sq ft (1 lb/160 sq ft). For vegetables see that section for variable rates on different soil types. Do not apply when foliage is wet.

FOR ESTABLISHED PLANTS, ROSES, FLOWER, SHRUBS, and TREES

Which are 2 to 3 feet in height sprinkle 1 lb. evenly over 160 Sq Ft (Equiv. to 2 0 lbs Herbicide per acre) of surrounding soil surface. (10 Oz./160 Sq Ft.) Do not apply to plant foliage. Best results will be obtained by lightly sprinkling the granules into the soil surface after application. For optimum weed control and plant food uptake make a second application 4 weeks after the first application.

PRE-PLANTING APPLICATION

For pre-planting applications apply at the rate of 1 lb/160 Sq Ft before transplants are set. Gently mix with soil surface. Do not use with flower seeds. Small Gladoliu corms of less than 1 inch in diameter may be injured by pre-plant applications. Best results will be obtained when lightly watered in. For best weed control and plant feeding plan on a second application in 4 weeks.

FOR ROSES AND OTHER ESTABLISHED FLOWERS

Achillea, Ageratum, Arctostaphylos, Aster, Balsam, Black-eyed Susan, Calendula, California Poppy, Calliopsis, Carnation, Cassia, Chrysanthemum, Cosmos, Dahlia, Dianthus, Dusty Miller, Forget-me-not, Four O'clock, Gallardia, Gladiolus, (corms more than 1" in diameter), Golden Glow, Hollyhock, Ivora, Lobelia, Lupinus, Marigold, Morning Glory, Nasturtium, Nicotiana, Petaluma, Petunia, Philo, Pincushion Flower, Portulaca, Rudbeckia, Salvia, Scabiosa, Shasta Daisy, Snapdragon, Stock, Snow on the Mountain, Sunflower, Sweet Alyssum, Sweet Pea, Sweet Sultan, Sweet William, Tulip, Yarrow, Zinnia.

FOR ESTABLISHED SHRUBS

Arbutus, Azalea, Barbary, Boxwood, Camellia, Cherry Laurel, Cinquefoil, Common Blue, Colanthe, Delia, Elm, Forsythia, Eucalyptus, Forsythia, Holly, Honey-Suckle, Inca Hawthorn, Juniper, Mock Orange, Mountain Laurel, Parrot Japonica, Phlox, Pigeonwood, Privet, Pyracantha, Rhododendron, Robora, Sakaki, Spirea, Viburnum, Weigela, Winter Holly, Willow, Yew.

FOR ESTABLISHED ORNAMENTAL TREES

Almond, Apple, Bald Cypress, Balsam Fir, Black Gum, Black Locust, Canada Hemlock, Chinese Chestnut, Colorado Blue Spruce, Cottonwood, Dogwood, Flowering Dogwood, Douglas Fir, European White Birch, Honey Locust, Japanese Larch, London Plane Tree, Maple, Oak, Peach, Pine, Plum, Redbud, Spruce, Stone Fruits, Sycamore, Sweetgum, Tulip Tree, White Ash.

FOR ESTABLISHED ORNAMENTAL GROUNDED COVERS

Azoreobard, Algerian Ivy, Asparagus, Bellflower, Big Blue Lily, Bunge, California Ivy, Ceanothus, Cotoneaster, Crown Vetch, Dwarf Coyote Brush, Dwarf Paper Plant, English Ivy, Geranium, Germander, Ice Plant, Lily of the Nile, Marigold, Mascarene Grass, Myoporum, Needlepoint Ivy, Rock Rose, Rosemary, Rose of Sharon, Rupture Wort, St. John's Wort, Sedum, Snow-In-Summer, Speedwell, Strawberry, Thrift, Sea Pink, Tickseed, Trailing African Daisy, Verbena, Wike Plant, Woolly Yarrow.

FOR VEGETABLES

Apply and mix into the soil before planting to provide long lasting control of many annual grasses and broadleaf weeds and to give plants a basic starter plant food. Controls Weeds as they germinate. Will not control established weeds. Application may be made up to 10 weeks prior to planting direct seeded vegetables and anytime prior to setting transplants. Remove all existing weeds first then lightly till the soil to prepare a smooth seed bed.

Rate of application depends on type of soil

- HEAVY CLAY SOILS (1.0 lb. A./Acres Rate)
- MEADOW SOILS (1.0 lb. A./Acres Rate)
- LIGHTER SANDY CLAY SOILS (0.5 lb. A./Acres Rate)

Gently rake into the top 1 to 3 inches of soil within 24 hours after application. Do not use on soils containing more than 10% organic matter.

For Vegetables from Seed: Treat soil prior to planting seed - Use for Celery, Celeriac, Green Beans, Green Peas, Lima Beans, Snap Beans, Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Turnip Green, Mustard Green, Collards, Kale. Apply to soil up to 10 weeks before planting.

Post Emergence on Canteleoupes, Cucumbers, Watermelons may be used after plants are up in the 3 to 4 true leaf stage. Apply when foliage is dry. Asparagus (Established) - Apply in the winter or early spring after ferns are removed, but prior to spear emergence.

Treat Soil Before Transplanting "Sets" - For Celery, Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Peppers, Tomatoes. Make the application to the prepared soil bed and mix into the top 1 to 3 inches of soil before "sets" are placed. Apply to soil up to 10 weeks before transplanting.

For Potatoes: May be applied to soil surface after planting "Seed Pieces" or before or after emergence. Use care not to damage seed pieces in cultivating nor allow treated soil to contact emerged plant foliage. In all cases mix and cultivate granules into the soil after application, using care not to damage emerged crops.

DO NOT apply this product to "Muck" soils. Do not over dose - injury may occur to subsequent crops which are sensitive to Trifluralin. Do not use with crops other than those listed on the label. This product is not intended for use on lawns. Refer to other EPA registered products for that use. Do not use in enclosed areas such as greenhouses.

GUARANTEED FERTILIZER ANALYSIS

NITROGEN (N)	14
Urea (N)	3.3%
Ammoniacal Nitrogen	4.7%
PHOSPHATE (P2O5)	9%
SOLUBLE POTASH (K2O)	9%
Derived from Urea, Ammoniacal Phosphate, Muriatic Potash	
Potential acidity	115 lbs. Calcium Carbonate eq. ton

NOTICE: Buyer and user assume all risk and liability of use. Storage and/or handling of this product not in accordance with the terms of the label (PRVT GWP-PMS06 14 9507-11-95)

EPA REG NO 32802- EPA EST NO 32802 WI-1, -MO-1
 NET WEIGHT 5 POUNDS

HOWARD JOHNSON'S ENTERPRISES, INC.
 P.O. BOX 2900 - MILWAUKEE, WI 53201

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

82802-27