

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

115/2002

WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

JAN 15 2002

Ms. Kresti A. Lyddon Director of Regulatory Affairs Howard Johnson's Enterprises, Inc. 700 W. Virginia St., Suite 222 Milwaukee, WI 53204-1548

Dear Ms. Lyddon:

Subject: Prevents Garden Weed Preventer EPA registration No. 32802-77 Application and Letter Received December 12, 2001, Request To Amend Registration by Revising the First Aid Statements and the Disposal Statements on the Labeling in Compliance with PR Notices 2001-1 and 2001-6

The proposed subject amendments to the registration of "Prevents Garden Weed Preventer" have been reviewed and found acceptable under the Federal Insecticide, Fungicide and Rodenticide Act, (FIFRA) as amended, provided that you:

- 1. With any of the alternate wording for warranty statements you must add the commonly used language: "Read the entire "Directions for Use" and "Warranty Statements" before using this product. If terms are not acceptable, return the unopened product container at once to the seller." (You may specify a reasonable time limitation, if "at once" is not preferred.). The above requirement is to assure that you have complied with UCC Articles (Sections 2-719 and 2-316) that apply to the claims for limitation of remedy in the warranty statements.
- 2. Submit one (1) copy of your final printed labeling prior to your shipment of the subject pesticide product under the enclosed stamped label.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA, section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the proposed label is enclosed for your records.

Jor Joanne I. Miller Product Manager (23) Herbicide Branch Registration Division (7505C)

Enclosure

ACTIVE INOREDIENTO.	
trifluralin:	
a,a,a-trifluoro-2,6-dinitro-N,N-dipropyl-p-toluidine).74%
	1.26%
	0.00%
INERT INGREDIENTS:	

EPA Reg. No. 32802-77

EPA Est. No. 32802-WI-1 (A), 32802-MO-1 (B)

First letter of bag code shows establishment where manufactured, tag attached to bag for fertilizer guaranteed analysis. Nuanufactured by:

HOWARD JOHNSON'S ENTERPRISES, INC. 700 W. Virginia Street, Milwaukee, WI 53204-1548

*TREFLAN is a trademark of Dow AgroSciences LLC

KEEP OUT OF REACH OF CHILDREN WARNING - AVISO

Precaucion al usario: Si usted no lee ingles, no use este

producto hasta que la etiqueta le haya sido explicada ampliamente.

See (side or back) panel for further cautions, first aid information and directions for use.

NET WEIGHT: 1 lb (or 3, 5, 6, 8, 9, 10, 25, 35, 40lbs)

	First Aid
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If on skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If swallowed	 Call a poison control center or physician immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or physician. Do not give anything by mouth to an unconscious person.
If inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to- mouth, if possible. Call a poison control center or doctor for further treatment advice.
	Hot line number:
control center or doctor, this pesticide product (in emergencies, or pesticid Telecommunications Net	able mucosal damage may contraindicate

water when disposing of equipment washwaters.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes.

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. This product is not for use on lawns. Do not use indoors or in greenhouses.

Entry restrictions: Do not allow people or pets to enter the treated area until dusts have settled.

This product is a "two way" product that feeds your plants with a quality fertilizer, and at the same time it prevents weeds from sprouting around flowers, roses, shrubs, trees and home vegetable gardens. It prevents weed seeds from sprouting, for season-long weed control without difficult and time-consuming hand weeding. Without weeds to compete for space, nutrients and water, your valuable plants can grow faster, larger and stronger.

WEEDS CONTROLLED:

Grassy weeds: annual bluegrass (*Poa annua*), crabgrass, barnyardgrass (watergrass), brachiaria (signal grass), bromegrass, cheatgrass, foxtail, goosegrass, johnsongrass (from seed), junglerice, panicum (fall, Texas), sandbur, sprangletop, stinkgrass, wildcane.

Broadleaf weeds: carelessweed, carpetweed, chickweed, Florida pusley, goosefoot, knotweed, kochia, lambsquarter, pigweed, puncture vine, purslane, Russian thistle, stinging nettle.

WHERE TO APPLY:

ROSES AND OTHER ESTABLISHED FLOWERS: African daisy, achillea, ageratum, arctosis, aster (perennial), balsam, blackeyed susan, calendula, California poppy, calliopsis, carnation, centaurea, coreopsis, cornflower, chrysanthemum, cosmos, dahlia, dianthus, dimortheca, dusty miller, forget-me-not, four o'clock, galliardia, gladiolus (corms larger than 1" diameter), golden glow, hollyhock, impatiens, ixora, lobelia, lupine, marigold, morningglory, nasturtium, nicotiana, periwinkle, petunia, phlox, pincushion flower, portulaca, salvia, scabiosa, shasta daisy, snapdragon, snow on the mountain, stock, sunflower, sweet alyssum, sweet pea, sweet sultan, sweet william, tulip, vinca, yarrow, zinnia.

ESTABLISHED SHRUBS: arborvitae, azalea, barberry, boxwood, camellia, cherrylaurel, cinquefoil, common lilac, cotoneaster, deutzia, elaeagnus, euonymus, firethorn, forsythia, holly, honeysuckle, India hawthorn, Japanese andromeda, juniper, mock orange, mountain laurel, pineapple guava, privet, rhododendron, spiraea, viburnum, weigela, willow, yew.

ESTABLISHED ORNAMENTAL TREES: almond, bald cyprus, blackgum, black locust, black walnut, Canada hemlock, Chinese chestnut, cherry, cottonwood, dogwood (flowering, kousa), European white birch, fir (balsam, Douglas), honey locust, Japanese larch, London plane tree, maple (Norway, red, silver, sugar), oak (pin, scarlet), peach, plum, pine (Austrian, eastern white, Japanese black, loblolly, red, Scotch), redbud, spruce (Colorado blue, Norway, white)sweetgum, sycamore, tulip tree, white ash.

ESTABLISHED ORNAMENTAL GROUND COVERS: aaronsbeard, asparagus fern, bellflower, big blue lilyturf, bunge, ceanothus, crown vetch, coyote brush, gazania, germander, ice plant, ivy (Algerian, English), lily-of-the-Nile, marigold, myoporum, plumbago, rockrose, rosemary, rupturewort, St. Johnswort, sedum, snow-in-summer, speedwell, strawberry (beach), thrift, trailing African daisy, verbena, wirevine, woolly yarrow. Do not apply to ajuga, myrtle or pachysandra as injury may result.

GUARANTEED ANALYSIS
Total Nitrogen (N)X%
Available Phosphate (P2O5)
Soluble Potash (K ₂ O)Z%
(May contain additional fortilizer Guaranteed Analysis information as required by fertilizer composition and state registration and labeling requirements. Guaranteed Fertilizer analysis may be printed on a separate tag, sewn to bag.)

WHEN TO APPLY: This product may be applied any time during the growing season around established ornamentals and any time prior to setting transplants. Apply as early as possible in the growing season, before weed seeds germinate, to take advantage of the season-long weed control it provides. This product will not control established weeds. Do not apply on flower seeds. For best results, follow directions carefully.

APPLICATION RÁTES:

FOR ORNAMENTAL FLOWERS, SHRUBS AND TREES:

Before setting transplants: Remove existing weeds and cultivate soil to a smooth surface. Apply 1 pound to cover 160 square feet (10 ounces per 100 square feet), and gently mix into top layer of soil before setting transplants. Do not apply on flower seeds. Gladiola corms smaller than 1 inch may be injured by pre-plant application, so use a post-emergence application on these plants.

Established plantings: Apply 1 pound to cover 160 square feet (10 ounces per 100 square feet), sprinkled evenly over the soil surface. Do not apply directly to plant foliage, and do not apply when foliage is wet.

The best weed control will be obtained when the application is followed by irrigation or rainfall within a few hours. In areas with extended growing seasons, or where desired, a second application at the recommended rates may be made 10 to 12 weeks after the initial olication.

FOR HOME VEGETABLE GARDENS:

This product will provide long-lasting control of many annual grasses and broadleaf weeds, and give vegetable plants a basic starter plant food. It controls weeds as they germinate - will not control established weeds. Apply anytime prior to setting transplants. For direct seeding of vegetables, application of this product should be made at least 10 weeks prior to direct seeding.

The application rate depends on the type of soil: Heavy clay soils, use 1 lb to cover 320 sq. ft. (5 ounces / 100 sq. ft.) Medium loam soils, use 1 lb to cover 480 sq. ft. (3.3 ounces/100 sq. ft.)

Light sandy soils, use 1 lb to cover 640 sq. ft. (2.5 ounces/100 sq. ft.) Remove existing weeds and cultivate soil to a smooth surface. Apply this product at the recommended rate, then gently rake into the top 1-3 inches of soil within 24 hours after application.

Do not use on vegetables other than those listed on this label. Do not over-dose, as injury may occur to subsequent plantings which are sonsitive to this product. Not recommended for use on "muck" soils

t contain more than 10% organic matter. Do not use indoors or in The best weed control will be obtained when areenhouses. application is followed by irrigation or rainfall within a few hours.

VEGETABLES FROM SEED: Use on carrots, celery, okra, southern peas, green peas, lima beans, snap beans, broccoli, brussels sprouts, cabbage, cauliflower, turnip greens, mustard greens, collards, kale. Apply to soil at least 10 weeks prior to planting vegetable seeds. SOIL TREATMENT BEFORE TRANSPLANTING "SETS": Use on

celery, broccoli, brussels sprouts, cabbage, cauliflower, peppers, tomatoes. Apply to the prepared soil bed and mix into the top 1-3 inches of soil before "sets" are placed. POST-EMERGENCE ON CANTALOUPES, CUCUMBERS, WATER-

MELONS: Apply after plants have emerged and reached the 3 to 4 true leaf stage. Apply when foliage is dry.

FOR ASPARAGUS: Apply in late winter or early spring, after ferns are removed but prior to spear emergence.

FOR POTATOES (except Maine): Make application after planting "seed pieces," before or after emergence of the plants. Do not apply to the plant foliage. Cultivate and mix the granules into the soil after application, using care not to damage seed pieces or emerged plants.

This product may stain driveways, walks, patios, pools, etc. Wash or sweep off thoroughly immediately after each use.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. STORAGE: Store in original container in a locked storage area out of reach of children and domestic animals.

IF EMPTY: Do not reuse this container. Place in trash or offer for recycling if available.

IF PARTLY FILLED: Call your local solid waste agency for disposal instructions. Never place any unused product down any indoor or outdoor drain or toilet.

(Alternate wording for Storage and Disposal instructions for use not intended for Household Use).

PESTICIDE DISPOSAL: Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

PLASTIC CONTAINER: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

GUARANTEE: This product is unconditionally guaranteed.

(Alternate wording for warranty statement:)

NOTICE: Buyer and user assumes all risks and liability of use, storage and/or handling of this product not in accordance with the terms of this label.

(Alternate wording for warranty statement:)

WARRANTY AND DISCLAIMER: Manufacturer/seller warrants that this product conforms to the ingredient statement on the label, and that the product is reasonably suited for the labeled use when applied according to directions. Buyer and user assumes all risks and liability of use, storage and/or handling of this product not in accordance with the terms of this label. Manufacturer/seller makes no other warranty, expressed or implied, and shall not be liable for indirect or consequential damages.

(Alternate wording for warranty statement:)

WARRANTY AND DISCLAIMER: Manufacturer/seller warrants that this product conforms to the ingredient statement on the label, and that the product is reasonably suited for the labeled use when applied according to directions. Buyer and user assumes all risks and liability of use, storage and/or handling of this product not in accordance with the terms of this label. No other warranty, expressed or implied, is made concerning the merchantability or fitness for a particular purpose. Manufacturer/seller's liability shall be limited to the purchase price of the product. In no case shall manufacturer/seller be liable for consequential or incidental damages or loss.

(Alternate wording for warranty statement:)

WARRANTY AND DISCLAIMER: Manufacturer/seller warrants that this product conforms to the ingredient statement on the label, and that the product is reasonably suited for the labeled use when applied according to directions. No other warranty, expressed or implied, is made concerning the merchantability or fitness for a particular purpose. Manufacturer/seller's liability shall be limited to the purchase price of the product. In no case shall manufacturer/seller be liable for consequential or incidental damages or loss. Buyer and user assumes all risks and liability of use, storage and/or handling of this product not in accordance with the terms of this label. Products not accepted under these terms should be returned within 20 days in the original, unopened container for return of purchase price.

> ACCEPTED with COMMENTS In EPA Letter Dated JAN 15 2002

Under the Federal Insecticide, Fundicide, and Rodenticide Act as amended, for the posticide registered ander EPA Reg. No. 22802-71