

US ENVIRONMENTAL PROTECTION AGENCY  
OFFICE OF PESTICIDES PROGRAMS  
REGISTRATION DIVISION (75-767)  
WASHINGTON, DC 20460

EPA REGISTRATION NO.  
32928-14

DATE OF ISSUANCE

9/13/15

NOTICE OF PESTICIDE:

☒ REGISTRATION  
☐ REREISTRATION

(Under the Federal Insecticide, Fungicide,  
and Rodenticide Act, as amended)

TERM OF ISSUANCE

Until Reregistration

NAME OF PESTICIDE PRODUCT

Methomyl 5G Granules

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Juan Montalvo  
ChemSpray, Inc.  
P. O. BOX 1286  
Belle Glade, FL 33430

**NOTE:** Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This notice is being issued to you in accordance with the provisions of the Act, and you are hereby notified that you must comply with the following conditions:

1. Submit to the Agency, within 90 days of the date of this registration/reregistration, any information required by section 3(c)(1) of the Act, which the Agency requires for the issuance of a label for the product to which such data.
2. Make the labeling changes listed below before you release the product for shipment:
  - a. Add the phrase, "EPA Registration No. 32928-14"
  - b. Please revise your precautionary statement to read:  
"may be fatal if swallowed, inhaled or absorbed through the skin..."
  - c. According to your Confidential Statement of Formula, the percentage of your active ingredient is 4.9%. Please revise your label or your Confidential Statement of Formula to correct this discrepancy.

☒ ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

9/13/15

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,

Jay S. Ellenberger  
Product Manager (12)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767C)

FRONT PANEL

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision, and only for those uses covered by the Certified Applicators Certification.

ACCEPTED  
with COMMENTS  
in EPA Letter Dated

13  
SEP 13 1985

ChemSpray Brand

METHOMYL 5G Granules  
For Use on Corn

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, this pesticide is registered for use on corn.

Active Ingredient:

Methomyl: S-Methyl N- [(methylcarbamoxyl)oxy]  
thioacetimidate ..... 5%  
Inert Ingredients ..... 95%  
100%

32928 14

KEEP OUT OF REACH OF CHILDREN

WARNING  
AVISO

Precaucion al Usuario: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicada ampliamente.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED, call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

IN CASE OF CONTACT, wash skin with plenty of soap and water; for eyes, flush with water for 15 minutes and get medical attention; remove and wash contaminated clothing before reuse. Get medical attention.

IF INHALED, remove to fresh air. If patient is not breathing, start artificial respiration. Get medical attention.

Atropine is an antidote for methomyl poisoning. It should be given by mouth or by injection. It is not a substitute for medical attention.

REAR PANEL: See label for directions and precautions.

Methomyl 5G Granules

ChemSpray Brand

For Use on Corn

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### WARNING

May be fatal if swallowed. Poisonous if inhaled. Do not breathe vapor or dust. Do not get in eyes, on skin, or on clothing. When loading, applying or otherwise handling, wear protective clothing, goggles, and a mask or respirator jointly approved by the Mine Safety and Health Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health. Wear clean clothes daily. Wash thoroughly after handling and before eating or smoking.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Warning Symptoms - Methomyl poisoning produces effects associated with anticholinesterase activity which may include weakness, blurred vision, headache, nausea, abdominal cramps, discomfort in the chest, constriction of pupils, sweating, slow pulse, muscle tremors.

#### NOTE TO PHYSICIAN

Treatment - Atropine sulfate should be used for treatment. Administer repeated doses, 1.2 to 2.0 mg. intravenously every 10 to 30 minutes until full atropinization is achieved. Maintain atropinization until the patient recovers. Artificial respiration or oxygen may be necessary. Allow no further exposure to any cholinesterase inhibitor until recovery is assured.

#### ENVIRONMENTAL HAZARDS

This product is toxic to wildlife and fish. Use with care when applying in areas frequented by wildlife or adjacent to any body of water. Keep out of lakes, streams, or ponds. Do not contaminate water, food, or feed by storage or disposal.

#### USE AND DISPOSAL

DO NOT REUSE CONTAINERS BY STORAGE OR DISPOSAL. Containers should be stored in a locked area. Moisture may ruin product. Prevent moisture from entering the home.

## RIGHT PANEL

### Directions for Use:

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

### REENTRY STATEMENT

Do not enter treated areas without protective clothing until dusts have settled. Because certain states may require more restrictive reentry intervals for various crops treated with product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written (or oral) warnings must include the following information: WARNING: Area treated with Methomyl 5G on (date of application). Do not enter treated areas without appropriate protective clothing until dust has settled. If warning symptoms occur refer to statement of Practical Treatment and seek medical attention at once.

ChemSpray Brand Methomyl 5G is recommended for use on corn for control of fall armyworm and corn earworm.

### HOW TO USE:

Corn Earworm - Apply 5 to 10 pounds Methomyl 5G per acre to corn in the whorl stage.

Fall Armyworm- Apply 10 to 20 pounds Methomyl 5G per acre to corn in the whorl stage.

Use standard granular applicators and direct granules to the whorl of the plant.

Apply when larvae are found in significant numbers in the whorl.

NOTE: Do not graze or feed treated plants to livestock within 3 days after last application.



42463 - 5

1041

PM 12

ACCEPTED

JUL 27 1978

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under  
EPA Reg. No. 240-101

RESTRICTED

For retail sale to and use of  
persons under their direct  
uses covered by the Certified

STOP-READ LABEL



DANGER-POISON-PRECAUTIONS

## POISONOUS IF SWALLOWED

This product can kill you if swallowed even in  
small amounts. spray mist or dust may be fatal if  
swallowed



## POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed  
on skin in eyes or on clothing (liquid goes through  
clothes)



## POISONOUS IF BREATHED

Breathing vapors spray mist or dust may be fatal

## POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and  
other wildlife in treated areas may be killed. Keep  
out of any body of water. Do not apply when weather  
conditions favor drift from treated areas. Do not ap-  
ply where runoff is likely to occur

DALY-HERRING COMPANY

GAL  
NET

Kinston, North Carolina 28501

This product is highly toxic to bees exposed to direct treatment or resi-  
dues on crops. Protective information may be obtained from your Co-  
operative Agricultural Extension Service.

NOTICE OF WARRANTY - Seller's guarantee shall be limited to the  
terms of the label, and subject thereto the buyer assumes any risk to  
persons or property arising out of use or handling and accepts the pro-  
duct on these conditions.

POISON

See Side Panels  
for Antidote &  
Precautions



TOXIC  
METHYL P  
Emulsifiable

Contains 4 lbs. Meth

## ACTIVE INGREDIENTS:

\*O, O-dimethyl O-p-nitrophenyl  
thiophosphate

Petroleum Distillate

## INERT INGREDIENTS:

TOTAL

\*Methyl Parathion

NOT FOR

USE ONLY AS  
Not for use or stora

EPA REI

EPA EST