

APPROVED
 JUL 0 3 1980
 U.S. Environmental Protection Agency
 Office of Pesticide Registration
 Registration Division
 EPA Reg. No. 32964-6

UNICHEM SANITIZER CLEANER A

UNICHEM SANITIZER-CLEANER A is recommended wherever the maintenance of sanitary, clean conditions are indicated.

Sanitizing Effectiveness: **Unichem Sanitizer Cleaner A** is effective in waters up to 750 ppm hardness. This activity has been confirmed by the Germicidal and Detergent Sanitizers Method ("The Chambers Method"), Methods of Analyses, AOAC Eleventh Edition, 1970, Page 66 as follows:

Escherichia coli ATCC No. 11229 at 200 ppm Active quaternary — 750 ppm CaCO₃

Staphylococcus aureus ATCC No. 6538 at 200 ppm active quaternary — 750 ppm CaCO₃

UNICHEM SANITIZER-CLEANER A contains a nonionic wetting agent to promote rinsing thus assuring film-free, spot-free equipment and utensils.

NOTE: Do not mix with soap or anionic detergents.

Precautionary Statements
 Hazards to Humans and domestic animals

WARNING

Keep out of reach of children. May cause severe eye irritation or eye damage. Causes skin irritation. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. Avoid contamination of food.

STORAGE AND DISPOSAL

- DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL
- OPEN DUMPING IS PROHIBITED
- DO NOT REUSE EMPTY CONTAINER

PESTICIDE DISPOSAL

Pesticide, spray mixture or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

CONTAINER DISPOSAL

Triple rinse (or equivalent) and dispose in an incinerator or landfill approved for pesticide containers, or bury in a safe place. Consult federal, state or local disposal authorities for approved alternative procedures such as limited open burning.

Sanitizer Cleaner for Equipment and Utensils in Food Processing, Dairy Industry, Bars, Restaurants, Institutional Kitchens, and Farms

Active Ingredients:

Alkyl (60% C ₁₂ ; 30% C ₁₁ ; 5% C ₁₀ , 5% C ₉) Dimethyl Benzyl Ammonium Chlorides	1.28%
Alkyl (68% C ₁₂ ; 32% C ₁₁) Dimethyl Ethylbenzyl Ammonium Chlorides	1.28%
Sodium carbonate	2.00%

Inert ingredients	95.44%
	100.00%

KEEP OUT OF REACH OF CHILDREN

WARNING:

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of water. Call a physician immediately.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

EPA Reg. No. 32964-6
 EPA Est. No. 32964-IL-1
 Net Contents 55 Gallons

Manufactured by:
 UNICHEM CORPORATION
 SOUTH HOLLAND, ILLINOIS 60473

Directions for Use

GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

GENERAL USE DIRECTIONS

Add one ounce per gallon of water. Use **UNICHEM SANITIZER-CLEANER A** for sanitizing and cleaning of equipment and utensils in food processing, dairy industry, bars, restaurants, institutional kitchens, farms, and wherever sanitizing may be desirable. No rinse is required.

For heavily soiled equipment or utensils, pre-wash with a good detergent. Rinse with clean water. Then apply recommended dilution of **UNICHEM SANITIZER-CLEANER A**.

DIRECTIONS FOR RESTAURANT AND BAR RINSE:

Dishes, glassware, silverware, cooking utensils, wash with detergent, rinse thoroughly, and immerse in a solution containing 1 oz. of **UNICHEM SANITIZER-CLEANER A** to 1 gallon of water (200 ppm). No rinse is required.

DIRECTIONS FOR FOOD PROCESSING EQUIPMENT AND DAIRIES:

Clean and rinse equipment thoroughly, then apply sanitizing solution containing 1 oz. of **UNICHEM SANITIZER-CLEANER A** to 1 gallon of water (200 ppm). No rinse is required.

WISCONSIN STATE BOARD OF HEALTH DIRECTIONS FOR EATING ESTABLISHMENTS

1. Scrape and pre-wash utensils and glasses whenever possible.
2. Wash with a good detergent or compatible cleaner.
3. Rinse with clean water.
4. Sanitize in a solution of 1 oz. of **UNICHEM SANITIZER-CLEANER A** to 1 gallon of water (200 ppm active quaternary). Immerse all utensils for at least two minutes or for contact time specified by governing sanitary code.
5. Place sanitized utensils on a rack or drain board to air-dry.

39