(m) }_3 2001 **D**₃ (20) 3 \bigcirc

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANNUALS CAUTION

Harmful if swallowed. Do not induce vomiting because of aspiration pneumonia hazard. Causes substantial but temporary eve injury. Do not get in eyes, or on skin or clothing. Wear goggles, face shield, or safety glasses when handling this material. Wash thoroughly with soap and warm water after handling. Remove contaminated clothing and wash before reuse. Do not contaminate food or feedstuffs.

Do not apply space spray while food processing is underway. Cover or remove all food processing surfaces. Thoroughly wash all food processing surfaces before reuse. After spraying in bakeries, meat packing plants, food processing plants, etc., all benches, shelving, equipment, etc. where exposed food will be handled must be washed with an effective cleaning compound followed by a potable water rinse to remove all traces of contamination. Food processing operations do not have to be stopped while applying a wet soray with care and in accordance with the directions and cautions above in those establishments which do NOT operate under Federal meat, poultry, shell egg grading and egg products inspection programs.

Remove pets, birds, and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and other aquatic invertebrates. Do not contaminate water when disposing of equipment washwaters. Do not discharge effluent containing this product into takes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Do not apply this product in or around electrical equipment due to the possibility of shock hazard,

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a cool, dry place. Keep container closed.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse or equivalent and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other approved State and Local procedures.



PACTOR-FUME UP & AT 'EM

WATER-BASED INSECTICIDE

#NON-FLAMMABLE

#PLEASANTLY AROMATIC

*NO OÎL ODOR AFTER SPRAYING

*HARMLESS TO ASPHALT AND COMPOSITION TILE

FOR USE IN HOUSEHOLD AND FOOD PROCESSING PLANTS, RESTAURANTS, INDUSTRIAL BUILD SCHOOLS, WAREHOUSES, OFFICES, THEATRES, GARAGES, HOTELS, MOTELS, HOSPITALS, KE ANIMAL QUARTERS AND MILK ROOMS.

ACTIVE INGREDIENTS:

Pyrethrins	0.100%	
*Technical Piperonyl Butoxide	0.200%	
**N-Octyl Bicycloheptene Dicarboximide	0.333%	
OTHER INGREDIENTS:	99.367%	
TOTAL INGREDIENTS	100.000%	

*Equivalent to 0.16% (butylcarbityl) (6-propylpiperonyl) ether and 0.04% related compounds. **MGKa 264, Insecticide Synergist.

CAUTION: KEEP OUT OF THE REACH OF CHILDREN

FIRST AID

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give a ficial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for ther treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of wa CADELLES, GRAIN MOTHS, CONFUSED FLOUR for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove cont. lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or do surfaces, insect hiding places and insect runways at tor for treatment advice.

IF SWALLOWED: Call poison control center or doctor immediately for treatment advice. Have person a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control ca ter or doctor. Do not give anything by mouth to an unconscious person.

SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS. **EPA REGISTRATION No. 32970-6** EPA EST. No. 32970-NY-1

NET CONTENTS: FIVE U.S. GALLONS

Manufactured by:

Cleaning 39-30 Review Avenue Long Island City, New York 11101 1-888 WAX PLUS • (718) 392-8080 • Fax: (718) 482-Division of American Wax Company, Inc. Visit us on the web! www.cleaning-solutions.com

DIRECTIONS FOR USE SHAKE WELL BEFORE USING

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

In hospitals, patients should be removed from the room prior to treatment. Room should be ventilated for two hours after spraying. Do not return patients to room until after ventilation.

SPACE SPRAY TO KILL HOUSEFLIES, MOSQUI-TOES, GNATS AND SMALL FLYING MOTHS: Shake container gently to be sure contents are uniformly mixed. Pour in sprayer. Close door and windows and turn off ventilation equipment. Mist all parts of the room or area at a dosage of one fluid ounce of insect spray per 1,000 cubic feet of space. Vacate premises. Keep room closed for 15 minutes. Ventilate prior to reentry. Repeat as necessary.

CONTACT SPRAY TO KILL COCKROACHES. WATERBUGS, CRICKETS, CENTIPEDES, SPIDERS, ANTS, SOWBUGS AND EXPOSED FORMS OF CRAWLING GRAIN BEETLES LISTED. Shake container gently as above. Apply as a coarse spray to all cracks and crevices in woodwork, beneath sinks, dark places behind pipes and in all places where these insects rest, contacting as many insects as possible with the spray. Repeat applications as often as necessary to gain control. For GRAIN WEEVILS, BEETLES, SAW TOOTHED GRAIN BEETLES AND GRAIN MITES, apply as a coarse spray to all infested the rate of one gallon of insect spray on 750 square feet of area. Treat ANT trails. Repeat when necessary.

CONTACT SPRAY TO KILL FLEAS AND BROWN DOG TICKS: Spray infested areas such as pet resting places and areas of floor and floor coverings (such as carpet) where these pests may be present. Use at the rate of one gallon per 750 square feet of area to be treated. Old pet bedding should be discarded and replaced with clean, fresh bedding after treatment. Do not directly apply to pet. Repeat as needed.

PRODUCT #71710

