

# Park Manor

## FABRIC & DIAPER SANITIZER

<b>ACTIVE INGREDIENTS</b>	
Sodium dichloro-s-triazinetriene dihydrate (provides 10.1% available chlorine)	18.0%
Sodium Carbonate	25.0%
Sodium Dodecylbenzene Sulfonate	2.4%
<b>INERT INGREDIENTS</b>	<b>54.6%</b>

**KEEP OUT OF REACH OF CHILDREN  
WARNING**

**PHYSICAL TREATMENT (FIRST AID):** If swallowed, feed bread soaked in milk followed by olive oil or cooking oil. Call a physician immediately.

**IF ON SKIN:** Brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention.

**IF IN EYES:** Flush with cold water for at least 15 minutes. Get medical attention.

**SEE ADDITIONAL PRECAUTIONS ON LOWER PANEL**

### WARNING

#### PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES Permit. For guidance contact the regional office of EPA.

#### PHYSICAL AND CHEMICAL HAZARDS

**STRONG OXIDIZING AGENT:** Strong Oxidizing Agent. Mix only with water. Use clean, dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction, with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well-ventilated area. Flood with large volumes of water, if necessary.

### DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

PM Fabric and Diaper Sanitizer is recommended for stain removal and reduction of ammonia causing bacteria in institutional and commercial laundering of fabrics and diapers.

Wet fabrics or diapers should be spin dried before the sanitizer is applied. Four (4) oz of PM Fabric and Diaper Sanitizer should be added for each 16 gallon wash load. Run this solution in the pre-wash, followed by the regular wash cycle with a good detergent. The above application gives 200 ppm available chlorine in the pre-wash cycle.

The sanitizing solution should be used promptly after mixing. If the solution is allowed to stand or is reused, and tests show the level of chlorine has not been maintained, additional PM Fabric and Diaper Sanitizer should be added to give 200 ppm available chlorine in the pre-wash cycle.

**STORAGE AND DISPOSAL:** Keep product dry in tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat or open flame. In case of decomposition isolate container, if possible, and flood with large amounts of water to dissolve all material before discarding. Place in trash collection or dispose in approved landfill area, or bury in a safe place.

**ACCEPTED**  
32975-11  
OCT 09 1980  
Under the Federal Insecticide, Fungicide, and Rodenticide Act  
as amended, for the purpose of...

EPA Reg No 32975-11  
EPA Est No 32975 CA 01

**PM**  
CHEMICAL COMPANY  
12