


PM-32

Reg # 33003-4

7/10/96

193

DRAFT LABEL  
LABEL SIZE 8½ X 11 inches  
FRONT PANEL: 8½ x 3 3x4 inches



SANIBAC 386

SANITIZER

ACTIVE INGREDIENT:  
Sodium Dichloro-s-triazinetrione Dihydrate.....25%  
INERT INGREDIENTS..... 75%  
TOTAL 100%

Provides 14% available chlorine

KEEP OUT OF REACH OF CHILDREN ( 12 point)  
DANGER (18 point)

See additional precautions on side panel

STATEMENT OF PRACTICAL TREATMENT (FIRST AID)

IF SWALLOWED: Drink large quantities of water. Do not induce vomiting. Call a physician or Poison Control Center immediately.

IF ON SKIN: Brush off excess chemical and flush skin with cold water for at least 15 minutes. Remove contaminated clothing and wash before reuse. If irritation persists, get medical attention.

IF IN EYES: Flush with cold water for at least 15 minutes, lifting the upper and lower lids occasionally. Call a physician or Poison Control Center immediately.


IF INHALED: Immediately remove to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. If breathing is difficult, give oxygen. Call a physician or Poison Control Center immediately.

MANUFACTURED BY:

Great Western Chemical Co.  
Technical Center  
5700 NW Front Avenue, Portland, OR 97210  
503/227-1616

CORPORATE ADDRESS: Great Western Chemical Company  
808 SW 15th Avenue  
Portland, OR. 97205  
503/228-2600

EPA Reg. No. 33003-4  
EPA Est. No. 33003-OR-2



Page 2  
Draft Label-Sanibac 386  
Left Side Panel

PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes skin and eye damage. May be fatal if swallowed or inhaled. Do not breathe dust. Irritating to nose and throat. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS


Strong oxidizing agent. Mix only with water. Use clean utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with generation of heat, generation of hazardous gases and possible generation of fire explosion. In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well-ventilated area. Flood with large volume of water, if necessary.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

SANIBAC 386 Sanitizer is recommended for use in the vegetable, meat, poultry and beverage industries, including the dairy and brewery industries. It is to be used to sanitize all food processing equipment, utensils, table tops, tanks, vats, floor and walls. It is also recommended for use on dishes, glasses and utensils in restaurants and institutions.

Thoroughly clean with detergent and rinse, with potable water, all items or surfaces prior to sanitizing. For flat surfaces, remove gross food particles and soil by a preflush or pre-scrap before cleaning.



Page 3  
Draft label-Sanibac 386  
Right side panel

Prepare a sanitizing solution by dissolving 1 oz. of SANIBAC 386 Sanitizer per each 10 gallons of water. This gives a solution containing 100 ppm of available chlorine. The sanitizing solution can be applied by brush, cloth, mechanical sprayer using a coarse spray, or any other equipment acceptable for this purpose. Let stand 2-5 minutes and then drain thoroughly and air dry. The same type of solution may be used in feed tank in immersion or spray type machines providing 2-5 minutes contact time for sanitizing dishes, glasses, food processing equipment and utensils. Drain thoroughly and air dry. The items are then ready for use.

The sanitizing solution should be used promptly after mixing. If the solution is allowed to stand and tests show the level of chlorine has not been maintained, additional SANIBAC 386 Sanitizer must be added to maintain a concentration of 100 ppm available chlorine.

If the sanitizing solution becomes visibly dirty or diluted, discard it and prepare a fresh sanitizing solution. Do not reuse sanitizing solutions.

SANIBAC 386 Sanitizer is accepted by the USDA for use in Federally inspected meat, poultry, shell egg grading and egg products inspection programs under the classification of D-2.

**STORAGE AND DISPOSAL (12 point)**

Do not contaminate water, food, or feed by storage or disposal.

**STORAGE:** Keep product dry and in tightly closed containers when not in use. Store in a cool, dry, well-ventilated area away from heat or open flame. In case of a decomposition, isolate container if possible and flood with large amounts of water to dissolve all material before discarding.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Completely empty inner liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities. If drum is contaminated and cannot be reused, dispose of in the same manner.

**GENERAL:** Consult Federal, State, and local authorities for approved alternate method.