

TO OPEN:
Pull Narrow Tape

TREAT
YOUR TURF
with

TLC Pre-emergent
Crabgrass Control
with Dacthal

T
L

ACCEPTED
FEB 21 1974
UNDER THE FEDERAL TRADE
MARKS ACT AND THE
FUNGICIDE AND ROENTICIDE ACT
FOR EGON 450-11500A REGISTERED
UNDER NO. 33108-1 SUBP
70-ATTACHED COMMENTS

C

RECEIVED
11 FEB 1974
Pesticides Regulation
Division, EPA

Pre-emergent Crabgrass Control

TLC
Crabgrass
Control

Pre-emergent Crabgrass
on 2500 sq. ft.

Guaranteed Herbicides	
Active Ingredients:	
Dimethyl Tetrachloroterephthalate.....	2.87%
Inert Ingredients.....	97.13%
Total	100.00%

CAUTION: KEEP OUT OF REACH OF CHILDREN
See back panel for additional cautions

Net wt. 20 lbs.

EPA REG. NO. 33108-1

TENDER
LAWN
CARE

TLC

NET WEIGHT 20 LBS.



**Pre-emergent Crabgrass Control
with Dacthal
Prevents Crabgrass
on 2500 Sq. Ft.**

Dacthal Reg. T.M. of Diamond Shamrock Corp.
Use as a pre-emergent Herbicide patented under U.S. patent No. 2,923,634
Treats 2,500 square feet of lawn area.

Controls crabgrass in established lawns of Merion or Kentucky bluegrass,
fescues, Bermuda, centipede, St. Augustine or Zoyzia.

APPLICATION DIRECTIONS

Apply in early spring prior to germination of crabgrass seeds.

Complete coverage is necessary since missed spots or streaks may allow crabgrass growth.

Fertilizer may be applied anytime before or after application of this product.

Do not reseed within 60 days after treatment. Do not apply on Toronto or Chassey Bentgrass or Dichondra.

SPREADER SETTINGS

Jackson.....	8	Scott.....	8
Cears.....	8	Cyclone.....	6

These settings are approximate. Age and condition of spreader may cause settings to vary.

CAUTION

Harmful if swallowed. Keep out of reach of children. Avoid contact with eyes. Avoid breathing dust. Do not contaminate feed and foodstuff. Wash thoroughly after handling or using. Do not store near seed, fertilizer or other herbicides. Do not contaminate water used for irrigation or domestic purposes.

Container Disposal: DO NOT REUSE EMPTY CONTAINER. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

NOTICE

If not used as directed seller makes no warranty, expressed or implied, concerning the use of this product. User then assumes all risks of loss or damage arising from use, handling and the effects thereof.

Sold By
CONTINENTAL PEAT CO.
P.O. Box 7368
Toledo, Ohio 43615



TLC Pre-emergent Crabgrass Control

TO OPEN:
Full Narrow Top

TLC Turf Treatment

12-4-4

with 2,4-D

TREAT
YOUR TURF
with

T
L

C

Turf Treatment
12-4-4

TLC

ACCEPTED
FEB 21 1974
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR EPA REGISTRATION NUMBER
ED UNCL. 35108-2

TLC
Turf
Treatment

Stops Weeds
Feeds Grass
Treats 5,000 sq. ft.

Active Ingredient	Guaranteed Analysis	Total
2,4-D (2,4-Dichlorophenoxyacetic Acid)	1.00%	1.00%
Other Ingredients	9.00%	9.00%
		10.00%

Equipment: 2,4-D is a phenoxyacetic acid. See back panel for additional cautions.
CAUTION: KEEP OUT OF REACH OF CHILDREN.
See back panel for additional cautions.

Net wt. 20 lbs.
EPA REG. NO. 33103-2

TENDER
LAWN
CARE