

STATEMENTS OF PRACTICAL TREATMENTS

If Swallowed: Call a physician or Poison Control Center immediately. Induce vomiting by giving vomit 1 or 2 glasses of water and touching back of throat with finger. Never give anything by mouth to an unconscious person. **If In Eyes:** Flush eyes with plenty of water. If irritation persists get medical attention. **If On Skin:** Wash with plenty of soap and water.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed or absorbed thru the skin. Avoid breathing vapors. Avoid contact with eyes, skin or clothing. In case of contact, immediately flush eyes and skin with plenty of water. Get medical attention if irritation persists. Remove pets, birds, and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Shrimp and Crabs may be killed at application rates recommended on this label. Do not apply where there are important resources.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Securely wrap original container in several layers of newspaper and discard in trash.

NOTICE: Buyer assumes all risk and liability of use, storage and/or handling of this material not in accordance with the terms of this label.

NET CONTENTS — 16 FL OUNCES



**ROSE-FLOWER and
ORNAMENTAL INSECT SPRAY**

Ready To Use
For Control of Aphids,
Spider Mites, Leafhoppers,
Flea Beetles & White Flies

ACTIVE INGREDIENTS:	
Pyrethrin	0.02%
*Piperonyl Butoxide	0.20%
INERT INGREDIENTS:	99.78%
TOTAL	100.00%

*Equiv. to 0.16% (butylcarbyl) (8-propyl-piperonyl) ether & 0.04% related compounds.

EPA REG. NO 9404-63
EPA EST. NO 9404-FL-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panel for Additional Cautions

DIRECTIONS FOR USE (Cont.)

This product may be used on Indoor Plants, Outdoor Plants or in Greenhouses throughout the growing season. Use as a pre-harvest treatment when other insecticides are prohibited due to residue restrictions and use limitations.

HOW TO USE: To control insects listed in the following charts, apply to provide thorough coverage of upper and lower leaf surfaces. Repeat at weekly intervals or as needed for control.

ROSES — FLOWERS — ORNAMENTALS



INSECTS	PLANTS
For Aphids, Flea Beetles, Leafhoppers, Thrips, Plant Bugs, Rose Chaffer, Cutworms, Spider Mites and White Flies.	African Violets, Azaleas, Begonias, Camellias, Dahlias, Dogwood, Roses, Indoor Green Plants, Aster, Carnations, Chrysanthemums, Geraniums, Gladiolus.

On tender plants such as Ferns and Ivys, treat one leaf or stem to check for sensitivity. Wait several days, then treat entire plant, if safe.

NOTE: Plan on two applications 1 week apart for best control. Apply as a light mist to plant foliage, stems, and fruit. Do not spray to point of run-off. Repeat treatments as needed for continued insect control.



SUNNILAND CORPORATION
Sunrise, Florida 32771



17/1
W.H.W.

Mr. Joseph Patty
Big F Insecticides, Inc.
Box 3346
Jackson, TN 38303

Dear Mr. Fatty:

Subject: F-300R Fogging Compound
EPA Registration No. 33161-12
Your Submission Dated July 15, 1988

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely yours,



Phil Hutton
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure

57653;I:A-4;Hollis:C.Disk;KENCO:09/18/90;dervo:ak:de

CONCURRENCES

SYMBOL							
SURNAME							
DATE							

INDOORS

SPACE SPRAY: To kill house flies, mosquitoes, gnats, flying moths (millers), fruit flies, vinegar flies - Close room or area to be treated. Shut off air conditioner and ventilator system. Seal all open vents. Remove fish and pets. Apply undiluted as a very fine mist space spray through manually operated equipment or with electrical and other powered applicators. Avoid straining by holding the spray nozzle at least five feet from objects. Direct the fine spray mist toward the upper corners of the room. Fill the room with a fine mist spray at the rate of 3 fl. oz. per 5,000 cu. ft. Leave room closed for one-half hour. Ventilate thoroughly before re-entry. Sweep up and destroy insects.

CONTACT SPRAY: To kill cockroaches, palmetto bugs, waterbugs, crickets, silverfish, firebrats, fleas, earwigs, sowbugs, pillbugs, scorpions, carpet beetles, centipedes, millipedes - Adjust spray to produce large wetting type spray particles. Direct spray to contact these insects in cracks and crevices in floors, baseboards, around pipes, behind cabinets, and other harborages. Spray these infested areas until thoroughly wet. Repeat as necessary.

TO KILL SPIDERS: Spray directly on these pests and use repeated applications to the webbing and all cracks and crevices which harbor spiders.

TO KILL ANTS: Spray doors, around window frames, ant trails on hills.

TO KILL BEDBUGS: Apply as a spot treatment to cracks and crevices around baseboards, floorboards, bedboards, and walls. First, thoroughly clean and air mattresses and springs. Then spot treat only areas that may harbor bedbugs, concentrating on tufts, folds and seams. Repeat as necessary. For persistent infestations, consult professional applicator.

TO KILL FLEAS AND TICKS (adult and larvae): Spray directly on insects as well as floors, floor coverings, baseboards, cracks and crevices, infested furniture and animal resting areas. Hold spray nozzle about 18 inches from areas to be treated. Apply spray until area is moist. Treat pet bedding the same way. Also spray entire inside surface of dog houses. Repeat as necessary. Do not allow pets to contact treated areas until spray has dried. Remove or cover animal feed before spraying. Treat dogs, cats and horses with a registered flea control product before they re-enter the treated area.

TO KILL GRAIN INSECTS: Adults of confused flour beetles, saw-toothed grain beetles, shiny spider beetles, grain weevils, cigarette beetles, Angoumois grain moths, Mediterranean flour moths, Indian meal moths, grain mites - Remove infested grain, cereal or flour and destroy. Avoid contamination of other food or foodstuffs in the areas by removing before spraying. Spray directly on exposed stages and into cracks and crevices where grain insects may be hiding. In homes, dispose of all infested products. The shelves and drawers should be cleaned and thoroughly sprayed so as to contact all pests, and covered with shelf paper after allowing shelves to dry. Any utensils that are contacted with spray should be washed before using. Repeat as necessary.

TO KILL BEES, WASPS, HORNETS AND YELLOW JACKETS: Application should be made in late evening when insects are at rest. Spray liberally into hiding and nesting places contacting as many insects as possible. Repeat as necessary.

OUTDOORS:

To control nuisance pests around buildings, patios and paved areas: Apply as a contact spray. Spray directly on insects. Avoid spraying turf or plants.

TO KILL ANTS: Spray doors, around window frames, ant trails and hills.

TO KILL BEES, WASPS, HORNETS, YELLOW JACKETS: Application should be made in late evening when insects are at rest. Spray liberally into hiding and nesting places contacting as many insects as possible. Aim spray at nest openings in bushes, under eaves, chimneys, cracks and crevices to saturation and around nest openings. Contact as many insects as possible. Repeat as necessary.

TO KILL EARWIGS, SOWBUGS, SPIDERS, CENTIPEDES AND MILLIPEDES: Apply as a contact spray, as for indoor use. To control nuisance crawling insects around premises, spray thoroughly around doors, window frames, and similar areas of entry. Also, thoroughly spray garbage and refuse areas, especially around poultry houses, barns, and similar areas of heavy infestation. Do not spray on turf or plants.

THERMAL APPLICATIONS: For the control of houseflies and mosquitoes. This formulation is to be used undiluted in only such portable thermal applicator equipment that can deliver spray particle sizes within the aerosol size range.

F-300R FOGGING COMPOUND

FOR CONTROL OF FLYING AND CRAWLING INSECTS IN BUILDINGS AND OUTDOORS

Contains the highly active synthetic pyrethroid, **SYNTHRIN**
MAY BE USED UNDILUTED IN ANY MECHANICAL, ELECTRICAL, THERMAL, COMPRESSED AIR OR ULV EQUIPMENT

Authorized by USDA for use in edible product areas of official establishments operating under the Meat, Poultry, Shell Egg Grading and Egg Inspection Programs.

ACTIVE INGREDIENTS:

* Resmethrin [5-(phenylmethyl)-3-furyl] methyl 2,
2-dimethyl 3-(2-methyl-1-propenyl) cyclopropanecarboxylate..... 3.00%

INERT INGREDIENTS**..... 97.00%

TOTAL 100.00%

* Cis/trans isomer ratio: Max. 30% (+) cis and min. 70% (+) trans

** Contains Petroleum distillate

SYNTHRIN - Registered Trademark of Fairfield American Corporation

KEEP OUT OF REACH OF CHILDREN CAUTION

See panel for additional precautions.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For use indoors and outside premises of Hotels, Motels, Homes, Food Handling Establishments, Packaging and Processing Plants, Seed Houses, Commercial, Industrial, Office, Institutional and Storage Buildings, Milk Handling Areas of Milk Plants, Milk Storage Rooms, Egg Processing Plants, Supermarkets, Restaurants, Bottling Plants, Canneries, Flour and Feed Mills, Bakeries, Boats, Ship Cabins and Hospitals. IN HOSPITALS, remove patients prior to treatment. Ventilate rooms for two hours before returning patients. Also for use in Buses, Automobiles, Trucks, Boxcars, and Ship Cargo Holds. Also for use in Dog Kennels and Horse Stables.

Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. After space spraying in food processing plants, wash all equipment, benches, shelving, etc. where exposed food will be handled thoroughly with an effective cleaning compound and rinse with potable water. When using this product in these areas, apply only when facility is not in operation.

EPA Reg. No. 33151-12

EPA Est. No. 33161-TN-1

Manufactured by:

Big F
INSECTICIDES, INC.

FLOUR MILLS
FEED MILLS
FOOD PROCESSORS
FOOD WARE HOUSES
FURNITURE STORAGE
FOG & SPRAY EQUIPMENT

P. O. Box 3346
Jackson, TN 38303
901-427-0497

Batch:

Net Contents: