

APR 18 1995

Ms. Susan Holland
Amrep Incorporated
990 Industrial Park Drive
Marietta, GA 30062

Dear Ms. Holland:

Subject: Airysol Brand Surface Disinfectant
EPA Registration No. 33176-5
Your Amendment Dated December 30, 1993

This is in response to your amendment to reflect product name change, "Airysol Brand Surface Disinfectant & Air Deodorant" to "Airysol Brand Surface Disinfectant".

The labeling referred to above submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended is acceptable subject to the following comments.

1. Under the Statement of Practical Treatment, remove "If swallowed, drink egg whites, gelatin solution ..." and replace with, "If swallowed, drink promptly a large quantity of water."
2. Change Trichophyton interdigitale to read Trichophyton mentagrophytes.
3. Change Herpes simplex Virus I and II to read Herpes simplex virus type 1 and type 2.

A stamped copy is enclosed for your records. Submit five copies of final printed label.

The proposed product name change has been made a part of our records for this file.

CONCURRENCES

CONCURRENCES							
SYMBOL							
SURNAME							
DATE							

If you have any questions about these comments, please call Marianne Clark at (703) 305-7879.

Sincerely yours,



Ruth Douglas
Product Manager (32)
Antimicrobial Program Branch
Registration Division (7505C)

**PRECAUTIONARY STATEMENTS:
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

WARNING: Avoid contamination of food and food vessels. In case of food contact surfaces must be thoroughly scrubbed with detergent and rinsed with potable water prior to reuse. Causes eye and skin irritation. Avoid contact with eyes and skin.

STATEMENT OF PRACTICAL TREATMENT: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink egg whites, gelatin solution or if these are not available, drink large quantities of water. Call physician. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

PHYSICAL OR CHEMICAL HAZARD: Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Store in a cool area away from heat or open flame. Do not incinerate empty container. Wrap container and put in trash collection. Effective when tested by the AOAC Germicidal Spray Method. This product may be used in hospitals.

SPRAY DISINFECTANT: Disinfects and deodorizes surfaces through effective bactericidal and fungicidal activity. Kills most Staph and Strep organisms. *Pseudomonas aeruginosa*, *Trichophyton interdigitale* (athletes foot fungus) on hard surfaces. Controls odors.

Antituberculocidal against *Mycobacterium bovis* (BCG) when used undiluted at a contact time of 10 minutes at 25°C.

*Kills HIV-1 (AIDS virus), Influenza A2 England Virus and Herpes Simplex Virus I and II on environmental hard surfaces.

DIRECTIONS FOR USE: Shake well before using.

For Surfaces: Clean soil deposits from surfaces to be treated. Remove protective cap, hold can upright and spray from a distance of 8 to 8 inches until area for treatment is thoroughly moistened. Allow surfaces to air dry a minimum of 10 minutes to ensure disinfection. Food contact surfaces must be thoroughly scrubbed with detergent and rinsed with potable water prior to reuse.

For Control of Mold and Mildew on Hard, Non-Porous Surfaces: Clean surfaces prior to application, then spray surfaces until thoroughly moistened. Allow to dry. Repeat application in 14 days.

For Hospital Use: See use directions under "Surfaces." Walls, floors, bed frames, bedpans, urinals, furniture, fixtures, containers, toilet seats, diaper pails, instrument trays, examining tables. Spray telephone and similar bedside equipment not easily subject to normal disinfecting procedures.

For Household Use: See use directions under "Surfaces." Kitchen-Sinks, drainboard, cabinets, stove and refrigerator. Empty garbage cans and under sinks. Controls household odors and retards their return. Bathroom-Bathtub, wash basin, toilet seat, empty hampers, bed walls. Controls bathroom odors. General Use- Telephone, pet animal areas, diaper pails, nursery room.

Do not spray on polished wood, furniture or rayon fabrics.

***SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION
AGAINST HIV-1 ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY
FLUIDS.**

KILLS HIV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling on non-porous surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS). Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this disinfectant. Disinfection will occur in 10 minutes at 25°C. Clean up should always be done wearing protective latex gloves, gowns, masks and eye protection. Blood, body fluids, cleaning materials and clothing should be autoclaved and disposed of according to local regulations for infectious waste disposal.

12/92

Manufactured by: MBL Industries, Inc.
3600 W. Carriage Drive/Santa Ana, CA 92704(714)567-6506



SURFACE DISINFECTANT

**GERMICIDAL/FUNGICIDAL
STAPHYLOCIDAL/PSEUDOMONACIDAL
TUBERCULOCIDAL/VIRUCIDAL*
DEODORIZES**

**PREVENTS MOLD AND MILDEW ON
HARD NON-POROUS SURFACES**

ACTIVE INGREDIENTS:	
Ethyl alcohol	44.25%
n-Alkyl (50% C-14, 40% C-12, 10% C-16) (dimethyl benzyl ammonium chloride)	0.33%
o-Phenylphenol	0.25%
INERT INGREDIENTS:	
(Contains 0.3% sodium nitrite)	55.17%
TOTAL	100.00%

EPA REG. NO. 33176-5
EPA EST. NO. 33176-CA-1

**KEEP OUT OF REACH OF CHILDREN.
WARNING**

See side panels for additional precautionary statements.
NET WT. 1 LB. (16 OZ.) (454 GRAMS)
(Equivalent to 19.55 Fluid Ounces)

BEST COPY AVAILABLE