

**SURFACE DISINFECTANT**

**PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
**WARNING:** Avoid contamination of food and food utensils. In case of food contact surfaces must be thoroughly scrubbed with detergent and rinsed with potable water prior to reuse. Causes eye and skin irritation. Avoid contact with eyes and skin.

**STATEMENT OF PRACTICAL TREATMENT:** In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink promptly a large quantity of water. Call physician. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

**PHYSICAL OR CHEMICAL HAZARD:** Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator.

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL:** Do not contaminate water, food or feed by storage or disposal.

**STORAGE:** Store in a cool area away from heat or open flame. **DISPOSAL:** Do not incinerate empty container. Wrap container and put in trash collection.

**SPRAY DISINFECTANT:** Disinfects and deodorizes surfaces through effective bactericidal and fungicidal activity. Kills most Staph and Strep organisms, Pseudomonas aeruginosa, Trichophyton moniliformis (athlete's foot fungus) on hard surfaces. Controls odors. A tuberculocidal agent against Mycobacterium bovis (BCG) when used undiluted at a contact time of 10 minutes at 25°C. \*Kills HIV-1 (AIDS virus), Influenza A2 England Virus and Herpes simplex virus type 1 and type 2 on environmental hard surfaces. Effective when tested by the AOAC Germicidal Spray Method. This product may be used in hospitals.

**DIRECTIONS FOR USE:** Shake well before using.

**For Surfaces:** Clean soil deposits from surfaces to be treated. Remove protective cap, hold can upright and spray from a distance of 6 to 8 inches until area for treatment is thoroughly moistened. Allow surfaces to air dry a minimum of 10 minutes to ensure disinfection. Food contact surfaces must be thoroughly scrubbed with detergent and rinsed with potable water prior to reuse.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

**For Control of Mold and Mildew on Hard, Non-Porous Surfaces:** Clean surfaces prior to application, then spray surfaces until thoroughly moistened. Allow to dry. Repeat application in 14 days.

**For Hospital Use:** See use directions under "Surfaces." Walls, floors, bed frames, bedpans, urinals, furniture, fixtures, containers, toilet seats, diaper pails, examining tables. Spray telephone and similar bedside equipment not easily subject to normal disinfecting procedures.

**For Household Use:** See use directions under "Surfaces." Kitchens-Sinks, drainboard, cabinets, stove and refrigerator. Empty garbage cans and under sinks. Controls household odors and retards their return. Bathroom-Bath tub, wash basin, toilet seat, empty hampers, tiled walls. Controls bathroom odors General Use-Telephone, pet animal areas, diaper pails, nursery room.

Do not spray on polished wood, furniture or rayon fabrics.

**\*SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 ON SURFACES/ OBJECTS SOILED WITH BLOOD/BODY FLUIDS. KILLS HIV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling on inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS). Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this disinfectant. Disinfection will occur in 10 minutes at 25°C. Clean-up should always be done wearing protective latex gloves, gowns, masks and eye protection. Blood, body fluids, cleaning materials and clothing should be autoclaved and disposed of according to local regulations for infectious waste disposal.

10/95

EPA REG. NO. 33174-5 EPA EST. NO. 10807-GA-1  
 (Equivalent to 19.55 Fluid Ounces)



**MANUFACTURED BY:**  
**MBL INDUSTRIES, INC.**  
 3600 WEST CARRIAGE DRIVE  
 SANTA ANA, CA 92704  
 (714)557-6505




**Surface Disinfectant**

- Germicidal • Fungicidal • Staphylocidal
  - Pseudomonacidal • Tuberculocidal
  - Virucidal\* • Deodorizes
  - Prevents Mold and Mildew on Hard Non-Porous Surfaces
  - Excellent for Veterinarian and Professional Grooming Tools and Equipment
- (Disinfects, Cleans, Cools)

**ACTIVE INGREDIENTS:**

Ethyl alcohol	44.25%
n-Alkyl (50% C-14, 40% C-12, 10% C-16)	
(dimethyl benzyl ammonium chloride)	0.33%
o-Phenylphenol	0.25%
<b>INERT INGREDIENTS:</b>	55.17%
(Contains 0.3% sodium nitrite)	
<b>TOTAL:</b>	100.00%



**KEEP OUT OF REACH OF CHILDREN.**  
**WARNING:**

See side panels for additional precautionary statements.

**NET WT. 1 LB. (16 OZ.)(454 GRAMS)**

11000001\labels\saerosols\223-224.doc as of 03/19/97 w/ vet claims 4/1/97

PM 34  
 33176-5  
 7/2/97  
 page 191