

# MULTI-PURPOSE DISINFECTANT CLEANER

**PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
**CAUTION:** Avoid contact with skin, eyes or clothing. Harmful if swallowed. Avoid contamination of food.

**STATEMENT OF PRACTICAL TREATMENT: IF SWALLOWED:** Drink promptly a large quantity of water. Do not induce vomiting. Avoid alcohol. Get medical attention. **IF IN EYES:** Flush with plenty of water for 15 minutes. Get medical attention. **IF ON SKIN:** Wash with plenty of soap and water. Get medical attention if irritation persists.

**PHYSICAL OR CHEMICAL HAZARDS:** Contents under pressure. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting.

**STORAGE AND DISPOSAL:** Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store in a cool area away from heat or open flame. **DISPOSAL:** Do not incinerate empty container. Wrap container and put in trash collection.

**Nonabrasive:** Will not harm hard washable surfaces including walls, woodwork, cabinets, floors, tiles, wash basins, bathtubs, toilet seats, venetian blinds, chrome and stainless steel, stoves, canopies, refrigerators, freezers, sinks, appliances, porcelain, ceramic, counter and table tops.

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For use in hospitals, schools, hotels, motels, restaurants, and offices. Excellent for sick-room or kitchens. Leaves areas clean and fresh smelling. For disinfecting a pre-cleaning step is required. When used as directed, this product demonstrates effective disinfections on pre-cleaned, hard, non-porous environmental surfaces against *Staphylococcus aureus*, *Salmonella choleraesuis*, and *Pseudomonas aeruginosa*, thus meeting requirements for hospital use. \*As a virucide, kills HIV-1 (AIDS Virus), Influenza A3 (Hong Kong) and Herpes Simplex Virus Types 1 and 2 on environmental, inanimate, hard surfaces.

If used on food surfaces, surfaces must be scrubbed with a detergent and rinsed with potable water before reusing.

**TO CLEAN:** Shake can before using. Hold can six to eight inches from surface to be cleaned. Spray area until covered with a white foam. Allow foam to penetrate and wipe off with a clean cloth, mop or sponge. No scrubbing is necessary. For heavily soiled areas, remove gross soil before using. This product will not leave grit or soap scum.

**TO DISINFECT AND DEODORIZE PRE-CLEANED SURFACES:** Follow directions as above and allow foam to penetrate and remain wet for 10 minutes. No scrubbing is necessary. Then wipe with a clean cloth, mop or sponge.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream, or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

**TO CONTROL MOLD AND MILDEW:** On pre-cleaned hard non-porous surfaces (such as floors, walls, table tops) spray surfaces to be treated making sure to wet completely. Let air dry. Repeat application at weekly intervals or when mildew growth reappears.

**\*KILLS HIV-1 ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling on inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS).

**SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS: PERSONAL PROTECTION.** Specific barrier protection items to be used when handling items soiled with blood or body fluids are disposable latex gloves, gowns, masks, or eye coverings. **CLEANING PROCEDURES:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this disinfectant.

**DISPOSAL OF INFECTIOUS MATERIALS:** Blood and other body fluids should be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal. **CONTACT TIME:** Leave surfaces wet for 10 minutes at 25°C.

EPA REG. NO. 33178-6 EPA EST. NO. 10807-GA-1

10/94



MANUFACTURED BY:  
 MBL INDUSTRIES, INC.  
 3600 WEST CARRIAGE DRIVE  
 SANTA ANA, CA 92704  
 (714)357-6505



## MULTI-PURPOSE DISINFECTANT CLEANER

- Germicidal • Fungicidal • Staphylocidal
- Pseudomonacidal • Virucidal\* • Tuberculocidal
- Deodorizes
- Prevents Mold and Mildew on Hard Non-Porous Surfaces

### ACTIVE INGREDIENTS:

o-Phenylphenol ..... 0.10%

o-Benzyl-p-chlorophenol ..... 0.08%


**INERT INGREDIENTS\*:** ..... 99.82%

\*(includes surfactants and cleaners)

**TOTAL:** ..... 100.00%

**KEEP OUT OF REACH OF CHILDREN  
 CAUTION**

SEE SIDE PANEL FOR ADDITIONAL  
 PRECAUTIONARY STATEMENTS.  
 NET WT. 20 OZ. (1 LB. 4 OZ.)(567 grams)  
 (Equivalent to 19.92 Fluid Ounces)



LABL 10041 251-20 REV 03 94/10

**BEST AVAILABLE COPY**