33176-17 AM17
1 of 1

BEST AVAILABLE COPY

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Wrap container and put in trash container. Do not incinerate.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
& DOMESTIC ANIMALS

DANGER

Causes eye damage. Avoid contact with skin or eyes. Wear goggles or face shield. Harmful if swallowed. Avoid contamination of food and foodstuffs. Remove pets, birds and cover or remove fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES – Flush eyes with plenty of water. Get medical attention.

IF SWALLOWED – Call a physician or Poison Control Center immediately. Gastric lavage may be indicated if material was taken inter[illegible] DO NOT INDUCE VOMITING: vomiting or [illegible] aspiration pneumonia.

IF INHALED — Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN — Remove contaminated clothing and wash affected areas with soap and water.

PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

ISSA The Experts on Cleaning and Maintenance

mbi

MBI INDUSTRIES, INC.
3600 W. CARRIAGE DR.
SANTA ANA, CA 92704
(714) 647-6806

RESIDUAL POWDER INSECT KILLER

Fast Acting Spray Powder

Residual to Roaches

Controls Roaches, Silverfish, Bed Bugs & Fleas

Kills up to 7 months when left undisturbed.

For Use in Restaurants, Hospitals, Supermarkets, Schools, Institutions, Warehouses, Factories and Food Plants.

Acceptable for use in inedible product areas of Federally Inspected Meat & Poultry Plants.

ACTIVE INGREDIENTS:

Pyrethrins	0.1%
*Piperonyl Butoxide, Technical	1.0%
Silica Gel	4.0%
Petroleum Distillate	4.5%
INERT INGREDIENTS:	90.0%
	100.0%

*Equivalent to 0.8% (butylcarbityl) (6-propylpiperonyl) ether and 0.2% related compounds.

AIRYSOL BRAND

KEEP OUT REACH OF CHILDREN
DANGER
See side panel for additional precautions.

Only for Sale to, Use, and Storage by Servicepersons.

EPA REG. NO. 33176-17 EPA EST. NO. 33176-CA-1

NET WT. (1 LB.) 16 OZ. (454 GM.)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

[illegible]

TO SPRAY: Hold can upright and press actuator button.

FOOD HANDLING ESTABLISHMENTS: Place when from private residence in which exposed food is held, prepared, prepared or served.

FOOD AREAS – APPLICATION TECHNIQUE TO CRACKS AND CREVICES THOROUGHLY DRY: Includes areas for receiving, storage, packing/processing, handling, wrapping, bottling, preparing, edible waste storage and overhead processing equipment (walls, ceiling, edible oils, syrups) and serving areas before food is exposed and facility is in operation.

APPLICATION OF FOOD PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS: A SPACE TREAT AS A CRACK AND CREVICE TREATMENT AND NOT PERMITTED.

SERVING AREAS: Facilities where foods are served such as dining rooms, but excluding areas where foods may be prepared or held, apply as a spot treatment to exterior surfaces, such as baseboards, under elements of construction and into cracks and crevices. Avoid treating surfaces likely to be contacted by hand. (Do not apply when facility is in operation or foods are exposed.)

NON-FOOD AREAS: Including garbage rooms, laundries, floor drains (to control), entries and vestibules, offices, locker rooms, mechanic rooms, boiler rooms, garages, map closets and storage (after cleaning or buildings). Apply as a spot treatment to baseboard areas, around water pipes, exposed behind and beneath sinks, lockers, tables, grates and similar areas where insects hide or through which they may enter. Repeat treatment as required.

TO CONTROL ANTS, CRICKETS, SILVERFISH, EARWIGS, CENTIPEDES, SPIDERS, CONTROL WASPS, CONTROL BEETLES, MOTHS AND PARASITES: Apply in small amounts directly into cracks and crevices using an injection or insertion tube, in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases and in conduits, water housings, junction or conduitboxes. Prior to application, turn off electrical equipment. After application, allow time for all to evaporate before starting motors or placing switches in the "ON" position.

Care should be taken to avoid depositing the insecticide onto exposed surfaces or introducing it into the air. Avoid contamination of food or food processing surfaces.

TO CONTROL FLEAS: In animal quarters, treat bedding, floor and floor coverings and any areas where fleas may hide. If left undisturbed, a deposit will continue to kill fleas for several months. Repeat application when other fleas emerge.

TO CONTROL BED BUGS: Take bed apart and treat cracks, joints and interior of framework. Mattresses should be treated, especially tufts, folds and edges. Do not use in hospital patient quarters.

TO CONTROL FIRMLY PAPER BOTTLES: Treat infested wood using an injection or insertion tube. Apply small amounts directly into and around entrance holes.

BEST AVAILABLE COPY

A[illegible]
NOV 14 1984
EPA Reg. No. 33176-17