

**PRECAUTIONARY
STATEMENTS**
**HAZARDS TO HUMANS
& DOMESTIC ANIMALS**

CAUTION:

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists.

Do not apply directly to food. In commercial food handling facilities, cover or remove foods and food processing equipment during application. Do not apply while food processing is under way. After space spraying in food processing plants, wash all equipment, benches, shelving, etc., where exposed foods will be handled, with potable water. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use.

Remove pets, birds and cover fish aquariums before spraying.

**STATEMENT OF
PRACTICAL TREATMENT**
If swallowed—Get prompt medical attention.
If inhaled—Get fresh air.
If on skin—Flush with water. Wash with warm water and soap.
If in eyes—Flush thoroughly with water.

PHYSICAL HAZARDS
Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° may cause burning.

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL
Storage: Store in a cool dry area away from heat or open flame.
Disposal: Do not re-use empty container. Wrap container and put in trash collection.

SHAKE WELL!
Hold container upright with nozzle away from you. Press valve down and spray as directed. Keep nozzle at least 36 inches from surfaces or fabrics to avoid possible staining.

INDUSTRIAL STRENGTH. FLYING AND CRAWLING INSECT KILLER

For Use in Non-Food and Food Areas of Food Processing Plants, Schools, Warehouses, Office Buildings, Theatres, Garages, Hotels, Motels, Kennels, and Hospitals

ACCEPTED

SEP 23 1982

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 33176-26

ACTIVE INGREDIENTS:

| | |
|---|----------------|
| *d-trans-chrysanthemum monocarboxylic acid ester of d-2-allyl-4-hydroxy-3-methyl-2-cyclopenten-1-one | 0.116% |
| Other isomers | 0.009% |
| **Piperonyl butoxide, technical | 0.625% |
| Petroleum distillate | 5.250% |
| INERT INGREDIENTS: | 94.000% |
| | 100.000% |

* S-bioallethrin from ESBROL®. Roussel-Uclaf.
** Equivalent to 0.500% (butylcarbitol) (6-propyl(piperonyl) ether and
0.125% related compounds

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel For Additional
Precautionary Statements

EPA REG NO.33176-26

EPA EST NO 33176-CA-1

NET WT. 1 LB. (16 OZ.) 454 GM.

Only for Sale to, Use, and Storage by Servicepersons.

**Fleas, Mosquitoes, Spiders, Wasps and
Flying Insects:** Close all doors and windows and spray room at the rate of 7 seconds per 1000 cubic feet. Direct spray to all parts of the room especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Keep room closed for 10 to 15 minutes. Repeat treatment as necessary.

**Beaches, Waterbugs, Silverfish,
Crickets, Spiders, Cockroaches and
Scorpions:** Spray into hiding places such as cracks and crevices, behind sinks, cabinets along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible. Repeat treatment as necessary.

Ants: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

**Exposed Areas of Indoor Meal Moths,
American Grain Moths:** Close doors and windows, direct spray into all parts of room especially around stored food product containers, pallets and darkened areas. Spray 7 to 10 seconds for each 1000 cubic feet of space. Keep area closed for 15 minutes following treatment. Repeat application weekly or as needed.

**Exposed Areas of Fleas, Bedbugs,
Worms, Spiders:** Spray into cracks and crevices, processing and handling equipment,* around carpets and containers and other areas where insects tend to congregate. Spray 30 seconds for each 100 square feet. Keep area closed for 45 minutes & 1/2 hour after treatment. Repeat applications as necessary.*

Cabinet Beetles: Spray directly on beetles, floors, baseboards, shelves and carpets. Repeat treatment as necessary.

Bedbugs: Spray mattresses, particularly around tufts and seams. Turn bed apart, and spray into all joints. Treat baseboards, moldings and floors. Allow treated fabric to dry thoroughly before using. Repeat treatment as necessary.

Fleas: Spray sleeping quarters, bedding, floor and floor covering where pets are kept. Repeat as necessary. Only use a recommended pet spray on pets.

ISSA MEMBER
The Experts
on Cleaning and Maintenance



ISSA, INC.
3000 Crenshaw Blvd.
Santa Monica, CA 90401
(310) 454-6262