



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:

Date of Issuance:

33176-44

MAR 11 1998

Term of Issuance:

Conditional

NOTICE OF PESTICIDE:

- Registration
- Reregistration

Name of Pesticide Product:

Airysol Brand Moth Sentry

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

MB Industries, Inc.
990 Industrial Park Drive
Marietta, GA 30062

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.

2. Make the labeling changes listed below before you release the product for shipment:

a. Add the phrase "EPA Registration No. 33176-44."

b. On the front panel change "FOR CONTROL OF TICKS WHICH MAY CAUSE LYME DISEASE" to "FOR CONTROL OF DEER TICKS WHICH MAY CAUSE LYME DISEASE"

Signature of Approving Official:

Date:

c. Made the following revisions to the label to be in compliance with PR Notice 96-6 (Pet Pesticide Product Label Statements). "READ ENTIRE LABEL BEFORE USE." "USE ONLY ON DOGS." Clarify Reapplication Limitation. Change "do not treat puppies less than four weeks old" to "Do not treat puppies less than 12 weeks old." unless you have domestic animal safety data on file at the Agency to support use on younger animals. "Consult a veterinarian before using this product on debilitated, aged, pregnant, medicated or nursing animals.". "Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately."

d. The product also bears directions for controlling livestock pests and pests in livestock buildings. Thus the following bullet should be added to the front panel: "For Control of Pests on Livestock and Livestock Premises".

e. Add the following prohibition under Indoor Application: "Do not use in commercial food/feed handling establishments, restaurants or other areas where food/feed is commercially prepared or processed."

f. Under "For Control of Garden Insects" add "Not for Use on Ornamentals being grown for sale or other commercial use."

g. Revise the second sentence under Environmental Hazards to read "Do not apply directly to water."

h. The statement should read "Affix trigger, pump or other type sprayer head to container for indoor application. Do not transfer to another container."

3. Submit two (2) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Enclosure

PRECAUTION STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS:

CAUTION: Wash thoroughly after handling and before smoking or eating. Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquaria before space spraying or surface applications. Do not use on humans. Do not allow children or pets to contact treated areas until surfaces are dry.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the high water mark. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Do not reuse container. Wrap container in several layers of newspaper and discard in trash.


Affix trigger, pump or other type sprayer to container for application. Do not transfer to another container. **SHAKE WELL BEFORE USING.**

INDOOR APPLICATION: For spot application only. Do not use as a space spray indoors. Do not apply in classrooms while in use. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food/feed should be covered or removed.

SURFACE SPRAYING: For 60-Day (Two Months) Control of Cockroaches, Waterbugs, Palmetto Bugs, Scorpions, Millipedes, Centipedes, Sowbugs, Pillbugs, Ants, Silverfish, Firebrats, Spiders, Crickets, Clover Mites, Cheese Mites, Granary Weevils, Rice Weevils, Confused Flour Beetles, Rust Red Flour Beetles, Drugstore Beetles, Meal Worms, Grain Mites and Castles: Direct the spray into hiding places, cracks and crevices, and behind shelves and drawers. For silverfish: Spray bookcases. For ants: Spray trails, nests and points of entry. **To control Carpet Beetles:** Spray edges of carpeting and under carpeting and rugs. Make localized application to floor and baseboards. Spray directly into cracks, crevices and infested areas of shelving. Repeat treatment as needed. **To control Bedbugs:** Spray mattresses lightly, particularly around tufts and seams. Take beds apart and spray in all joints. Treat baseboards, moldings and floors. Repeat treatment as needed. **To control Fleas (adults and larvae) and Ticks, including Ticks which may carry Lyme disease (adults and larvae):** Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, moldings, window and door frames, and entire areas of floor and floor covering. Fresh bedding should be placed in animal quarters following treatment. Repeat treatment as needed. **Allow to dry thoroughly before allowing pets to contact treated areas.**

To control Clothes Moths: Remove any infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated lightly, keeping nozzle at least three feet from fabric to avoid staining. **To Kill Lice and House Eggs:** Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying, then proceed to spray entire area to be treated. Spray from a distance of 8 to 10 inches. Treat only those garments and parts of bedding, including mattresses and furniture that cannot be either laundered or dry cleaned. Allow all treated articles to dry thoroughly before use.

ON LIVESTOCK: TO PROTECT CATTLE (BEEF AND BARY), GOATS, SHEEP, HOGS AND HORSES FROM HORN FLIES, FACE FLIES, HOUSE FLIES, MOSQUITOES AND GNATS: Apply a light mist sufficient to wet the surface of the face. For face flies: Spray



AIRYSOL

BRAND

Moth Sentry

deer

- For Domestic Use both Indoors and Outdoors
- A Ready-to-Use Insecticide
- For Control of Fleas, Brown Dog Ticks and Lice on Premises and on Dogs
- ***For Control of Ticks which may cause Lyme disease on Premises**
- Control Fleas and Ticks on Dogs for 35 Days
- Aids in Control of Ticks on Dogs for an additional 2 weeks
- Provides 60-day (Two Months) Control of Cockroaches
- Provides 60-day (Two Months) Control of Fleas
- Provides 60-day (Two Months) Control of Stored Product Pests

ACTIVE INGREDIENTS:

*Permethrin: 0.50%
 INERT INGREDIENTS: 99.50%
 TOTAL: 100.00%

(3-phenoxypheyl) methyl (+/-) cis/trans 3-(2,2-dichloroethyl)enyl
 2,2-dimethylcyclopropanecarboxylate. Cis/trans ratio: min. 35%
 (+/-) cis and max. 65% (+/-) trans.

KEEP OUT OF REACH OF CHILDREN.

CAUTION:

See back panel for additional precautions.

NET CONTENTS 1 GALLON (3.8 LITERS)

face and head, but do not spray
Horse Flies and Deer Flies:
 animal, sufficient to wet the hair
 at intervals necessary to give
sucking Lice: Apply to the
 brush to get the spray to the
 required. **To control Poultry**
 cages thoroughly. This should
 with a fine mist. **To control**
 Spray crevices of roost poles,
 the bedbugs and miles hide.
ON DOGS: To control Fleas
 tail, moving the dispenser rear
 entire body is covered, incl
 spraying, fluff the hair so that
 sure spray wets thoroughly, but
 eyes or face. Avoid contact with
 when applying product. Repet
 mended for use on puppies less
CATS OR KITTENS: Do not
OUTDOOR APPLICATION:
TICKS WHICH MAY CARRY LI
MENT): Use this product as
 including the Deer Tick (*Ixodes*
tlyomma americanum)
sanguineus), American Dog
Western Black-legged Tick (I
 below, apply until surface is wet
 around windows and doors, po
 under stairways and in crawlsp
 a band of vegetation and leaf
 outside of buildings to help con
 ticks in outdoor activity areas,
 6-10 feet wide and adjacent to
 vegetation occurs.

FOR CONTROL OF GARDEN
 asters and other ornamentals
 as well as Whiteflies, Aphids,
 and Leafminers. May be used
 small gardens and for spot treat
 prevent spreading in large gar
 plants such as African violets,
 carnations, chrysanthemums, d
 ivy, eunonymus, fuschia, geran
 palms, laurels, marigolds, rhode
 dragons, stocks, wandering Jew
 directed against Whiteflies,
 posed Thrips, Lace Bugs,
 Clover Mites and Armyworms
 closer than 18 inches. Use swee
 tender foliage, young plants and
 temperatures exceed 90°F. Con
 Repeat treatment as infestation
 EPA REG. NO. 33176-444



ACCEPTED
with COMMENTS
in EPA Letter Dated

MAR 11 1998

9/8/97, 1:16 PM

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

33176-44

(best possible copy)

33176MothSentry.p65