

Cross-infection is of major housekeeping concern not only in hospitals, but in schools, institutions, and industry. FLE XO FORMULATION 35-6 is formulated for this problem area. It both cleans and disinfects effectively and is virucidal when used as directed. Its hard surface disinfecting action will reduce the hazard of cross-infection from environmental surfaces.

When used as directed, FLE XO FORMULATION 35-6 will deodorize toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and other places where bacterial growth can cause mal odors.

This product is economical to use because it is highly concentrated and should be handled with care.

DANGER:

Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, as well as oxygen and measures to support breathing manually or mechanically may be needed. If persistent, convulsions may be controlled by the cautious intravenous injection of a short-acting barbiturate drug.

FLE XO FORMULATION 35-6

Highly Concentrated Germicide
Based on a Unique Blend of Quaternaries
Cleaner—Disinfectant—Deodorizer—Fungicide—Virucide*
for Hospital and Institutional Use

AOAC Phenol Coefficients

| | |
|------------------------------------|-------|
| Staph. aureus (ATCC No. 6538) | 104.0 |
| Salmonella typhosa (ATCC No. 6539) | 40.6 |

Active Ingredients

| | |
|---|--------|
| Octyl Decyl Dimethyl Ammonium Chloride | 3.750% |
| Dioctyl Dimethyl Ammonium Chloride | 1.875% |
| Didecyl Dimethyl Ammonium Chloride | 1.875% |
| Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%) Benzyl Dimethyl Ammonium Chloride | 5.000% |
| Tetrasodium Ethylenediamine Tetraacetate | 3.420% |
| Isopropyl Alcohol | 3.000% |
| Ethyl Alcohol | 1.000% |

Inert Ingredients 80.080%

EPA Registration No. 33281-2

Net Contents 1 Gallon

FLE XO CHEMICAL & DISTRIBUTING CO.
47 Route 20 Shrewsbury, Mass. 01545

DANGER

KEEP OUT OF REACH OF CHILDREN.
SEE FIRST AID AND OTHER PRECAUTIONS ON LEFT PANEL.

USE DIRECTIONS

Add ½ ounce per gallon of water.

Apply FLE XO FORMULATION 35-6 to walls, floors, and other hard surfaces such as tables, chairs, and bed frames with a cloth or mop. For heavily soiled areas, a preliminary cleaning may be required.

At ½ ounce per gallon use-level, FLE XO FORMULATION 35-6 is effective against *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Salmonella choleraesuis*, and *Trichophyton interdigitale*, the athlete's foot fungus. Germicidal performance against the first three organisms has been confirmed by the AOAC Use-Dilution test. Fungicidal performance against *T. interdigitale* was determined by the AOAC Fungicidal test.

The broad spectrum effectiveness of FORMULATION 35-6 is shown by its germicidal action against the following additional organisms.

Escherichia coli
Klebsiella pneumoniae
Aerobacter aerogenes (enterobacter)
Salmonella schottmuelleri
Streptococcus faecalis
Shigella dysenteriae
Brevibacterium ammoniagenes

* At ½ ounce per gallon use-level, FLE XO DISINFECTANT CLEANER 35-6 is virucidal against Herpes Simplex (a member of the virus family that causes infectious mononucleosis), Vaccinia (representative of the pox viruses), and Influenza A₂ (the Hong Kong flu virus), on inanimate environmental surfaces.

Rinse empty container with water before discarding.

ACCEPTED

FEB 11 1972

Cross-infection is of major housekeeping concern not only in hospitals, but in schools, institutions, and industry. FLEXO FORMULATION 35-6 is formulated for this problem area. It both cleans and disinfects effectively and is virucidal when used as directed. Its hard surface disinfecting action will reduce the hazard of cross-infection from environmental surfaces.

When used as directed, FLEXO FORMULATION 35-6 will deodorize toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and other places where bacterial growth can cause mal odors.

This product is economical to use because it is highly concentrated and should be handled with care.

DANGER:

Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, as well as oxygen and measures to support breathing manually or mechanically may be needed. If persistent, convulsions may be controlled by the cautious intravenous injection of a short-acting barbiturate drug.

FLEXO FORMULATION 35-6

Highly Concentrated Germicide
Based on a Unique Blend of Quaternaries
Cleaner-Disinfectant-Deodorizer-Fungicide-Virucide*
for Hospital and Institutional Use

AOAC Phenol Coefficients

| | |
|------------------------------------|-------|
| Staph. aureus (ATCC No. 6538) | 104.0 |
| Salmonella typhosa (ATCC No. 6539) | 40.6 |

Active Ingredients

| | |
|---|--------|
| Octyl Decyl Dimethyl Ammonium Chloride | 3.750% |
| Diocetyl Dimethyl Ammonium Chloride | 1.875% |
| Didecyl Dimethyl Ammonium Chloride | 1.875% |
| Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₀ , 10%) Benzyl Dimethyl Ammonium Chloride | 5.000% |
| Tetrasodium Ethylenediamine Tetraacetate | 3.420% |
| Isopropyl Alcohol | 3.000% |
| Ethyl Alcohol | 1.000% |

Inert Ingredients 80.080%

EPA Registration No. 332812

Net Contents 1 Gallon

FLEXO CHEMICAL & DISTRIBUTING CO.
47 Route 20 Strewsbury, Mass. 01944

DANGER

KEEP OUT OF REACH OF CHILDREN
SEE FIRST AID AND OTHER DIRECTIONS ON LEFT PANEL

USE DIRECTIONS

Add ½ ounce per gallon of water.

Apply FLEXO FORMULATION 35-6 to walls, floors, and other hard surfaces such as tables, chairs, and bed frames with a cloth or mop. For heavily soiled areas, a preliminary cleaning may be required.

At ½ ounce per gallon use-level, FLEXO FORMULATION 35-6 is effective against *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Salmonella choleraesuis*, and *Trichophyton interdigitale*, the athlete's foot fungus. Germicidal performance against the first three organisms has been confirmed by the AOAC Use-Dilution test. Fungicidal performance against *T. interdigitale* was determined by the AOAC Fungicidal test.

The broad spectrum effectiveness of FORMULATION 35-6 is shown by its germicidal action against the following additional organisms.

Escherichia coli
Klebsiella pneumoniae
Aerobacter aerogenes (enterobacter)
Salmonella schottmuelleri
Streptococcus faecalis
Shigella dysenteriae
Brevibacterium ammoniagenes

* At ½ ounce per gallon use-level, FLEXO DISINFECTANT CLEANER 35-6 is virucidal against Herpes Simplex (a member of the virus family that causes infectious mononucleosis), Vaccinia (representative of the pox viruses), and Influenza A₂ (the Hong Kong flu virus), on inanimate environmental surfaces.

Rinse empty container with water before discarding.

ACCEPTED

FEB 1 1975