

ACCEPTED

JUN 17 1987

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, the pesticide registered under EPA Reg. No. 33283-10



BRANCHEMCO INC Water and Energy Technology

360

ACTIVE INGREDIENT: Potassium dimethyldithiocarbamate 20.0%
INERT INGREDIENTS: 80.0%
Total 100%

This product contains 1.61 lb. of active ingredient per gallon and weighs 9.05 lb. per gallon.

KEEP OUT OF REACH OF CHILDREN

DANGER

See side panel for additional precautionary statements

STATEMENT OF PRACTICAL TREATMENT: In case of skin contact, wash with plenty of soap and water. Remove contaminated clothing and wash before reuse. If product gets in the eyes, flush immediately with copious amounts of clean, cool water for at least 15 minutes. Get medical attention immediately. If product is swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician. Never induce vomiting or give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate gastric lavage.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING

Branchemco 360 is used in water cooling towers and industrial air washing systems to control microbiological slime. Prior to the use of 360 in water cooling towers, systems should be cleaned to remove algal growth, microbiological slime, and other deposits. Then make an initial slug addition of 5.7 to 8.6 fl. oz. of Branchemco 360 per 1000 gallons of water to provide 30 to 45 ppm of Branchemco 360, based on total weight of water in the system. Repeat initial dosage until control is evident. Make subsequent slug addition of 2.9 to 8.6 fl. oz. of Branchemco 360 per 1000 gallons of water (15 to 45 ppm 360) every 2 to 5 days or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of water cooling towers.

Branchemco 360 is used in industrial air-washing systems which maintain effective mist-eliminating components. Prior to its use, systems should be cleaned to remove bacterial slime and other deposits. An initial dose of 13.5 to 17.2 fl. oz. of Branchemco 360 per 1000 gallons of water is recommended. Repeat initial dosage until control is evident. Subsequent slug additions of 10.0 to 17.2 fl. oz. of Branchemco 360 per 1000 gallons water should be employed every 1 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and severity of the bacterial problem. Slug additions may be made to the sump or to the water collection trays of the airwash system.

Manufactured By: Branchemco, Inc. 8288 Western Way Circle/C-2 Jacksonville, FL 32218

EPA REG. NO. 33283-10 EPA EST NO. 33283-FI-1

Net Contents: _____ Lot: _____

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes eye damage and skin irritation. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Avoid contamination of food. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not apply in marine and/or estuarine oil fields. Do not discharge treated effluent into lakes, streams, ponds, or public waters unless in accordance with a NPDES permit. For guidance, contact your Regional Office of the Environmental Protection Agency.

STORAGE AND DISPOSAL: DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL

STORAGE: Do not expose to extreme temperatures. Do not stack more than four drums high. Leaking or damaged drums should be placed in overpack drums for disposal. Spills should be absorbed in sawdust or sand and disposed of in a sanitary landfill. Keep container closed when not in use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Metal Containers - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Plastic Containers - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.