

(Back Of Bag)

BALCITE
Special

T. M. Reg. By
Calcom Chemicals, Inc.

ONE EASY APPLICATION
Covers 2500 sq. ft.

HOW TO USE BALCITE

Apply only to established turfs with ordinary lawn fertilizer spreader using 40 lbs. total for each 2500 sq. ft. (1 1/2 lbs. to 100 sq. ft.). Apply both lengthwise and crosswise in order to assure even and thorough coverage. Make sure to reduce application accordingly in order not to overdose when applying both ways. Edges along walks or areas too close to buildings that cannot be reached by the spreader must be handtreated. Grass should be mowed and dry prior to application. Any material spilled on cement should be swept off before watering. BALCITE performs best when used in spring or in late winter.

KILLS germinating crabgrass seeds. BALCITE will not control established growing weeds. As crabgrass springs from new seed each season, the BALCITE method assures positive control.

STIMULATES and beautifies turf. BALCITE contains slow-releasing, long-lasting fertilizers.

CORRECTS YELLOWING (Chlorosis) BALCITE contains iron.

CAUTION: Avoid inhalation of dust. Do not use on edible crops. Do not store near seed, fertilizer, or other pesticides. Do not contaminate feed or foodstuffs. Avoid contact with eyes or clothing, and wash after handling or using. Do not use on Dichendrea or newly seeded lawns. Do not take internally.

Front Panel

TURF TONIC
WEED and FEED
10 - 6 - 6
WEEDS and FEEDS 4,000 sq. ft.

Ingredient

Active Ingredient:

*Dimethylamine salts of 2,4-Dichlorophenoxyacetic acid . . . 67%	
Part Ingredient:	99.33%
Total	100.00%
*Equivalent to 2,4-Dichlorophenoxyacetic Acid	50%

Guaranteed Fertilizer Analysis

Total Nitrogen (N)	10.0%
Available Phosphoric Acid (P ₂ O ₅)	6.0%
Soluble Potash (K ₂ O)	6.0%

Manufactured by: Blakeley Wellgro Inc.
Wellington Colo. 80549

E.P.A. Reg. No. 33313-3 E.P.A. Establishment No. 33313-C0-01

CAUTION:
Keep out of reach of children.
See back panel for additional cautions and directions.

ACCEPTED WITH COMMENTS