


PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS

DANGER: Highly corrosive. Cause skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES Permit. For guidance contact the regional office of EPA.

PHYSICAL AND CHEMICAL HAZARDS
STRONG OXIDIZING AGENT: Strong Oxidizing Agent. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction, with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary.

NET CONTENTS



H-7 ALGAECIDE

ACTIVE INGREDIENT: Sodium Dichloro-s-triazinetrione (99%) (Sodium Dichloroisocyanurate)
* Available chlorine 6.3

KEEP OUT OF REACH OF CHILDREN

DANGER

PRACTICAL TREATMENT (FIRST AID)
If swallowed: feed bread soaked in milk followed by olive oil or cooking oil. Call a physician immediately.
If on skin: Brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention.
If in Eyes: Flush with cold water for at least 15 minutes. Get medical attention.

SOUTHEASTERN LABORATORIES, INC.

221-80 BERRYBROOK
P. O. BOX 41
GOBBSDORO, NORTH CAROLINA 27843
TELEPHONE (919) 735-9227

EPA REG. NO. 33355-7
EPA EST. NO. 33355NCOI

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DIRECTION FOR USE: Add H-7 Algaecide at a point in the system where it will be uniformly mixed. Begin treatment when system is in jeopardy of becoming affected or after cleaning system.

INITIAL DOSE: When system is noticeably fouled or when system is freshly cleaned, add 3.0 ounces of H-7 Algaecide (1.2 ppm available chlorine) for each 10,000 gals. of water in the system. Test for chlorine residual using a suitable test kit. If chlorine residual is below 1.0 ppm, continue to add H-7 Algaecide at the rate of 1.0 ounces (0.4 ppm residual chlorine) per 10,000 gallons of water in the system until this level is reached. Repeat procedure daily until control is evident.

SUBSEQUENT DOSE: When control is evident, add 1.0 to 3.0 ounces of H-7 Algaecide (0.4 ppm to 1.4 ppm available chlorine) per 10,000 gallons of water every other day, or as needed to maintain a 1.0 to 1.5 chlorine residual in the system. Badly fouled systems must be cleaned before treatment is begun.

STORAGE AND DISPOSAL: Keep product dry in tightly closed container when not in use. Store in a cool dry, well ventilated area away from heat or open flame. In case of decomposition, isolate container, if possible, and flood with large amounts of water to dissolve all material before discarding. Place in trash collection or dispose in approved landfill area, or bury in a safe place.