

PM-31

Reg # 33355-12


194

Please read instructions on reverse side of this form.

Form No. 255

Registration No. 255

1-80



United States Environmental Protection Agency
Office of Pesticide Programs (H7505C)
Washington, DC 20460
Application for Pesticide:

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number
205320

Section I

1. Company/Product Number 33355-12	2. EPA Product Manager N/A	3. Proposed Classification <input type="checkbox"/> Inert <input type="checkbox"/> Pesticide
4. Company/Product (Name) SOUTHEASTERN LABORATORIES INC	PM# N/A	
5. Name and Address of Applicant (Include ZIP Code) SOUTHEASTERN LABORATORIES INC PO BOX 10189 GOLDSBORO NC 27532-0189 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: N/A EPA Reg. No. _____ Product Name _____	

Section II

<input type="checkbox"/> Amendment - Explain	<input type="checkbox"/> Final printed label used to
<input type="checkbox"/> Extension in response to	<input type="checkbox"/> "Mail-In" App
<input checked="" type="checkbox"/> New Pesticide - Explain below	<input type="checkbox"/> Other (Specify)

Explanation: (Use additional page(s) if necessary. (For section I and Section II.)
I certify that the statements made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

BEST AVAILABLE COPY

1. Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	2. Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No If "Yes," Unit Package wgt. _____ No. per container _____	3. Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No If "Yes," Package wgt. _____ No. per container _____	4. 2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
5. 3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container	6. 4. Size(s) of Retail Container	7. 5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
8. 6. Manner In Which Label Is Affixed To Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled <input type="checkbox"/> Other (Specify) _____			

Section IV

9. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name RICHARD GATES	Title LABORATORY SERVICES MANAGER	Telephone No. (Include Area Code) (919) 751-4001
-----------------------	--------------------------------------	---

10. Certification
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

11. Signature 	12. 4. Typed Name RICHARD GATES	13. 5. Date SEPTEMBER 15, 1995	14. 6. Date Application Received (Stamped)
-------------------	------------------------------------	-----------------------------------	--

BEFORE

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

DANGER

- CORROSIVE.
- CAUSES EYE DAMAGE AND SKIN BURNS.
- MAY CAUSE ALLERGIC SKIN REACTION.
- MAY BE HARMFUL IF INHALED.
- MAY BE FATAL IF SWALLOWED OR ABSORBED THROUGH THE SKIN.

Do not get in eyes, on skin, on clothes. Wear goggles or face shield and rubber gloves when handling. Avoid breathing vapor or mist. Avoid contamination of food. Do not take internally. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not discharge into lakes, streams, ponds, rivers or oceans unless in accordance with an EPA permit or guidance, contact your Regional Office. This pesticide does not contaminate water by cleaning of equipment or disposal of waste. Apply this pesticide only as specified on this label.

STORAGE AND DISPOSAL

CONDITIONS
This product is corrosive to mild steel. Do not store or transport in unlined metal containers. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

HAZARDOUS WASTE DISPOSAL
Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by the procedures on this label, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL
METAL CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

PLASTIC CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities, or by burning. If burned, stay out of smoke.

GENERAL
Consult federal, state or local disposal authorities for approved alternative procedures.



Manufactured By:
Southeastern Laboratories, Inc.



ACTIVE INGREDIENTS:

5-chloro-2-methyl-4-isothiazol-3-one	1.15%
2,4-dichloro-6-nitrophenol	0.35%
INERT INGREDIENTS:	98.50%
TOTAL	100.00%

**KEEP OUT OF REACH OF CHILDREN
DANGER BEST AVAILABLE COPY**

STATEMENT OF PRACTICAL TREATMENT
IF SWALLOWED: Do not induce vomiting. Drink promptly a large quantity of milk, egg whites, or water. If vomiting is not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.
IF INHALED: Remove immediately to fresh air. If not breathing, apply artificial respiration. If breathing is difficult, give oxygen. Call a physician.
IF ON SKIN: Wash thoroughly with soap and water. Remove and wash contaminated clothing before reuse.
IF IN EYES: Flush with plenty of water for at least 15 minutes. Call a physician.

NOTE TO THE USER:
Probable fatal damage may be indicated by use of gastric lavage. Measures against circulation shock, respiratory depression and convulsions may be needed.
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

MANUFACTURED BY:
Southeastern Laboratories, Inc.
P.O. Box 10100
Goldboro, N.C. 27528-0100
EPA Est. No. 1-000001-01
EPA Reg. No. 6-0000-12

NET CONTENTS _____ **GALLONS**
LOT NUMBER _____

9/01/94

DIRTY
GENERATOR
It is a...
merch...
INDUSTRY
WATER
For th...
SELCID...
some o...
INITIAL
apply...
pound...
1000 g...
trol is...
SUBSE
dent, a...
pound...
per 10...
neede...
be clea...
AIR
Add to...
sure u...
(0.3 to...
SELCID...
tem) d...
control...
industr...
INTER
INITIAL
apply...
pound...
per 10...
contro...
SUBSE
dent, a...
pound...
per 10...
mainta...
CONT
INITIAL
fouled...
7.46...
SELCID...
SUBSE
adding...
SELCID...
ounces...
water)...
Badly...
treatm...
NOTE
that m...
SELCID...

NOTICE:
its chemi...
purpose...
with dire...
neither...
merchant...
express...
handling...
directed...
condition...
seeable...
such use.

394

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

KEEP OUT OF REACH OF CHILDREN

CORROSIVE. CAUSES EYE DAMAGE AND SKIN BURNS. MAY CAUSE ALLERGIC SKIN REACTIONS. MAY BE HARMFUL IF SWALLOWED. MAY BE FATAL IF SWALLOWED OR ABSORBED THROUGH THE SKIN.

Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid breathing vapor or mist. Avoid contamination of food. Do not take internally. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL

PROHIBITIONS:
This product is corrosive to metal. Do not store or transport in unlined metal containers. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

PESTICIDE DISPOSAL:
Pesticide waste are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control agency, or the hazardous waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL:
METAL CONTAINERS - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or other operations approved by state and local authorities.

PLASTIC CONTAINER - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or other operations approved by state and local authorities. If burned, stay back.

NET CONTENTS: _____ GALLONS
PRODUCT NUMBER: _____

BEST AVAILABLE COPY

SELcide™ 901

**INDUSTRIAL MICROBICIDE FOR USE IN
RECIRCULATING WATER COOLING TOWERS
AND AIR WASHER SYSTEMS**

ACTIVE INGREDIENTS:	
5-Chloro-2-methyl-4-isothiazolin-3-one	1.15%
2-Methyl-4-isothiazolin-3-one	0.35%
INERT INGREDIENTS:	98.50%
TOTAL INGREDIENTS:	100.00%

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT:

IF SWALLOWED: Do not induce vomiting. Drink promptly a large quantity of water, egg whites, gelatin solution or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

IF INHALED: Remove immediately to fresh air. If not breathing, apply artificial respiration. If breathing is difficult, give oxygen. Call a physician.

IF ON SKIN: Wash thoroughly with soap and water. Remove and wash contaminated clothing before reuse.

IF IN EYES: Flush with plenty of water for at least 15 minutes. Call a physician.

IF INTO PHOSPHORUS: Probable mucosal damage may contraindicate the use of the lavage.

SEE LABEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

MANUFACTURED BY:
Southeastern Laboratories, Inc.
PO Box 10189
Goldsboro NC 27532-0189

DIRECTIONS FOR USE

This is a violation of Federal law if used in a manner not specified on the label.

INDUSTRIAL RECIRCULATING WATER COOLING TOWERS

For the control of bacteria, algae, and fungi in recirculating water cooling towers.

INITIAL DOSE: When the system is first started, add 1.26 to 7.46 ppm SELcide™ 901 per 1000 gallons of water in the system.

SUBSEQUENT DOSE: When the system is under control, add 0.3 to 1.0 ppm SELcide™ 901 per 1000 gallons of water in the system. Badly fouled systems may require higher dosages.

AIR WASHER SYSTEMS

Add to the air washer sump. Add 883 ppm SELcide™ 901 per 1000 gallons of water in the sump. The severity of contamination to be controlled in industrial air washer systems will determine the dosage.

INTERMITTENT OR SLUG FLOW SYSTEMS

INITIAL DOSE: When the system is first started, add 1.26 to 7.46 ppm SELcide™ 901 per 1000 gallons of water in the system.

SUBSEQUENT DOSE: When the system is under control, add 0.3 to 1.0 ppm SELcide™ 901 per 1000 gallons of water in the system.

CONTINUOUS FEED METAL FINISHING SYSTEMS

INITIAL DOSE: When the system is first started, add 1.26 to 7.46 ppm SELcide™ 901 per 1000 gallons of water in the system.

SUBSEQUENT DOSE: Maintain a concentration of 35 to 210 ppm SELcide™ 901 per 1000 gallons of water in the system.

Badly fouled systems must be cleaned before use.

NOTE: For use only in industrial air washer systems.

SELcide™ 901 weighs 8.4 lbs per gallon.

SELLER WARRANTS THAT THE PRODUCT IS AS DESCRIBED ON THE LABEL WHEN USED IN ACCORDANCE WITH THE LABEL INSTRUCTIONS. NO OTHER WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE IS MADE. STORAGE OR HANDLING OF THIS PRODUCT IN A MANNER NOT SPECIFIED ON THE LABEL OR UNDER CONDITIONS NOT REASONABLY FORESEEABLE MAY AFFECT THE PRODUCT'S PERFORMANCE.

Print Date: 10/01/94

EPA REG. NO. 33355-12

EPA EST. NO. 33355-NC-01

AFTER

SELCide™ 901

INDUSTRIAL MICROBICIDE FOR USE IN RECIRCULATING WATER COOLING TOWERS AND AIR WASHER SYSTEMS

ACTIVE INGREDIENTS:

5-Chloro-2-methyl-4-isothiazolin-3-one 1.15%

2-Methyl-4-isothiazolin-3-one 0.25%

INERT INGREDIENTS:..... 98.50%

TOTAL INGREDIENTS:..... 100.00%

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT:

IF SWALLOWED: Do not induce vomiting. Drink promptly 1 to 2 glasses of milk, egg whites, gelatin solution or, if these are not available, 1 to 2 glasses of water. Avoid alcohol. Call a physician immediately.

IF INHALED: Remove immediately to fresh air. If not breathing, apply artificial respiration. If breathing is difficult, give oxygen. Call a physician.

IF ON SKIN: Wash thoroughly with soap and water. Remove and discard contaminated clothing before reuse.

IF IN EYES: Flush with plenty of water for at least 15 minutes.

NOTE TO PHYSICIAN: Probable mucosal damage may occur. Indicate this on chart of gastric lavage.

BEST AVAILABLE COPY

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

MANUFACTURED BY:

Southeastern Laboratories, Inc.
PO Box 10189
Goldsboro NC 27532-0189

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

INDUSTRIAL RECIRCULATING COOLING WATER TOWERS

For control of bacteria, algae and fungi add SELCide™ 901 to the tower basin, distribution box or some other point to insure uniform mixing.

INITIAL DOSE: When the system is noticeably fouled, apply 148 to 883 ppm of SELCide™ 901 (1.26 to 7.46 pounds or 10 to 113 fluid ounces of SELCide™ 901 per 1000 gallons of water in the system). Repeat until control is achieved.

SUBSEQUENT DOSE: When microbiological control is evident, add 35 to 219 ppm SELCide™ 901 (0.3 to 1.86 pounds or 4.5 to 28 fluid ounces of SELCide™ 901 per 1000 gallons of water in the system) weekly or as needed to maintain control. Heavily fouled systems must be cleaned before treatment is begun.

AIR WASHER SYSTEMS

Add to the air washer sump or chill water sump to insure uniform mixing. 35 to 219 ppm of SELCide™ 901 (0.3 to 1.86 pounds or 4.5 to 113 fluid ounces of SELCide™ 901 per 1000 gallons of water in the system) depending upon the severity of contamination to control bacteria, fungi, and algae which cause fouling in industrial air washer systems.

CONTINUOUS FEED OR SLUG METHOD

INITIAL DOSE: When the system is noticeably fouled, apply 148 to 883 ppm of SELCide™ 901 (1.26 to 7.46 pounds or 10 to 113 fluid ounces of SELCide™ 901 per 1000 gallons of water in the system). Repeat until control is achieved.

SUBSEQUENT DOSE: When microbiological control is evident, add 35 to 219 ppm SELCide™ 901 (0.3 to 1.86 pounds or 4.5 to 28 fluid ounces of SELCide™ 901 per 1000 gallons of water in the system) weekly or as needed to maintain control.

CONTINUOUS FEED METHOD

INITIAL DOSE: When the system is noticeably fouled, apply 148 to 883 ppm of SELCide™ 901 (1.26 to 7.46 pounds or 10 to 113 fluid ounces of SELCide™ 901 per 1000 gallons of water in the system). Repeat until control is achieved.

MAINTENANCE DOSE: Maintain this treatment level by adding a continuous feed of 35 to 219 ppm SELCide™ 901 (0.3 to 1.86 pounds or 4.5 to 28 fluid ounces of SELCide™ 901 per 1000 gallons of makeup water).

Badly fouled systems must be cleaned before initial treatment.

Use only in industrial air washer systems that maintain effective contact with the components.

SELCide™ 901 weighs 8.4 lbs. per gallon.

This product is warranted to conform to the label and is reasonably fit for the uses stated on the label. It is sold in accordance with directions of use, but neither the warranty nor any other statement of merchantability or fitness for a particular purpose extends to the use, storage or handling of this product in a manner other than that shown on the label or under the label conditions, or to the conditions not reasonably foreseeable by the user, which may increase the risk of any injury.