

33355-15 1083 Jan 31

| | | |
|---|----------------------------------|------------------|
| U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (WH-567) WASHINGTON, D.C. 20460 | EPA REGISTRATION NO. 33355-15 | DATE OF ISSUANCE |
| | TERM OF ISSUANCE | 07 DEC 1984 |
| | NAME OF PESTICIDE PRODUCT | SLUCIDE 515 |

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
 (Under the Federal Insecticide, Fungicide,
 and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Southeastern Laboratories, Inc.
 P.O. Box 1138
 Goldsboro, NC 27533-1138

BEST AVAILABLE COPY

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phrase "EPA Registration No. 33355-15."
 - b. Include the EPA Establishment Number on the label where it is referenced.
 - c. In order to comply with a new policy (September 11, 1984) for effluent discharge statements for use on manufacturing-use pesticides, and end-use products with discharge potential such as cooling tower uses, pulp and paper mill, leather tanning, textile treatment and wood preservative operations, revise the Environmental Hazards section as indicated below:

James H. Lee
 for John H. Lee

ATTACHMENT IS APPLICABLE

| | |
|---------------------------------|------|
| SIGNATURE OF APPROVING OFFICIAL | DATE |
|---------------------------------|------|

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

2 of 3

EPST 11 11

-2-

This product is toxic to fish. Do not apply in marine and/or estuarine oil fields. Do not discharge effluent containing this active ingredient into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

John H. Lee

John H. Lee
Product Manager (31)
Disinfectants Branch
Registration Division (TS-767C)

Enclosures

RD:JOB-90603:John Lee:RD-3A:Kim:Kendrick:898-1270:11/29/84:Del.12/7/84

CONCURRENCES

SYMBOL ▶
SURNAME ▶
DATE ▶

| | | | | | | |
|--|--|--|--|--|--|--|
| | | | | | | |
|--|--|--|--|--|--|--|

BEST AVAILABLE COPY

ACCEPTED
with COMMENTS
in EPA Letter Dated:

SELcide™ 515
DEC 07 1984

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

ACTIVE INGREDIENT: 33355-15
Potassium dimethyldithiocarbamate 50.0%
INERT INGREDIENTS 50.0%
This product contains 5.2 lb. of active ingredient per gallon and
weighs 10.4 lb. per gallon.

KEEP OUT OF REACH OF CHILDREN WARNING

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes eye damage and skin irritation. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Avoid contamination of food. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly after handling.

STATEMENT OF PRACTICAL TREATMENT: In case of skin contact, wash with plenty of soap and water. Remove contaminated clothing and wash before reuse. If product gets in the eyes, flush immediately with copious amounts of clean, cool water for at least 15 minutes. Get medical attention immediately. If product is swallowed, call a physician immediately. If patient is conscious, induce vomiting by striking or tickling the patient's throat or by back on patient's tongue. Emetics such as 2 teaspoonful (10 mL) of ipecac syrup or 1 teaspoonful (5 mL) of dry mustard in warm water to form a paste or even soap in warm water can be used. Repeat until vomit fluid is clear. Then have patient drink plenty of milk, gelatin solution, beaten egg whites, flour and water, or other nonoily demulcent. Never induce vomiting or give anything by mouth to an unconscious person. Note to physician: Probable mucosal damage may contraindicate gastric lavage.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not apply in streams and/or estuaries of lakes. Do not discharge treated effluents into lakes, streams, ponds, or public waters unless in accordance with a NPDES permit. For guidance, contact your Regional Office of the Environmental Protection Agency.

BEST AVAILABLE COPY

Manufactured by:
Southeastern Laboratories, Inc.
P. O. Box 1138
Goldsboro, NC 27532-2138

EPA REG. NO. _____ EPA EST. NO. _____

NET CONTENTS _____

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner not consistent with its labeling.

SELcide 515 is used in industrial cooling tower systems and industrial air-washing systems. Prior to the use of SELcide 515 in recirculating cooling tower systems, systems should be cleaned to remove microbiological slime, and other deposits. Then make an addition of 3.0 fl. oz. of SELcide 515 to 20 to 30 ppm of SELcide 515 of water in the system. Repeat initial dosage until control is achieved. Add an additional 1.0 to 3.0 fl. oz. of SELcide 515 per 100 gal. of water (10 to 30 ppm SELcide 515) every 1 to 5 days or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Repeat initial dosage until control is evident.

SELcide 515 is used in industrial water-based drilling fluids, completion fluids, and other fluids. Prior to the use of SELcide 515 in water-based drilling fluids, systems should be cleaned to remove bacterial slime and other deposits. Then make an addition of 6.0 fl. oz. of SELcide 515 to 3.5 to 6.0 fl. oz. of SELcide 515 per 100 gal. of water treated. Repeat initial dosage until control is evident. Additions may be made to the sump or the water collection tank.

SELcide 515 is used in industrial water-based drilling fluids, completion fluids, and other fluids. Prior to the use of SELcide 515 in water-based drilling fluids, systems should be cleaned to remove bacterial slime and other deposits. Then make an addition of 8 to 16 ppm (0.83 to 1.66 fl. oz. per 100 gal. of water treated). This should be followed by a continuous addition of SELcide 515 employing a chemical feed system. The concentration of SELcide 515 should be based on total weight of solids and continuous addition of SELcide 515 to the heater-treater dump, gathering lines, or receiving tanks upstream to the filter.

SELcide 515 is also used to control bacteria in water-based drilling fluids, completion fluids, and other fluids. Prior to the use of SELcide 515 in water-based drilling fluids, systems should be cleaned to remove bacterial slime and other deposits. Then make an addition of SELcide 515 to 0.014% to 0.071% by gal. per 100 barrels of fluid.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Do not expose to extreme temperatures. Do not stack more than 10 drums. Drums should be placed in overpack drums for disposal. Spills should be cleaned up in a sanitary landfill. Keep container closed when not in use.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal is a violation of Federal Law. If these wastes cannot be disposed of by other procedures approved by state and local officials, contact your State Pesticide or Environmental Control Agency, or the Regional Office for guidance.

CONTAINER DISPOSAL
1. PLASTIC Triple rinse (or equivalent). Then offer for recycling or reconditioning, by incineration, or if allowed by state and local officials, in a sanitary landfill.
2. METAL Triple rinse (or equivalent). Then offer for recycling or reconditioning, by incineration, or by other procedures approved by state and local officials.