

USE DIRECTIONS:

Disinfection

Use at 2 ounces per gallon. This product will be effective against *Pseudomonas aeruginosa* PRD-10 at this level. This has been substantiated by the AOAC Use Dilution Confirmation Test. At this level, the product is fungicidal against pathogenic fungi.

For best results, use Super Hermax 2 with a cloth or mop and apply to walls, floors, and other hard surfaces.

For heavy soil or organic matter, a pre-cleaning step is recommended.

Sanitization

If used for sanitization of previously cleaned food equipment or food contact items, limit the level of active quaternaries to 200 ppm (2.8 ounces per 5 gallons of water). **NO RINSE REQUIRED.**

* This product when used on environmental, inanimate, hard surfaces at 2 ounces per gallon of water, is effective against Influenza A, Herpes Simplex, Adenovirus type 2, and Vaccinia viruses.

Note: A clean potable water rinse following sanitization is not permitted under Section H 96.16 (2) (c) 2 of the Wisconsin Administrative Code.



DIRECTIONS: FOR USE IN EATING ESTABLISHMENTS:

(1) Scrape and prewash utensils and glasses whenever possible. (2) Wash with a good detergent or compatible cleaner. (3) Rinse with clean water. (4) Sanitize in a solution of 1/2 ounce to each gallon water (200 ppm). Immerse all utensils for at least two minutes or for contact time specified by governing sanitary code. (5) Place sanitized utensils on a rack or drainboard to air dry.

Rinse empty container thoroughly with water and discard.

PHENOL COEFFICIENTS:

Guaranteed	Minimum
S. aureus	44
S. typhosa	28



ACTIVE INGREDIENTS:

N-ALKYL (60% C14, 30% C16, 5% C12, 5% C18) DIMETHYL BENZYL AMMONIUM CHLORIDES

N-ALKYL (68% C12, 32% C14) DIMETHYL ETHYLBENZYL AMMONIUM CHLORIDES

SODIUM CARBONATE

TETRASODIUM ETHYLENEDIAMINE TETRAACETATE

INERT INGREDIENTS:


2.25%
2.25%
3.00%
1.00%
91.50%
100.0%

WARNING: Keep Out Of Reach Of Children.

See right side panel for additional precautionary and first aid statements.

EPA EST. 33370-IL-1
EPA REG. NO. 33370-3

NET CONTENTS 128 FL.OZ. (1GALLON) 3.789 LITERS



ACTIVE INGREDIENTS:
N-ALKYL (60% C14, 30% C16, 5% C12, 5% C18) DIMETHYL BENZYL AMMONIUM CHLORIDES
N-ALKYL (68% C12, 32% C14) DIMETHYL ETHYLBENZYL AMMONIUM CHLORIDES
SODIUM CARBONATE
TETRASODIUM ETHYLENEDIAMINE TETRAACETATE
INERT INGREDIENTS:

2.25%
2.25%
3.00%
1.00%
91.50%
100.0%

WARNING: Keep Out Of Reach Of Children.
See right side panel for additional precautionary and first aid statements.

EPA EST. 33370-IL-1
EPA REG. NO. 33370-3

NET CONTENTS 128 FL. OZ. (1 GALLON) 3.789 LITERS

This is a cleaner, disinfectant, and sanitizer, designed for institutional use such as Hospitals, Nursing Homes and Institutions where housekeeping will be of prime importance in controlling the hazard of cross-infection from environmental surfaces. It can provide the assurance you need in this area when used as directed. For use on floors, walls, sink tops, garbage pails, telephones, rest rooms, bed pans and operating rooms. Effective against Staphylococcus aureus, Salmonella choleraesuis and Pseudomonas aeruginosa. Also effective against pathogenic fungi Trichophyton interdigitale.

When used for sanitization of previously cleaned food processing equipment and food contact items, limit active quaternaries to 200 ppm. At this level, **NO POTABLE WATER RINSE** is required.

WARNING:
Keep Out of Reach of Children.

Causes eye and skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

MANUFACTURED BY
MORTON HERMAN CO. INC.
207 N. UNIVERSITY DRIVE
ARLINGTON HTS. ILL. 60004

8/6
acti
370-3