

[33404-2]

DIRECTIONS FOR USE

Fleas and Ticks on dogs and cats: Liberally apply powder to the animal, rubbing thoroughly to the skin. Begin with the neck and include the underbody, legs, feet, and at the base of the tail. For ticks, apply SCAT powder directly on the tick. Repeat as necessary. Surfaces of kennels should be dusted at the rate of 12 ounces per 100 square feet. Infested lawns, basements, and crawl spaces should be dusted at the same rate. Repeat treatment as necessary.

CAUTIONS

Avoid inhalation.

This product is toxic to fish. Keep out of lakes, streams or ponds. Apply this product as specified on the label.

Dispose of wastes by burying in non-crop lands away from water supplies. Container should be disposed of by burying with wastes or by burning. Keep out of smoke.

Do not use in edible product areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

SCAT

**EPA Reg. No. 33404-2
EPA Est. No. 33404-NY-01**

Relatively odorless, non-staining, residual powder. Combines the flushing and killing power of pyrethrins with the dehydrative principle of thermally attrited Hydrogel.

May be used in accordance with directions in homes, lavatories, basements, locker rooms, restaurants, stores, hotels, mobile homes, offices, kennels, storage areas, sheds, plants, warehouses, schools, hospitals.

Controls roaches, ants, silverfish, bedbugs, fleas, ticks and dry wood termites.

ACTIVE INGREDIENTS:

Pyrethrins	1.00%
*Piperonyl Butoxide, Technical	10.00%
Amorphous Silica Gel	40.00%
Petroleum Hydrocarbons	49.00%
	100.00%

*Equivalent to 8.0% (butylcarbityl) (6-propylpiperonyl) ether and 2.0% of related compounds.

CAUTION: KEEP OUT OF REACH OF CHILDREN

See side panel for additional precautions

Net Weight: Pounds

MANUFACTURED BY:
STAT ENTERPRISES INC.
1865 New Highway
Farmingdale, New York 11735
(516) 420-8445

DIRECTIONS FOR USE

To control ANTS, COCKROACHES, SILVER-FISH, and FLEAS in animal quarters, distribute SCAT 2 ounces per 100 square feet of surface area. Apply a continuous visible film underneath and behind stoves, refrigerators, dish washers, ovens, sinks, wood or metal cabinets, paneled walls, pallets and appliances. Treat on, around and behind molding, shelving, baseboards, pipe openings, cracks, crevices where these insects may hide. May be used in crawl spaces, attics and bins at the rate of 16 ounces per 1000 square feet of surface area. Repeat treatment as necessary.

Sewer Treatment: American and Oriental cockroach infestations in sanitary sewers may be treated with 0.3 pounds of SCAT per manhole. When treating sewers, one manhole per 200 feet of line should be treated. Treatments are made by removing the manhole cover and replacing with a disc of plywood bored to receive the usual flexible hose from portable or truck mounted ventilating equipment. SCAT at 0.3 pounds is introduced into the ventilating air, to be dispersed quickly and thoroughly through the system.

Bed Bugs: Take bed apart. Dust into joints and channels. If hollow, such as square or round tubing, see that the interior of framework is well dusted. Mattress should be dusted, especially tufts, folds, and edges. Picture frame moldings and all cracks and crevices in the room should be treated.

Dry Wood Termites: These termites are restricted to certain parts of the country and should not be confused with Subterranean termites. Use an electric or hand operated rotary duster to distribute SCAT through an entry, e.g., crawl hole into the attic and the crawl space of the building. Rate of application is recommended at one (1) pound per 1,000 square feet of floor area. All wood surfaces must be covered. All vents and louvres on the windward side to be closed.