
Buccaneer weed killer (Granular) is a non-selective herbicide for controlling a wide range of annual and perennial weeds and grasses. It is recommended only for non-cropland areas such as railroad rights-of-way and industrial areas. 400-800 pound applications of Buccaneer Granular per acre usually result in a non-productive condition of the soil for a period of a year or more. The duration of nonproductivity is dependent upon the rainfall, soil type and other conditions.

DIRECTIONS: Buccaneer Granular Weed Killer should be applied as furnished with a separate spreader, a fertilizer spreader a shaker type applicator, or with any equiptment which willdistribute the chemical uniformly over the area to be reated. Application equiptment is available from STAT. For the control of annual and most perennial weeds and grasses, apply Granular at the rate of 400-800 pounds per acre; on the smaller plots, 1.0-2.0 pounds per 100 square feet. Repeat spot treatment may be required when deep rooted perennial weeds are present. To obtain the best results, Buccaneer Granular should be applied to the ground where it will be absorbed by the roots. Applications made early in the season have been found to give results superior to applications at a later seasonal date. Buccaneer Granular may, however, be applied at any time of the year. Maximum effectiveness in arid regions is obtained when application is made just prior to the rainy season. Users should consult state agricultural experiment stations or extension service weed specialists for recommendations as to use in their particular area or write to STAT.

BUCCANEER

GRANULAR **WEED KILLER**



CAUTION **KEEP OUT OF REACH OF CHILDREN.** (See side panels for additional precautions.)


ACTIVE INGREDIENT:

Bromacil (5-Bromo-3-sec-

butyl-6-methyluracil)

INERT INGREDIENTS:


Total:



EPA Est. No. 33404-NY-01 EPA Reg. No. 33404-6



IMPORTANT: Do not apply on or near valuable woody or herbaceous plants or on areas where their roots may extend, because of possibile injury to such plants. Thoroughly clean spreading equiptment with a suitable chemical cleaner before using for other purposes (or do not use same spreading equiptment for other purposes). Do not contaminate water bt cleaning of equiptment or disposal of wastes. Do not store near fertilizers, seeds, insecticides or fungicides. Store away from and do not contaminate feed and foodstuffs. Do not contaminate irrigation ditches or water used for domestic purposes. Do not use on croplands or any land to be used for subsequent cropping. Do not use on lawns, walks, driveways, tennis courts or similiar areas.Sufficient moisture from rainfall or artificial means is necessary after treatment to carry into the root zone of the weeds.



CAUTION: MAY CAUSE IRRITATION TO SKIN-EYES-NOSE AND THROAT.

2.0% 98.0⁴/0 100.0%

Avoid contact with skin, eyes and clothing. Avoid breathing dust. In case of contact, wash stin with soap and water; for eyes, in mediately flush with large amounts of water for at least 15 minutes, and get medical attention. Remove and wash contaminated clothing before reuse.

Manufactured by STAT ENTERPRISES A Division of Pride Laboratories Inc. 1865 New Highway Farmingdale, N.Y. 11735 For reorders: (516) 420-8445