

- Features a dry chlorine that dissolves immediately.
- A most effective germicide and algicide.
- Will not cause cloudiness in water.
- Will not add scale forming minerals in the water.
- Will maintain your pool crystal clear.
- Flame-resistant.

The control of pH is greatly simplified using Sodium Sixty Pool Guard. In fact, you will require from 1/2 to 1/4 the amount of acid usually applied. Sodium Sixty Pool Guard provides a more stable form of chlorine for easier maintenance of an effective chlorine residual in pool water for disinfecting action. It requires less storage space and maintains constant strength regardless of storage time. It is economical to use in that, after the pool is stabilized, you will need to apply Sodium Sixty Pool Guard less often.

When starting up a new pool, superchlorinate to satisfy chlorine demand and to establish a chlorine residual of 1.0 ppm to 1.5 ppm available chlorine. To accomplish this, add 2 oz. Sodium Sixty Pool Guard per 1,000 gallons of pool water. The next morning, add cyanuric acid at the rate of 4 oz. per 1,000 gallons to stabilize the pool.

Sodium Sixty Pool Guard should be added daily or as needed at the rate of 1/3 to 1/4 oz. per 1,000 gallons of pool water to maintain a chlorine residual at all times of 1.0 ppm to 2.0 ppm as determined by a suitable test kit. The pH should be maintained between 7.2 and 7.6. Proper dosage should be broadcast over deep end of pool. Apply dosage directly to pool water. Do not mix in a pail.

A shock treatment should be made every week during hot weather or after heavy rains. Less frequent shock treatments may be made during cool weather. For the shock treatment, add 2 oz. of Sodium Sixty Pool Guard per 1,000 gallons of pool water. Swimmers should not be permitted in the pool after the shock treatment until the chlorine residual has reached the 1.0 ppm to 2.0 ppm range.

Keep in mind that a slight flexibility must be maintained in the event of heavy accumulations of dust and dirt caused by storms or super heavy bathing loads which require additional dosages as needed to maintain the chlorine residual between 1.0 ppm and 2.0 ppm.



ACTIVE INGREDIENT

SODIUM DICHLORO-S TRIAZINETRIONE DIHYDRATE	100%
AVAILABLE CHLORINE	56%

CONTENTS NET WEIGHT 10 LBS.

**DANGER: KEEP OUT OF REACH OF CHILDREN**  
**SEE FIRST AID AND PRECAUTIONS ON SIDE PANEL**

Repackaged by:

**ALLIED CHLORINE & CHEMICAL PRODUCTS, Inc.**  
 MIAMI, FLORIDA • LEESBURG, FLORIDA • S. KEARNY, N.J.

**KEEP**

Corrosive Causes  
 not breathe dust  
 May be fatal if

In case of pers  
 skin or eyes wi  
 medical attent

If swallowed, f  
 cooking oil. Ca

Strong oxidizing  
 irritating and  
 poses at 350-47  
 decomposition  
 ventilated area.

Mix only with w  
 mix with other  
 utensils. Store  
 used.

Do not reuse co  
 water and disca

This product is  
 not be discharg  
 or public water  
 ment or dispos

Apply this prod

E.P.A. R  
 E.P.A. E



ACTIVE INGREDIENT

SODIUM DICHLORO-S-TRIAZINETRIONE DIHYDRATE 100%

AVAILABLE CHLORINE 56%

CONTENTS NET WEIGHT 10 LBS.

**DANGER: KEEP OUT OF REACH OF CHILDREN**  
**SEE FIRST AID AND PRECAUTIONS ON SIDE PANEL**

Repackaged by:

**ALLIED CHLORINE & CHEMICAL PRODUCTS, Inc.**  
MIAMI, FLORIDA • LEESBURG, FLORIDA • S. KEARNY, N.J.

**DANGER**  
**KEEP OUT OF REACH OF CHILDREN**

Corrosive Causes eye damage. Do not get in eyes or on skin. Do not breathe dust. May cause skin, nose and throat irritation. May be fatal if swallowed. May cause burns to broken skin.

**FIRST AID**

In case of personal contact remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes get medical attention. Clean contaminated clothing before reuse.

If swallowed, feed gruel or cooked cereal followed by olive oil or cooking oil. Call a Physician immediately.

**DANGER**

Strong oxidizing agent. Moisture contamination may liberate irritating and hazardous chlorine-containing gases. Decomposes at 350-475°F with liberation of harmful gases. In case of decomposition, if possible isolate container in open air or well ventilated area. Flood with large volume of water if necessary.

Mix only with water directly in pool. Do not mix in a pail. Do not mix with other pool chemicals. Use only dry clean measuring utensils. Store in a cool dry place. Keep closed when not being used.

Do not reuse container. Rinse empty container thoroughly with water and discard.

This product is toxic to fish. Treated pool effluent water should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Apply this product only as specified on this label.

E.P.A. Reg. No. 33458-3  
E.P.A. Est. No. 33458-FL-1