



REORDER # 209-011
MANUFACTURED FOR

MEYER-BLANKE CO.

ST. LOUIS, MO. 63110

"CL-8"

SODIUM HYPOCHLORITE SOLUTION

Active Ingredient
Sodium Hypochlorite . . . 8.4%
Inert Ingredient 91.6%

NET 1 GALLON

CAUTION: Keep Out of Reach of Children
SEE SIDE PANEL FOR ADDITIONAL CAUTION

ACCEPTED
333-43-S
MAR 29 1972
UNDER THE FEDERAL INSECTICIDE AND RODENTICIDE ACT FOR ECONOMIC PEST CONTROL BY EPA REG. NO. 5774-9

BATCH NO.

**DIRECTIONS FOR USE
DAIRY FARM USE**

Wash clean, then use 1 ounce EM-BEE SOLUTION to each three gallons water to sanitize cans, pails, bulk coolers, milking machines, strainers.

For further information check with parts per million table at right side of label.

**FOR FOOD PROCESSING
AND MILK EQUIPMENT**

After thoroughly washing & rinsing, sanitize with 200 ppm available chlorine for all non-porous surfaces; for porous surfaces use 800 ppm available chlorine.

All surfaces should be exposed to the sanitizing solution for a period of not less than 2 minutes. Surfaces treated with sanitizing solutions exceeding 200 ppm available chlorine should be rinsed with a potable water supply.

WATER CHLORINATION

For pretreatment of municipal or well water, use 0.2 to 0.5 ppm of available chlorine. Use a chlorine test set for the determination of proper concentrations and amount of residual chlorine.

LOCAL, STATE REGULATIONS

Where local or State regulations are in effect, consult authorities for proper sanitizing concentrations and procedures.

STORAGE

DO NOT STORE Sodium Hypochlorites longer than six months from the date of manufacture.

EPA Reg. No. 5774-9



CAU

BATCH NO.

**FOR USE
IN USE**

EM-BEE SOLU-
water to sanitize
milking machines.

with parts per mil-

**CESSING
IPMENT**

rinsing, sanitize
rine for all non-
surfaces use 800

d to the sanitizing
s than 2 minutes.
ing solutions ex
lorine should be
pply.

NATION

al or well water,
le chlorine. Use a
determination of
ount of residual

LATIONS

ons are in effect,
sanitizing concen-

ochlorites longer
e of manufacture.

74-9

REORDER # 209-011
MANUFACTURED FOR
MEYER-BLANKE CO.
ST. LOUIS, MO. 63110

"EM-BEE"

"CL-8"

"DISINFECTANT and GERMICIDE"

SODIUM HYPOCHLORITE SOLUTION
Active Ingredient 8.4%
Sodium Hypochlorite 8.4%
Inert Ingredient 91.6%

NET 1 GALLON

CAUTION: Keep Out of Reach of Children.
SEE SIDE PANEL FOR ADDITIONAL CAUTION

CAUTION

Keep out of reach of children. May be harmful if swallowed. Skin & eye contact may cause severe irritation.

ANTIDOTE
EXTERNAL
WASH WITH WATER
INTERNAL

DRINK MUCILAGE, RAW EGG WHITE, MILK OR RICE GRUEL. FOLLOW WITH EMETIC (TABLE-SPOONFUL OF MUSTARD IN GLASS OF WATER).

CALL A PHYSICIAN

DO NOT MIX EM-BEE CL-8 WITH ACID DETERGENTS.
USE DILUTE SOLUTIONS ONLY AS DIRECTED ON LABEL.

"EM-BEE" "CL-8"

TABLE OF PROPORTIONS
AVAILABLE CHLORINE:

- 800 P.P.M. —
Use 4 oz. in 3 gallons water.
- 200 P.P.M. —
Use 1 oz. in 3 gallons water.
- 0.5 P.P.M. —
Use 1 oz. in 1200 gallons water.

DO NOT SOAK OVERNIGHT. KEEP IN COOL, DARK PLACE AS LIGHT AND HEAT WILL REDUCE STRENGTH.

Degrades with age. Use a test kit and increase dosage as necessary to obtain required level of available chlorine.

“EM-BLEN”
 REGISTERED TRADEMARK
 MANUFACTURED FOR
MEYER-BLANKE CO.
 ST. LOUIS, MO. 63110
“CL-8”
“DISINFECTANT and GERMICIDE”
 SODIUM HYPOCHLORITE SOLUTION
 Active Ingredient: Sodium Hypochlorite 8.4%
 Inert Ingredient 91.6%

NET 1 GALLON

CAUTION: Keep Out of Reach of Children.
SEE SIDE PANEL FOR ADDITIONAL CAUTION

RECEIVED
 335-43-5
 POISON
 RECEIVED

DIRECTIONS FOR USE
DAIRY FARM USE

FOR FOOD PROCESSING
AND MILK EQUIPMENT

WATER CHLORINATION

 LOCAL STATE REGULATIONS

 STORAGE



“EM-BLEN”
“DISINFECTANT and GERMICIDE”

CAUT

FOR USE
M USE

CESSING
UIPMENT

RINATION

REGULATIONS

BE

5773

ORDER 209011
MANUFACTURED FOR

MEYER-BLANKE CO.

CL-8

SODIUM HYPOCHLORITE SOLUTION

Active Ingredient	8.4%
Sodium Hypochlorite	8.4%
Inert Ingredient	91.6%

NET 1 GALLON

CAUTION: Keep Out of Reach of Children.
SEE SIDE PANEL FOR ADDITIONAL CAUTION

CAUTION

ANTIDOTE
EXTERNAL
WASH WITH WATER
INTERNAL

DRINK MUCHAGE, RAW EGG WHITE,
MILK OR RICE GRUEL. FOLLOW WITH
EMETIC TABLESPOONFUL OF MUSTARD
IN GLASS OF WATER.

CALL A PHYSICIAN

DO NOT TAKE EM-BEE CL-8 WITH ALCOHOL, OILS,
OR OILY SUBSTANCES. DIRECTIONS ON LABEL
MUST BE FOLLOWED.

"EM-BEE" "CL-8"

TABLE OF PROPORTIONS

DO NOT DRINK OR EAT FOOD OR DRINK
FOR 24 HOURS AFTER USE. WASH AND
RINSE THOROUGHLY.