

AM...

REGISTERED...

drawn in orchards, and other non-crop areas.

contains a surfactant to

proper results.

CANTON...

ACCEPTED
DEC. 9, 1969
UNDER THE FEDERAL INSECTICIDE AND FUNGICIDE ACT
AS AMENDED BY THE FIFTH AMENDMENT

335613

NOTICE

INSTRUCTIONS - FLY CONTROL

FIELD OF WAYS - ROADWAYS

INSECTICIDES - INSECTICIDES - INSECTICIDES
INSECTICIDES - INSECTICIDES - INSECTICIDES

The following instructions are for the control of house flies in field of ways, roadways, and other areas. The insecticide is highly effective against house flies, particularly during periods of high population density. Apply the insecticide to the areas to be treated, using the recommended rate. The insecticide is highly effective against house flies, particularly during periods of high population density. Apply the insecticide to the areas to be treated, using the recommended rate.

SPRAY INSTRUCTIONS

When used in a 100-gallon spray, the insecticide should be applied at a rate of 1.0 to 2.0 gallons per acre. The insecticide is highly effective against house flies, particularly during periods of high population density. Apply the insecticide to the areas to be treated, using the recommended rate.

RECOMMENDATION

The insecticide is highly effective against house flies, particularly during periods of high population density. Apply the insecticide to the areas to be treated, using the recommended rate.

Chapman's Note

USDA Reg. No. 161-434

MANUFACTURED BY CHAPMAN CHEMICAL COMPANY MIAMI, FLORIDA

A NON-SELECTIVE HERBICIDE FOR BRUSH CONTROL

INGREDIENT STATEMENT

drainage ditches, and other non-crop areas where weeds and brush are a problem. This product is a non-selective herbicide plus a surfactant to insure proper results.

DIRECTIONS

CAUTION

KEEP OUT OF THE REACH OF CHILDREN

ACCEPTED
DEC. 9, 1969

UNDER THE FEDERAL REGISTRATION ACT OF 1937
FUNGICIDE AND RODENTICIDE AND ECONOMIC POISON REGISTERED
EPA REG. NO. 105-100-0100-1000
SUBS. NO. 1000-1000-1000

NOTICE

DIRECTIONS—BRUSH CONTROL

RIGHT OF WAYS • ROADSIDES
DRAINAGE DITCHES • RANGELANDS • PASTURES
FOLIAGE SPRAY APPLICATION

Prepare spray (water solution or oil-water emulsion), and apply any time after brush has reached the full-leaf stage until foliage begins to discolor, preferably during periods of high temperatures and high humidity. Apply as a full-coverage spray to foliage, stems, limbs, and base of brush; thorough coverage is essential for best results. In roadside applications on tall, dense brush, it is often necessary to spray from field side as well as road side. Spraying away from crops planted close to right of ways will aid in preventing contact of crops with spray or drift; coarse sprays are less likely to drift. The product is not volatile.

SPRAY PREPARATION

Water Solution—For Each 100 Gals. of Spray: Use 10 gals. product with hydraulic equipment; use 18 to 72 gals. with air blast equipment.

Oil-Water Emulsion—For Each 100 Gals. of Spray: With hydraulic equipment, use 9 gals. product plus a premix (prepared in water-free container) of 3½ pt. Du Pont Emulsifying Agent A in 4 gals. of No. 2 fuel oil. Fill spray tank ½ full of water; start agitator, add product; add premix; dilute to proper volume with water. For air blast equipment, use 18 to 40 gals. product plus premix of 1 qt. Du Pont Emulsifying Agent A in 4 gals. of No. 2 fuel oil; prepare spray mixture as above.

NON-WARRANTY

Neither the manufacturer nor the seller makes any representation or warranty, expressed or implied, concerning this product, except that it is of the quality represented on the label. Neither shall be held responsible for personal injury, property damage, or other loss resulting from the improper handling, storage, or use of this product. The buyer accepts and assumes responsibility for the use of this product.

Camerman's Note
Poor Copy

USDA Reg. No. 105-100-0100-1000