ACTIVE INGREDIENTS:		BY WEIGH
Sodium Metaborate Tetrahydrate (Na <sub>2</sub> B <sub>2</sub> O <sub>4</sub> •4H <sub>2</sub> O)		66.59
Boron ⊤roxide (B <sub>2</sub> O <sub>3</sub> ) equivalent – 22.6%		
Sodium Chlorate (NaClO3)		
Diuron 3-(3, 4-dichcrophenyl) 1, 1-dimethylurea		
INERT INGREDIENTS		
	TOTAL	100.09
EPA REG. NO. 33561-46	ACCE	0-3356U-IN
	ACCE	PIEL
KEEP OUT OF REACH OF CHILDREN	OCT	5 1998
	I	
	Under the Podes	un anno cheim.
DANGER	Fungicide, and I as annual fungicide, and I	n anocheide. Redenticide Act the perticide

# HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Corrosive to eyes. Ca.ses irreversible eye damage. Wear goggles, face mask, or safety glasses with side shields. Due to corrosive nature may be harmful or fatal if swallowed. Avoid contact with eyes, skin, or clothing Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before reuse. Avoid breathing dust. Keep animals off treated area until product has leached into the soil either by rainfall or watering.

## STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Hold evelcs open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention.

IF SWALLOWED: Draw promptly, a large quantity of milk, egg whites, gelatin solution or, if these are not available. drink large quantities of water. Avoid alcohol. Call a physician or Poison Control Center. Get medical atention.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

## ENVIRONMENTAL HAZARDS

For terrestrial uses do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply where run-off is likely or where weather conditions favor movement away from target areas. Do not contaminate water when disposing of equipment wash waters. DO NOT USE NEAR LAWNS, TREES, SHRUBS OR OTHER DESIRABLE FLANTS.

# STORAGE AND DISPOSAL

Do not contaminate vater, food, or feed by storage or disposal. Pesticide wastes are acutably hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

STORAGE: Avoid direct contact with floor and moisture.

)

DISPOSAL: Empty product from bag before disposal. Dispose of bag in a sanitary landfill or by incineration, or, if alloved by State and local authorities, by burning. If burned, stay out of smoke.

# DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

BareSpot\* Weed & Grass is specifically designed for quick knockdown and residual control of general mixed vegetation on non-cropped land and industrial sites.

#### FOR USE ON NON-CROPPED AREAS

IMPORTANT: This material is not selective in action and may be toxic to all types of vegetation and may render the entire treated area totally or partially unproductive for one or more years. Care should be taken to continue the use of application to the particular area intended to be treated and to avoid its contact with lawns, trees, shrubs, crops and other desirable plants which are not intended to be destroyed or injured. This includes precautions in treating areas which may be underlaid by roots of adjacent desired growths. Careless application of this material, or washing by water run-off, to areas where desirable plants are growing or which will be used for later planting may result in injury to desirable plants. Do not drain or flush equipment on or near such areas. Do not contaminate domestic or irrigation water or waters used by fish and wildlife. Wash clothing and equipment after application. Keep animals off treated area until rainfall has leached all the herbicide into the soil. Mechanical equipment should be thoroughly cleaned after use.

#### WHERE TO USE

AROUND OR NEAR THE FOLLOWING: Bleachers, Bridge abutments, Buildings, Bunkers, Buried cable closures, Catwalks, Cemeteries, Compressor stations, Cooling towers, Cross connect boxes, Ditch banks, Electrical generators, Fence lines, Fire hydrants, plugs or walls, Fuel tanks, Generating plants, Guardrails, Helo pads, Highway & street markers, Loading stations, Lumber yards, Microwave towers, Oil & Gas pipelines, Oil refineries, Parking lots, Pump decks, Railroad lines & sidings, Runway lights, Runways, Sign posts, Storage & equipment yards, Utility poles & substations, Vacant lots, Valves & manifolds, Waste lagoons.

UNDER THE FOLLOWING: Asphalt, Concrete, Gravel driveways (not on a slope), Sidewalks or walkways, Wood decks.

WHEN TO USE: Use BareSpot Weed & Grass anytime during the growing season. Weeds and grasses are easier to kill with BareSpot Weed & Grass when they are young and growing rapidly.

#### INDUSTRIAL SITES OR SIMILAR NON-CROPPED AREAS

This material becomes effective in the soil followed by rainfall or watering. (See application rates below.) BareSpot Weed & Grass is ready to use. Apply with a hand operated spreader such as the conventional cyclone type spreader designed for this use. Power spreaders can be used for large areas.

Use the following rates of application under most conditions -

KINDS OF WEEDS	APPLICATION RATES	
GENERAL vegetation control	1-2 lbs/100 sq. ft."	
PERENNIAL weeds deep rooted	3 lbs./100 sq. ft.**	

Approximately 2½ cups of BareSpot Weed & Grass equal 1 pound.

\*As low as 1/2-1 lb./100 sq. ft. can be used on young and rapidly growing general vegetation.

\*\*As low as 1½ lbs./100 sq. ft. can be used on young and rapidly growing deep rooted perennials.


NOTICE: Because of the many varying conditions affecting use and application, such as location, seasonal weather, soil concesition and type of vegetation, manufacturer warns buyer trat these and other conditions may impair or vary the results or effects of the use of this product. In any event, complete elimnation of weeds is not guaranteed. It is advisable to consult your State Extension Service or Agricultural Experiment Station Weed Specialist on specific problems. Neither manufacturer nor seler shall be liable in respect to any injury or damages suffered by reason of the use of this product for a purpose not indicate: by the label or when used contrary to the directions or instructors hereon nor with respect to breach of any warranty not expressiv specified herein. Buyer accepts this material subject to these terms and assumes all risks of usage and handling except when used or handled in accordance with this label. Neither manufacturer nor seller makes, and their employees and agents are not permitted to make, any representations or warranties, expressed or implied by law, not specifically set forth herein.

## NET WEIGHT: 50 lbs. (22.68kg)

DISCLAIMER: Pro-Serve, Inc. warrants that the chemical contrastion of this product conforms to the chemical description given or this label. THIS WARRANTY IS EXPRESSLY IN LIEU OF ÅLL OTHE≏ WARRANTIES AND REPRESENTATIONS, EXPRESSED, IMPLIED OR STATUTORY, INCLUDING WARRANTIES OF MER-CHANTABILITY AND FITNESS FOR A PARTICULAR USE. Timing rate and method of application, weather and crop conditions matures with chemicals not specifically recommended on this label triac accompanying written recommendation, are beyond the control of seller. Buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions given herewith. Buver further agrees in the event of damages arising from the use of this product to accept a replacement of the product or a refund of the purchase price of the product, at buyer's option, as full discharge of seller's liability. No one is authorized to make any other warranty. guarantee or directions concerning this product, and no such warranties, guarantees or directions shall be valid or binding upon seler.

Pro-Serve, Inc.

400 E. Brooks Road 
Memphis, TN 38109 
(901) 332-7052



Corrosive to eyes. Causes irreversible eye damage. Wear goggles, face mask, or safety glasses with side shields. Due to corrosive nature, may be harmful or fatal if swallowed. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before reuse. Avoid breathing dust. Keep animals off treated area until product has leached into soil either by rainfall or watering.

## **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in any manner inconsistent with its labeling. BareSpote Weed & Grass is specifically designed for quick knockdown and residual control of general mixed vegetation on non-cropped land and around reisdential areas.

WHEN TO USE: Use BareSpot Weed & Grass anytime during the growing season. Weeds and grasses are easier to kill when they are young and growing rapidly.

WHERE TO USE: Apply where bare ground is desired. Do not apply near lawns, trees, shrubs, crops, and other desirable plants. Do not treat areas which may be underlaid by roots of adjacent desired growths. Application to these areas may result in injury or destruction of the plant.

HOW IT WORKS: BareSpot Weed & Grass is absorbed by the roots, causing weeds or grasses to turn brown. It will take several days before visual signs are noticeable. Smaller, succulent weeds are affected first. Larger plants will yellow and turn brown at the tips as growth stops. A residual barrier remains active in the upper soil to control later germinating weeds.

BareSpot Weed & Grass kills the seedlings not the seeds. Seedlings will sprout. After they reach 1/2 to 1 inch of growth and the roots contact the soil it will die. BareSpot Weed & Grass can be expected to provide 3–13 months control depending on soil type and rainfall.

DRY APPLICATION: BareSpot Weed & Grass is ready to use! Apply with a hand operated spreader, such as a conventional cyclone type spreader. Apply pellets uniformly over the area to be // treated. The material becomes effective in the soil followed by rainfall or watering.

APPLICATION RATES	
1-2 lbs./100 sq. ft.*	
3 lbs./100 sq. ft.**	

Approximately 21/2 cups of BareSpot Weed & Grass equal 1 pound.

\*As low as 1/2–1 lb./100 sq. ft. can be used on young and rapidly growing general vegetation.

\*\*As low as 11/2 lbs./100 sq. ft. can be used on young and rapidly growing deep rooted perennials.

### IMPORTANT: FOR USE ON NON-CROPPED AREAS

This material is not selective in action and may be toxic to all types of vabilitation and may render the entire treated area totally or partially unproductive for one or more years. Care should be taken to continue the use of application to the particular area intended to be treated and to avoid its contact with lawns, trees, shrubs, crops and other desirable plants which are not intended to be destroyed or injured. This includes precautions in treating areas which may be undefield by roots of adjacent destred growth carefords areas where desirable plants are growing or which will be used for later planting, may result in injury to desirable plants. Do not drain or flush equipment on or near such areas. Do not contaminate domestic or irrigation water or waters used by fish and wildlife. Wash clothing and equipment after application. Keep animals off treated areas until rainfall has leached all the herbicide into the soil. Mechanical equipment should be thoroughly cleaned after use.

### STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention. IF SWALLOWED: Drink promptly, a large quantity of milk, egg whites and gelatin solution or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician or Poison Control Center. Get medical attention. IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists. NOTE TO PHYSICIAN: Probable mucosal damage may contraindiate the use of gastric lavage.

## 

For terrestrial uses, do not apply directly to water, to areas where surface water is present, or to interlidal areas below the mean high water mark. Do not apply where run-off is likely or where weather conditions favor movement away from target areas. Do not contaminate water when disposing of equipment wash waters. DO NOT USE NEAR LAWNS, TREES, SHRUBS OR OTHER DESIRABLE PLANTS.

## STORAGE AND DISPOSAL

STORAGE: Avoid contact with floor and moisture. Store in an area inaccessible to children and pets. **DISPOSAL**: Securely wrap original container in several layers of newspaper and discard in trash. Do not reuse bag. Discard bag in trash.

NOTICE: Because of the many varying conditions affecting use and application, such as location, seasonal weather, soil composition and type of vegetation, manufacturer warns buyer that these and other conditions may impair or vary the results or effects of the use of this product. In any event, complete elimination of weeds is not guaranteed. It is advisable to consult your State Extension Service or Agricultural Experiment Station Weed Specialist on specific problems. Neither manufacturer nor seller shall be liable in respect to any injury or damages suffered by reason of the use of this product for a purpose not indicated by the label or when used contrary to the directions or instructions hereon nor with respect to breach of any warranty not expressly specified herein. Buyer accepts this material subject to these terms and assumes all risks of usage and handling except when used or handled in accordance with this label. Neither manufacturer nor seller makes, and their employees and agents are not permitted to make, any representations or warranties, express or implied by law, not specifically set forth herein.

DISCLAIMER: Pro-Serve, Inc. warrants that the chemical composition of this product conforms to the chemical description given on this label. THIS WARRANTY IS EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES AND REPRESENTA-TIONS, EXPRESSED, IMPLIED OR STATUTORY, INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR USE. Timing, rate and method of application, weather and crop conditions, mixtures with chemicals not specifically recommended on this label or an accompanying written recommendation, are beyond the control of seller. Buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions given herewith. Buyer further agrees in the event of damages arising from the use of this product to accept a replacement of the product or a refund of the purchase price of the product, at buyer's option, as full discharge of seller's liability. No one is authorized to make any other warranty, guarantee or directions concerning this product, and no such warranties, guarantees or directions shall be valid or binding upon seller.

Directions for