

MICROBIOCIDAL COMPOUND MB 123

DANGER: KEEP OUT OF REACH OF CHILDREN.
READ SIDE PANEL FOR ADDITIONAL PRECAUTIONS.

Active Ingredients:	30%
Sodium dimethyldithiocarbamate	15%
Nabam disodium ethylene bisdithiocarbamate	15%
Inert Ingredients:	70%
TOTAL	100%

EPA Registration No. 33561-1

hercules MB 123
control of most fungi
hercules MB 123
of product per mil
ment when the sys
tems whose efficien
sequent dose. Whe
MB 123 per 1,000
needed to maintain

DANGER Ke
not
sh
Av

FIRST AID: In
wa
and
If s
or
ties

This product is toxic
drain into lakes, po

Do not reuse empty
solution and discar

GROSS WEIGHT
NET WEIGHT
GALLONS



HERCULES[®] MICROBIOCIDAL COMPOUND MB 123

DANGER: KEEP OUT OF REACH OF CHILDREN.
READ SIDE PANEL FOR ADDITIONAL PRECAUTIONS.

Active Ingredients:	30%
Sodium dimethyldithiocarbamate	15%
Nabam (disodium ethylene- bisdithiocarbamate)	15%
Inert Ingredients:	70%
TOTAL	100%

EPA Registration No. 33561-1
910 MARKET STREET
WILMINGTON, DELAWARE 19899
U. S. A.

This product is toxic
if swallowed.

Do not reuse empty
solution and discard.

GROSS WT

NET WT

GALL



HERCULES

ANTIMICROBIOCIDAL COMPOUND MB 123

DANGER: KEEP OUT OF REACH OF CHILDREN.
READ SIDE PANEL FOR ADDITIONAL PRECAUTIONS.

Active Ingredients	30%
Sodium dimethyldithiocarbamate	15%
Nabam - disodium ethylene- bisdithiocarbamate	15%
Inert Ingredients	70%
TOTAL	100%

EPA Registration No. 33561-1

DIRECTIONS FOR USE

Hercules® MB 123 is for use in industrial recirculating water-cooling towers for the control of most fungi and bacterial slime. Initial dose: Add 13.06 fluid ounces of Hercules MB 123 per 1,000 gallons of contained water in the system (120 parts of product per million parts of water) as a shock dosage at the sump. Begin treatment when the system is in jeopardy of becoming affected or after cleaning systems whose efficiency is already impaired. Repeat until control is achieved. Subsequent dose: When microbial control is evident, add 2.18 to 4.36 fluid ounces of MB 123 per 1,000 gallons of water in the system every 7 days (weekly), or as needed to maintain control.

DANGER: Keep out of reach of children. Causes eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, or gelatin solution; if these are not available, drink large quantities of water. Call a physician immediately.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, ponds, streams, or public water.

Do not reuse empty drum. Return to drum reconditioner or rinse well with soap solution and discard. Do not contaminate water by disposal of waste.

GROSS WEIGHT

NET WEIGHT

GALLONS

ACCEPTED

JUL 10 1974

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO. 33561-1 SUBJECT
TO ATTACHED COMMENTS.