# OLIN 706

for bacterial and fungal slime control in paper mills

#### **DIRECTIONS FOR USE:**

OLIN 7060 may be added as a slug, intermittent, or constant flow treatment. Add where agitation is sufficient and where distribution to the mill system is obtained (such as at the beater, hydrapulper, broke chest, or fan pump) to accomplish the desired effect. Dosage will vary from 0.1 to 2.0 pounds (1.3 to 26 fluid ounces) of OLIN 7060 per ton of finished paper.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. Do not contaminate water by cleaning of equipment, or disposal of wastes.

Do not reuse empty containers. Container should be destroyed by perforation or crushing. Discard container in a safe place.

#### **ACTIVE INGREDIENTS**

Sodium Dimethyldithiocarbamate	-	15%
Nabam (Disodium Ethylene Bisdithiocarbamate)		15° c
INERT INGREDIENTS		70%

EPA Reg. No. 33576-31-AA-50607

## **WARNING**

### Keep Out of Reach of Children

Causes eye and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician immediately.

FOR INDUSTRIAL USE ONLY

9.8 lbs. per gallon

Gal. Net Contents