

HERPICIDE™

Surface Disinfectant Spray
And Air Sanitizer

Kill Herpes Simplex Virus Type 2 and
Most Germs on Surfaces

Eliminates Odors

In Homes, Hospitals, Offices, Schools

Net Wgt 0.8 OZ (22.7 Gms)

CAUTION: Keep Out Of Reach Of Children
See Other Cautions On Back Panel

ACTIVE INGREDIENTS: Didecyl Dimethyl Ammonium
Chloride 0.19%, Triethylene Glycol 3.75%,
Propylene Glycol 3.75%

INERT INGREDIENTS: 92.31%

ACCEPTED
AUG 20 1984
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under 33590-3 EPA Reg. No.

HERPICIDE™

Disinfects Surfaces
Sanitizes and Deodorizes Air

HERPICIDE™ kills many dangerous germs and viruses on environmental surfaces such as Herpes Simplex Virus Type 2 (commonly known as "genital herpes"), Influenza Virus Type A2 (Hong Kong), the common cold organism Rhinovirus 39 plus Staph. Strep. Pseudomonas or Athlete's Foot fungus. HERPICIDE™ is especially effective in temporarily reducing airborne bacteria and the elimination of germ caused odors in homes, hospitals, offices and schools. Use HERPICIDE™ on contaminated surfaces like toilet seats, shower stalls, wash and tub basins, empty garbage or diaper cans, pet areas, even telephone ear and mouthpieces. Clean surface prior to application of HERPICIDE™. To disinfect hold can upright 6 to 8" from surface and spray area until covered with mist.

FLAMMABLE: Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures over 130°F may cause bursting.

CAUTION: Avoid contact with food. Avoid contact with eyes. If in eyes, flush with plenty of water. Get medical attention if irritation persists.

DIRECTIONS FOR USE - GENERAL CLASSIFICATION: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

To disinfect and deodorize, kill viruses and pathogenic fungi and to control mold and mildew on clean, hard, non-porous surfaces, hold can upright 6 to 8" from surface and spray area until covered with wet mist. Allow to air dry. Do not wipe surface. For mold and mildew, repeat application when mildew growth appears.

Temporarily reduce airborne bacteria and also eliminate odors in the air by closing all doors, windows, air vents and air conditioner, in the area to be treated. In an average room (12' x 12' x 9') spray HERPICIDE™ five (5) times up and to the center of the room. For maximum effectiveness, the relative humidity should be between 44 and 70%. Do not use on polished wood furniture, rayon fabrics or acrylic plastics.

Can Dispose: Can not refill. Wrap can and put into trash collection.

EPA Reg No. 33590-3
EPA Est No. 33590MA-01

PHARMASOL CORPORATION
RANDOLPH, MA 02368

™ Pending

BEST DOCUMENT AVAILABLE