

FUNGUS CONTROL

FOR PREVENTION & CONTROL OF BROWN PATCH, SNOW MOLD, — and CERTAIN LEAF SPOTS

CAUTION: KEEP OUT OF REACH OF CHILDREN Do not inhale dust or wear dry filter mask over nose and mouth. Avoid contact with skin, eyes, or clothing. In case of contact with skin or eyes and after use, wash thoroughly with soap and water.

CONSUMPTION OF ALCOHOLIC BEVERAGES IMMEDIATELY PRIOR TO, OR AFTER USE OF PRODUCT, MAY CAUSE NAUSEA AND VOMITING. KEEP AWAY FROM ALL FOOD AND WATER SUPPLIES. DO NOT ALLOW CONTAMINATION IN FEEDING AND DRINKING DISHES OF PETS. "DO NOT GRAZE TREATED AREAS OR FEED CHIPPINGS TO LIVESTOCK."

"This product is toxic to fish., Keep out of lakes, streams, or ponds., Do not contaminate water by cleaning of equipment, or disposal of wastes., and Apply this product only as specified on this label."

DO NOT REUSE CONTAINER. DESTROY BY BURYING IN APPROVED REFUSE AREA. DO NOT INHALE SMOKE OR FUMES.

ACTIVE INGREDIENT:

Thiram (Tetramethylthiuram disulfide) 10%

INERT INGREDIENTS 90%

DIRECTIONS FOR USE

GRASSES (cemeteries, golf courses, lawns, parks and similar nongrazed areas)---
---brown patch (Rhizoctonia), dollar spot: As a preventive, use 1.20 to 1.6 lbs. per 1000 square feet. Apply at 7-day intervals throughout warm season. As a curative, use 2.20 to 2.85 lbs. per 1000 square feet. Begin when disease is first noticed. Repeat at 7 to 10 day intervals as necessary. Damping-off: 22.5 lbs per 1000 square feet. Apply to early spring. Repeat as necessary. Gray leaf Spot: 1.8 lbs./1000 square feet. Repeat as necessary. Helminthosporium leaf spot (velting out): 1.42 to 2.12 lbs per 1000 square feet. Begin in early spring. Repeat at 7 to 10 day intervals while temperatures are between 45 to 80 degrees Fahrenheit, and again in the Fall. Snow Mold (Typhula): 2.85 to 3.75 lbs. per 1000 square feet. Apply in late Fall before first snow. Make second application using 1.42 lbs. per 1000 square feet during Spring thaw. NOTE: During periods of no rain and dry conditions, better results is obtained if lawn or turf is watered at a rate of 10 gallons per 1000 square feet before each application.

Manufactured by

E.P.A. Reg. No. 33625-5

LAWN MEDIC INC.

1024 Silbey Tower

Rochester, N. Y. 14604

NOT FOR RESALE

PROFESSIONAL USE ONLY

Division of BUY-RITE IMPROVEMENT PRODUCTS
Rochester, N. Y.



ACCEPTED
FEB 16 1975
EPA REG. NO. 33625-5