

TRIFLURALIN TECHNICAL
AN HERBICIDE FOR FORMULATING USE

ACTIVE INGREDIENT

Trifluralin: alpha, alpha, alpha-trifluoro-2,
6-dinitro-N,N-dipropyl-p-toluidine.....96.0%

INERT INGREDIENTS.....4.0%

TOTAL 100.00%

KEEP OUT OF THE REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed, inhaled or absorbed through the skin.
Avoid contact with skin, eyes or clothing.
The active ingredient trifluralin may cause skin sensitization
reactions in certain individuals.


ENVIRONMENTAL HAZARDS

Do not discharge effluent containing this product into lakes,
streams, ponds, estuaries, oceans or public waters unless this
product is specifically identified and addressed in an NPDES
permit. Do not discharge effluent containing this product into
sewer systems without previously notifying the sewage treatment
plant authority. For guidance, contact your State Water Board or
Regional Office of the Environmental Protection Agency.

STATEMENT OF PRACTICAL TREATMENT

In case of contact flush with plenty of water.
For eyes get medical attention.
Wash thoroughly and change clothing after handling.


REGISTERED
JUL 18, 1991
Under the Federal Insecticide,
Fungicide and Rodenticide Act,
this pesticide is registered for the pesticide
33660-3



DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Formulators using this product are responsible for obtaining EPA registration of their formulated products. This pesticide may be used only for the formulation of herbicides for use on grasses, broadleaf weeds and the following crops:

- | | |
|-----------------------------|-------------------------------|
| Alfalfa | Okra |
| Beans | Peanuts |
| (Dry, Castor, Guar, | Peas |
| Mungbeans, Lima, Snap) | (English, Dry, Southern Peas) |
| Carrots | Peppers |
| Celery | Potatoes |
| Citrus | Rape seed and rape straw |
| (Grapefruit, Lemon, Orange, | (canola) |
| Tangelo, Tangerine) | Safflower |
| Cole Crops | Sorghum (milo) |
| (Broccoli, Brussels sprout, | Soybean |
| Cabbage, Cauliflower) | Stone Fruits |
| Corn (field) | (Apricots, Nectarines, |
| Corn forage, fodder and | Peaches, Plums, Prunes) |
| silage | Sugarbeets |
| Cotton | Sugarcane |
| Cucurbits | Sunflower |
| (Cantaloupes, Cucumbers, | Tomatoes |
| Watermelons) | Tree Nuts |
| Grapes (vineyards) | (Almond, Pecan, Walnut) |
| Greens | Wheat |
| (Turnipgreens, Kale, | (Winter, Spring, Durum) |
| Mustardgreens) | |
| Hops | |
| Mint and spearmint | |



STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place where moisture will not penetrate product. Do not store with other pesticides, fertilizers, food or feed.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Net Weight 250 Kilos

EPA EST. No. 53591-IT-001

EPA REG. No. 33660-3

MANUFACTURED FOR

I.P.I.C.I. Industria Prodotti Chimici S.p.A.
Via Fratelli Beltrami, 11
20026 Novate Milanese
Italy

