



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

June 26, 2020

Danielle LaRochelle
Regulatory Manager
Nufarm Americas Inc.
4020 Aerial Center Parkway, Suite 101
Morrisville, NC 27500

Subject: Registration Review Label Mitigation for Butralin
Product Name: TAMEX 3EC
EPA Registration Number: 33688-4
Application Date: 9/24/2019
Decision Number: 555627

Dear Ms. LaRochelle:

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all the information submitted with your application to support the Registration Review of the above referenced product in connection with the Butralin Interim Decision, and has concluded that your submission is acceptable. The label referred to above, submitted in connection with registration under FIFRA, as amended, is acceptable.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

A copy of your label stamped "Accepted" is enclosed. Products shipped after 12 months from the date of this amendment must bear the new revised label. Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6.

Page 2 of 2
EPA Reg. No. 33688-4
Decision No. 555627

If you have any questions about this letter, please contact Darius Stanton by phone at 703-347-0433, or via email at Stanton.Darius@epa.gov.

Sincerely,

A handwritten signature in blue ink, appearing to be "Linda Arrington", written in a cursive style.

Linda Arrington, Branch Chief
Risk Management and Implementation Branch 4
Pesticide Re-Evaluation Division
Office of Pesticide Programs

Enclosure

TAMEX[®] 3EC

For Control of Suckers on Tobacco

ACTIVE INGREDIENT:	% BY WEIGHT
Butralin [4-1,1-dimethylethyl)-N-(1-methylpropyl)-2,6-dinitrobenzeneamine]:	37.3%
OTHER INGREDIENTS**:	<u>62.7%</u>
TOTAL:	100.0%

Contains 3.0 pounds of butralin per gallon or 360 grams per liter

**Contains petroleum distillates

KEEP OUT OF REACH OF CHILDREN
DANGER / PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
 (If you do not understand the label, find someone to explain it to you in detail.)


**SEE INSIDE BOOKLET FOR [FIRST AID AND] [ADDITIONAL] PRECAUTIONARY STATEMENTS
 [AND DIRECTIONS FOR USE]**

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300
 For Medical Emergencies Only, Call (877) 325-1840

FIRST AID	
IF IN EYES	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF SWALLOWED	<ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF ON SKIN	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.
IF INHALED	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
HOTLINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-325-1840 for emergency medical treatment information.	
NOTE TO PHYSICIAN	
Probable mucosal damage may contraindicate the use of gastric lavage. May pose an aspiration pneumonia hazard.	

EPA Reg. No. 33688-4

EPA Est. No. _____



US Affiliate:
 Nufarm Americas Inc.
 11901 S. Austin Ave
 Alsip, IL 60803



Manufactured for:
 Nufarm SAS.
 28, Boulevard Camélinat
 92233 Gennevilliers, France

NET CONTENTS: _____ Gal (_____ L)

[Designation as "NONREFILLABLE" or "REFILLABLE" for containers > 5 GAL]

[Optional Marketing Tagline: **Grow a better tomorrow.**]

**PRECAUTIONARY STATEMENT
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER**

CORROSIVE. Severe eye irritant. Causes irreversible eye damage. Harmful if swallowed or absorbed through skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some Individuals. Do not get in eyes, on skin or on clothing.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and Other Handlers Must Wear:

Long-sleeved shirt and long pants
Chemical-resistant gloves such as barrier laminate or viton
Shoes plus socks
Protective eyewear when mixing, loading and applying this product

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning and maintaining PPE. IF no such Instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

When handlers use closed systems or enclosed cabs In a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified In the WPS.

USER SAFETY RECOMMENDATIONS

Users Should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide may be toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Direct contamination of any body of water may kill fish and aquatic organisms. Do not contaminate water for irrigation or domestic purposes by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame. Do not store below 25°F.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read all label directions carefully before use.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about person protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls; chemical-resistant gloves such as barrier laminate or viton; shoes plus socks; protective eyewear.

SPRAY DRIFT

Use coarse spray only, directed down tobacco stalk. Do not use fine sprays.
Avoid drift to adjacent crops as injury may result.

SPRAY DRIFT ADVISORIES

THE APPLICATOR IS RESPONSIBLE FOR AVOIDING OFF-SITE SPRAY DRIFT.
BE AWARE OF NEARBY NON-TARGET SITES AND ENVIRONMENTAL CONDITIONS.

IMPORTANCE OF DROPLET SIZE

An effective way to reduce spray drift is to apply large droplets. Use the largest droplets that provide control of target vegetation. While applying larger droplets will reduce spray drift, the potential for drift will be greater if applications are made improperly or under unfavorable environmental conditions.

Controlling Droplet Size - Ground Boom

- Volume - Increasing the spray volume so that larger droplets are produced will reduce spray drift. Use the highest practical spray volume for the application. If a greater spray volume is needed, consider using a nozzle with a higher flow rate.
- Pressure - Use the lowest spray pressure recommended for the nozzle to produce the target spray volume and droplet size.
- Spray Nozzle - Use a spray nozzle that is designed for the intended application. Consider using nozzles designed to reduce drift.

BOOM HEIGHT - Ground Boom

For ground equipment, the boom should remain level with the crop and have minimal bounce.

SHIELDED SPRAYERS

Shielding the boom or individual nozzles can reduce spray drift. Consider using shielded sprayers. Verify that the shields are not interfering with the uniform deposition of the spray on the target area

TEMPERATURE AND HUMIDITY

When making applications in hot and dry conditions, use larger droplets to reduce effects of evaporation.

TEMPERATURE INVERSIONS

Drift potential is high during a temperature inversion. Temperature inversions are characterized by increasing temperature with altitude and are common on nights with limited cloud cover and light to no wind. The presence of an inversion can be indicated by ground fog or by the movement of smoke from a ground source or an aircraft smoke generator. Smoke that layers and moves laterally in a concentrated cloud (under low wind conditions) indicates an inversion, while smoke that moves upward and rapidly dissipates indicates good vertical air mixing. Avoid applications during temperature inversions.

WIND

Drift potential generally increases with wind speed. AVOID APPLICATIONS DURING GUSTY WIND CONDITIONS.
Applicators need to be familiar with local wind patterns and terrain that could affect spray drift.

SPRAY DRIFT

Handheld Technology Applications

Take precautions to minimize spray drift.

USE ON TOBACCO

PRODUCT INFORMATION

TAMEX® 3EC is a plant growth regulator for control of suckers in tobacco, including flue-cured, air-cured (burley, Maryland and cigar types), and dark types. TAMEX 3EC is most effective when applied with ROYAL MH-30® or other maleic hydrazide products. Consult with your local Extension Service tobacco specialist for recommended treatments for your area.

TAMEX 3EC mixes readily with water to form a yellow, creamy emulsion. If a spray mixture is allowed to stand several hours, agitate thoroughly before resuming treatments.

See APPLICATION NOTES for additional important information.

USE RESTRICTIONS

Aerial application is prohibited

Do not apply this product through any type of irrigation system.

APPLICATION EQUIPMENT

TAMEX 3EC MAY BE APPLIED USING MOTORIZED FIELD SPRAYERS (HIGH-CLEARANCE OR TRACTOR MOUNTED) EQUIPPED WITH SOLID-CONE NOZZLES THAT DELIVER A COARSE SPRAY. For example, a three solid-cone nozzle arrangement directed over the row, operating at 20 to 30 psi, delivers a coarse spray that runs down the stalk and wets suckers in the leaf axils. TAMEX 3EC may also be applied to individual plants by using a hand-held dropline, a knapsack sprayer, or jug application. All sprayers should be equipped with a pressure regulator and pressure gauge.

APPLICATION TIMING

Apply TAMEX 3EC alone or in a tank mix with ROYAL MH-30 or other maleic hydrazide product when tobacco plants are in the elongated button to early flower stage. Top leaves to be harvested should be at least 8 inches long at treatment time. AL suckers greater than 1 inch long should be removed by hand prior to treating with TAMEX 3EC. Any suckers that were shielded and escaped treatment should be removed by hand two to three weeks after treatment. ON FLUE-CURED TOBACCO, apply TAMEX 3EC 5 to 7 days after the last fatty alcohol contact treatment. ON BURLEY TOBACCO, TAMEX 3EC may be applied just before or immediately after topping. Sucker control may not be consistent within a field if tobacco plants are not uniform when treated.

DO NOT HARVEST FIRST LEAVES FOR AT LEAST 7 DAYS AFTER TREATING FLUE-CURED TOBACCO AND AT LEAST 30 DAYS AFTER TREATING AIR-CURED (BURLEY, MARYLAND AND CIGAR TYPES) AND DARK TYPES OF TOBACCO.

APPLICATION RATE

When using motorized sprayers or hand-held droplines, mix 3 to 4 quarts of TAMEX 3EC alone or 2 to 4 quarts of this product in a tank mix with ROYAL MH-30 or other maleic hydrazine product at the labeled rate, in 50 gallons of water for each acre to be treated. Use the higher TAMEX 3EC rate in seasons when sucker pressure is heavier. At this volume per acre, the amount of spray mixture per plant should be sufficient to run down the entire stalk contacting all leaf axils and sucker buds.

When applying TAMEX 3EC using the knapsack sprayer or jug method, mix 2.0 to 2.5 fluid ounces of TAMEX 3EC per gallon of water and apply about one-half fluid ounce of spray mixture per plant. One gallon of spray mixture should treat about 250 plants.

APPLICATION METHOD, BY TOBACCO TYPE

For all application methods, excess mixture should not be allowed to reach the ground line and puddle around the base of each plant.

A. TANK MIXES OR SINGLE TREATMENT PROGRAMS

Before using any tank mix combination, carefully read and follow the label directions of all products used.

Flue-Cured Tobacco

To control suckers on flue-cured tobacco, begin with a standard fatty alcohol contact program. Five to 7 days after contacts, apply a tank mix of 3 quarts of TAMEX 3EC plus 1.5 to 2.0 gallons of ROYAL MH-30 (or other maleic hydrazide product at label rate) in 50 gallons of water per acre. Apply as a coarse spray to get rundown on the stalk.

Air-Cured Tobacco (burley, Maryland, cigar)

On heavy suckering varieties or when extended sucker control is desired, to reduce escapes, use a tank mix of TAMEX 3EC at 2 quarts plus ROYAL MH-30 at 1.5 to 2.0 gal/A (or other maleic hydrazide product at label rate) in 50 gallons of water per acre. Use the higher rate of maleic hydrazide when tank mix is to be applied to 14 L8, 2110, or other heavy suckering varieties. Apply as a coarse spray to get rundown on the stalk. Apply within 24 hours after topping.

If TAMEX 3EC is used alone, apply 3 to 4 quarts in 50 gallons of water per acre, just before or immediately after topping. Apply as a coarse spray to get rundown on the stalk. Use the higher rate in seasons when sucker pressure is heavier.

Dark Tobacco

To control suckers on dark types, apply 3 to 4 quarts of TAMEX 3EC in 50 gallons of water as a single application just before or after topping. Apply as a coarse spray to get rundown on the stalk. Use the higher rate in seasons when sucker pressure is heavier.

On heavy suckering varieties or when extended sucker control is desired, use a tank mix of TAMEX 3EC at 2 quarts plus ROYAL MH-30 at 1.5 to 2.0 gal/A (or other maleic hydrazide product at label rate) in 50 gallons of water per acre. Use the higher rate of maleic hydrazide when the tank mix is to be applied to known heavy suckering varieties. Apply as a coarse spray to get rundown on the stalk. Apply within 24 hours after topping.

B. SEQUENTIAL TREATMENT PROGRAMS

Flue-Cured Tobacco

WHEN APPLIED BEFORE MALEIC HYDRAZIDE TREATMENT: Apply 3 quarts of TAMEX 3EC in 50 gallons of water per acre at the elongated button to early flower growth stage. Apply as a coarse spray. Five to seven days later, make an application of ROYAL MH-30 or other maleic hydrazide product according to bale directions.

WHEN APPLIED AFTER MALEIC HYDRAZIDE TREATMENT: Apply contact sucker chemicals, followed by ROYAL MH-30 or other maleic hydrazide product according to label directions. About 3 weeks later, apply TAMEX 3EC at 3 quarts in 50 gallons of water per acre. Apply as a coarse spray to get rundown on the stalk.

APPLICATION NOTES

1. Use TAMEX 3EC and maleic hydrazide products only once per season, whether in combination or in sequence.
2. Rain occurring more than two hours after these treatments should not affect the effectiveness of TAMEX 3EC. Refer to labels of tank mix partner products for any additional rain-free precautions.
3. TAMEX 3EC is most effective when the spray contacts the sucker buds directly. In fields where tobacco plants are lodged or leaning, plants should be straightened prior to treatments, so spray mixture runs down the stalk evenly and contacts all sucker buds.
4. Applying treatments to wet plants immediately after heavy rain or when there is heavy dew is not recommended.
5. Plants that are under drought stress when treated may not respond to sucker control products properly.
6. Applying treatments on windy days is not recommended, as sprays may not be deposited uniformly on the leaf axils and sucker buds.
7. Immature leaves that are less than 8 inches long at the time of TAMEX 3EC treatment may develop cupped or curled appearance.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Do not store near fertilizers, seeds, insecticides or fungicides. Store in original container only. After partial use, replace lid and close tightly. Store in a secure place that is temperate and dry. Do not store below 25°F. Do not store under conditions which might adversely affect the container or its ability to function properly.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL:

[Note to Reviewer: The following statement will be included on all Final Printed Labels bearing multiple Container Handling statements] **“NOTE:** This product is available in multiple containers. Refer to the Net Contents section of this product's labeling for the applicable “Nonrefillable” or “Refillable” designation. Follow the container handling instructions below that apply to your container type/size.”

[Nonrefillable Containers 5 Gallons or Less:] Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. **Triple rinse as follows:** Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Plastic containers are also disposable by incineration, or, if allowed by state and local authorities, by burning. If burned stay out of smoke.

[Nonrefillable containers larger than 5 gallons:] Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. **Triple rinse as follows:** Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. **Pressure rinse as follows:** Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 psi for at least 30 seconds. Drain for 10 seconds after the flow begins to drip. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Plastic containers are also disposable by incineration, or, if allowed by state and local authorities, by burning. If burned stay out of smoke.

[Refillable containers larger than 5 gallons:] Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10% full with water and, if possible, spray all sides while adding water. If practical, agitate vigorously or recirculate water with the pump for two minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. **TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE.** UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

LIMITATION OF LIABILITY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR ARISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

If you do not agree with or do not accept any of the directions for use, the warranty disclaimers, or limitations of liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

(RV092419)

Tamex is a registered trademark of Nufarm SAS.

MH-30 is a Registered Trademark of Uniroyal Chemical Company, Inc.