3753-3

9/29/2009

175



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

> OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

> > SEP 29 2009

Ms. Juli Mann Authorized Agent for, BASF Corporation 100 Campus Way Florham Park, NJ 07932

Subject: Myacide AS EPA Registration Number 33753-3 Your Notification Dated September 3rd, 2009 EPA Received Date September 3rd, 2009

The notification referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act(FIFRA), as amended, to update the name and address, establishment number and to revise the container disposal statements as per PR Notice 2007-4, is acceptable.

The notification has been made part of your registration file.

If you have any questions concerning this letter, please contact Karen M. Leavy-Munk at (703)-308-6237.

Sincerely,

Marshall Swindell

Product Manager 33 Regulatory Management Branch I Antimicrobial Division(7510P)



)

STEPTOE & JOHNSON LLP

WRITER'S DIRECT DIAL 202.429.3095

1330 Connecticut Avenue, NW Washington, DC 20036-1795 Tel 202.429.3000 Fax 202.429.3902 steptoe.com

September 3, 2009

Document Processing Desk (**NOTIF**) Office of Pesticide Programs (7504P) U.S. Environmental Protection Agency Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202-4501 Via HAND DELIVERY

Attention: Marshall Swindell (PM 33)

Re: Myacide AS (EPA Reg. No. 33753-3) Notification of Label Changes per PR Notices 2007-4 and 98-10

Dear Marshall:

On behalf of our client, BASF Corporation, enclosed please find a notification for Myacide AS to update the container disposal statements per PR Notice 2007-4 and make the following corrections per PR Notice 98-10:

- Update the registrant name and address;
- Update establishment numbers.

This notification is consistent with the guidance in PR Notice 2007-4 and PR Notice 98-10.

Enclosed is EPA Form 8570-1, with the required certification statement, along with one copy of the proposed label with changes highlighted. Please let me know if you have any questions or need anything further.

Regards,

Naria Juli Mann

Paralegal Specialist

lana road instruction	as before completing from	<u>,</u>)	F			70 0000 4	3.75
ease read instructions on rever		- d Ciataa	F0		stration		pproval expires 5-31-98 OPP Identifier Number
		ed States		Amei	ndment		
	Environmental	-	ency	X Othe	r		,
		ton, DC 20460	esticide – Sectio	<u></u>			
. Company/Product Number			2. EPA Product M		3. F	roposed	Classification
33753-3 . Company/Product (Name)			Marshall Swindell PM #	••••••		Nono	Restricted
Myacide AS	·		33				
 Name and Address of App BASF Corporation 	licant (Include ZIP Code)		 Expedited Rev (b)(i), my product is 	iew. In acc s similar or i	ordance wi	h FIFRA	Section 3(c)(3)
00 Campus Drive		to:			Joinpoola	ion and abouing	
Florham Park, NJ 07932		EPA Reg No. Product Name					
		Secti	on - II				
Amendment – Explain b	pelow		Final printe	d labels in re	esponse to		
	nse to Agency letter dated		Agency lett	er dated			·
	ise to Agency letter uated	<u> </u>		ppiloauon			
X Notification – Explain be	elow		Other – Exp	plain below			
J			L]				
Explanation: Use additional lotification of label changs pe		r Section I and Sec	ction II.)				
his notification is consistent		lotice 2007-4 This	notification is consis	tent with the	a duidance	in PR No	tice 2007-4 and the
equirements of EPA's regula							
abeling or the Confidential St							
tatement to EPA. I further un							
56.146, and 156.156, this pr							
f FIFRA.							
		Sect	ion III				· · · · · · · · · · · · · · · · · · ·
	In a Distance of the s						
		M/s	ater Soluble Packagir		2	Type of (Container
	Unit Packaging	Wa	ater Soluble Packagir	ng	2.		Container – epoxy lined
Child-Resistant Packaging Yes	Unit Packaging	Wa	Yes	ng	2.	Metal Plastic	– epoxy lined
Child-Resistant Packaging Yes X No	Unit Packaging Yes		Yes	ng No. per	2.	Metal	– epoxy lined
Child-Resistant Packaging Yes X No Certification must	Unit Packaging Yes X No	No. per If "	Yes No			Metal Plastic Glass Paper Other	– epoxy lined c (Specify) <u>Fiber</u>
Child-Resistant Packaging Yes X No Certification must be submitted	Unit Packaging Yes X No If "Yes" Unit Packaging wgt.	No. per If " container Par	Yes No Yes" ckage wgt	No. per containe	er X	Metal Plastic Glass Paper Other drum v	– epoxy lined (Specify) <u>Fiber</u> with plastic insert
Child-Resistant Packaging Yes X No Certification must be submitted	Unit Packaging Yes X No If "Yes" Unit Packaging wgt.	No. per If "	Yes No Yes" ckage wgt	No. per containe	er X 5. Location X On La	Metal Plastic Glass Paper Other <u>drum v</u> of label o	– epoxy lined (Specify) <u>Fiber</u> with plastic insert directions
X No Certification must be submitted 3. Location of Net Contents In Label	Unit Packaging Yes X No If "Yes" Unit Packaging wgt. nformation X Container	No. per container Par 4. Size(s) Retail 25 kg.	Yes No Yes" ckage wgt	No. per containe	er X 5. Location X On La On La	Metal Plastic Glass Paper Other <u>drum v</u> of label o	– epoxy lined (Specify) <u>Fiber</u> with plastic insert
Child-Resistant Packaging Yes X No Certification must De submitted C. Location of Net Contents II Label	Unit Packaging Yes X No If "Yes" Unit Packaging wgt. nformation X Container	No. per container Par 4. Size(s) Retail	Yes No Yes" ckage wgt	No. per containe	er X 5. Location X On La On La	Metal Plastic Glass Paper Other <u>drum v</u> of label o	– epoxy lined (Specify) <u>Fiber</u> with plastic insert directions
Child-Resistant Packaging Yes X No Certification must be submitted . Location of Net Contents II Label	Unit Packaging Yes X No If "Yes" Unit Packaging wgt. nformation X Container	No. per container If " Par 4. Size(s) Retail 25 kg. Lithograph X Paper glue Stenciled	Yes No Yes" ckage wgt I Container	No. per containe	er X 5. Location X On La On La	Metal Plastic Glass Paper Other <u>drum v</u> of label o	– epoxy lined (Specify) <u>Fiber</u> with plastic insert directions
Child-Resistant Packaging Yes X No Certification must be submitted B. Location of Net Contents II Label	Unit Packaging Yes X No If "Yes" Unit Packaging wgt. nformation X Container Affixed to Product	No. per container Pad 4. Size(s) Retail 25 kg. Lithograph X Paper glue Stenciled Secti	Yes No Yes" ckage wgt I Container	No. per containe	or X 5. Location X On La On La	Metal Plastic Glass Paper Other drum v of label o bel accor	- epoxy lined (Specify) <u>Fiber</u> with plastic insert directions mpanying product
Child-Resistant Packaging Yes X No Certification must be submitted . Location of Net Contents II Label [. Manner in Which Label is / . Contact Person (Complete lame	Unit Packaging Yes X No If "Yes" Unit Packaging wgt. nformation X Container Affixed to Product	No. per container Par 4. Size(s) Retail 25 kg. Lithograph X Paper glue Stenciled Secti dentification of indiv Title	Yes No Yes" ckage wgt I Container d ion IV vidual to be contacted	No. per containe	The process of the pr	Metal Plastic Glass Paper Other drum v of label o bel accor	- epoxy lined (Specify) <u>Fiber</u> with plastic insert directions mpanying product
Child-Resistant Packaging Yes X No Certification must be submitted Contact Person (Complete Jame	Unit Packaging Yes X No If "Yes" Unit Packaging wgt. nformation X Container Affixed to Product	No. per container Par 4. Size(s) Retail 25 kg. Lithograph A Paper glue Stenciled Secti dentification of indiv Title Paralegal S	Yes No Yes" ckage wgt I Container I Container ion IV vidual to be contacted Specialist, Steptoe &	No. per containe	er X 5. Location X On La On La r r	Metal Plastic Glass Paper Other drum v of label o bel bel accor	- epoxy lined (Specify) <u>Fiber</u> with plastic insert directions mpanying product
Child-Resistant Packaging Yes X No Certification must be submitted 3. Location of Net Contents II Label	Unit Packaging Yes X No If "Yes" Unit Packaging wgt. nformation X Container Affixed to Product	No. per container Par 4. Size(s) Retail 25 kg. Lithograph A Paper glue Stenciled Secti dentification of indiv Title Paralegal S	Yes No Yes" ckage wgt I Container d ion IV vidual to be contacted	No. per containe	The process of the pr	Metal Plastic Glass Paper Other drum v of label o bel bel accor ess this aj No. (Inclu 95 6. Da	- epoxy lined (Specify) <u>Fiber</u> with plastic insert directions mpanying product pplication.) ide Area Code)
Child-Resistant Packaging Yes X No Certification must be submitted . Location of Net Contents In Label [. Manner in Which Label is / . Contact Person (Complete lame uli Mann certify that the statements I h	Unit Packaging Yes X No If "Yes" Unit Packaging wgt. nformation X Container Affixed to Product	No. per container Par 4. Size(s) Retail 25 kg. Lithograph X Paper glue Stenciled Secti dentification of indix Paralegal S Johnson, Li rtification	Yes No Yes" ckage wgt I Container I Container I Container I Container I Container I Container I Container	No. per containe	er X 5. Location X On La On La r r r r r 202-429-30 lete.	Metal Plastic Glass Paper Other drum v of label o bel bel accor ess this aj No. (Inclu 95 6. Da	- epoxy lined (Specify) <u>Fiber</u> with plastic insert directions mpanying product pplication.) ide Area Code)
Child-Resistant Packaging Yes X No Certification must be submitted 3. Location of Net Contents II Label [6. Manner in Which Label is / . Contact Person (Complete Jame	Unit Packaging Yes X No If "Yes" Unit Packaging wgt. nformation X Container Affixed to Product	No. per container Par 4. Size(s) Retail 25 kg. Lithograph X Paper glue Stenciled Secti dentification of indix Paralegal S Johnson, Li rtification	Yes No Yes" ckage wgt I Container I Container I Container I Container I Container I Container I Container	No. per containe	er X 5. Location X On La On La r r r r r 202-429-30 lete.	Metal Plastic Glass Paper Other drum v of label o bel bel accor ess this aj No. (Inclu 95 6. Da	- epoxy lined (Specify) <u>Fiber</u> with plastic insert directions mpanying product <u>pplication.</u>) Ide Area Code) ate Application eceived
Child-Resistant Packaging Yes X No Certification must be submitted . Location of Net Contents In Label . Manner in Which Label is / . Manner in Which Label is / . Contact Person (Complete lame uli Mann certify that the statements I h acknowledge that any knowin oth under applicable law . Signature	Unit Packaging Yes No If "Yes" Unit Packaging wgt. nformation X Container Affixed to Product eitems directly below for ic nave made on this form and ngly false or misleading stat	No. per container Pau 4. Size(s) Retail 25 kg. Lithograph X Paper glue Stenciled Secti dentification of indite Paralegal S Johnson, Li rtification I all attachments the tement may be puni	Yes No Yes" ckage wgt I Container d ion IV vidual to be contacted Specialist, Steptoe & LP, Authorized agent ereto are true, accurat ishable by fine or imp	No. per containe Dothe	ar X 5. Location X On La On La r r r r r 202-429-30 lete.	Metal Plastic Glass Paper Other drum v of label o bel accor bel accor eass this aj No. (Inclu 95 6. Da	- epoxy lined (Specify) <u>Fiber</u> with plastic insert directions mpanying product pplication.) ide Area Code) ate Application
Child-Resistant Packaging Yes X No Certification must be submitted . Location of Net Contents In Label . Manner in Which Label is / . Manner in Which Label is / . Contact Person (Complete lame uli Mann certify that the statements I h acknowledge that any knowin oth under applicable law . Signature	Unit Packaging Yes No If "Yes" Unit Packaging wgt. nformation X Container Affixed to Product eitems directly below for ic nave made on this form and ngly false or misleading stat	No. per container Pau 4. Size(s) Retail 25 kg. Lithograph X Paper glue Stenciled Secti dentification of indite Paralegal S Johnson, Li rtification I all attachments the tement may be puni	Yes No Yes" ckage wgt Container Container d ion IV vidual to be contacted Specialist, Steptoe & LP, Authorized agent ereto are true, accurat ishable by fine or imp	No. per containe Dothe	ar X 5. Location X On La On La r r r r r 202-429-30 lete.	Metal Plastic Glass Paper Other drum v of label o bel accor bel accor eass this aj No. (Inclu 95 6. Da	- epoxy lined (Specify) <u>Fiber</u> with plastic insert directions mpanying product pplication.) ide Area Code) ate Application eceived 3Stamped)
Child-Resistant Packaging Yes No Certification must be submitted Contact Person (Complete Jame Juli Mann Certify that the statements I h acknowledge that any knowin oth under applicable law Signature Will Mam	Unit Packaging Yes No If "Yes" Unit Packaging wgt. nformation X Container Affixed to Product eitems directly below for ic nave made on this form and ngly false or misleading stat	No. per container If " container Pad 4. Size(s) Retail 25 kg. Lithograph Paper glue Stenciled Secti dentification of indix Title Paralegal S Johnson, Li rtification all attachments the tement may be puni	Yes No Yes" ckage wgt Container Container d ion IV vidual to be contacted Specialist, Steptoe & LP, Authorized agent ereto are true, accurat ishable by fine or imp	No. per containe Dothe	pr X 5. Location X On La On La r r r r r p, to proce r r p, 202-429-30 lete. r p, 3, 3 , 3, 3	Metal Plastic Glass Paper Other drum v of label o bel bel accor	- epoxy lined (Specify) <u>Fiber</u> with plastic insert directions mpanying product pplication.) ide Area Code) ate Application eceived 3Stamped)
Child-Resistant Packaging Yes X No Certification must be submitted Contact Person (Complete Jame Uli Mann Certify that the statements I h acknowledge that any knowing oth under applicable law Signature WMMMM	Unit Packaging Yes No If "Yes" Unit Packaging wgt. nformation X Container Affixed to Product eitems directly below for ic nave made on this form and ngly false or misleading stat	No. per container Par 4. Size(s) Retail 25 kg. Lithograph Paper glue Stenciled Secti dentification of indiv Title Paralegal S Johnson, Li rtification all attachments the tement may be puni 3. Title Paralegal S Authorized 5. Date	Yes No Yes" ckage wgt I Container d ion IV vidual to be contacted Specialist, Steptoe & LP, Authorized agent ereto are true, accurat ishable by fine or imp Specialist, Steptoe & a agent	No. per containe Dothe	pr X 5. Location X On La On La r r r r P, 3 2 3 3 3	Metal Plastic Glass Paper Other drum v of label bel accor bel bel accor ess this aj No. (Inclu	- epoxy lined (Specify) <u>Fiber</u> with plastic insert directions mpanying product pplication.) ide Area Code) ate Application eceived 3Stamped)
Child-Resistant Packaging Yes No Certification must be submitted Contact Person (Complete Jame Juli Mann Certify that the statements I h acknowledge that any knowin oth under applicable law Signature Will Mam	Unit Packaging Yes No If "Yes" Unit Packaging wgt. nformation X Container Affixed to Product eitems directly below for ic nave made on this form and ngly false or misleading stat	No. per container If " container Pad 4. Size(s) Retail 25 kg. Lithograph Paper glue Stenciled Secti dentification of indiv Title Paralegal S Johnson, Li rtification I all attachments the tement may be puni	Yes No Yes" ckage wgt I Container d ion IV vidual to be contacted Specialist, Steptoe & LP, Authorized agent ereto are true, accurat ishable by fine or imp Specialist, Steptoe & a agent	No. per containe Dothe	pr X 5. Location X On La On La r r r r P, 3 2 3 3 3	Metal Plastic Glass Paper Other drum v of label o bel bel accor sess this aj No. (Inclu 95 6. Da Re	- epoxy lined (Specify) <u>Fiber</u> with plastic insert directions mpanying product pplication.) ide Area Code) ate Application eceived 3Stamped)
Child-Resistant Packaging Yes X No Certification must be submitted Contact Person (Complete lame Uli Mann Certify that the statements I h acknowledge that any knowin oth under applicable law Signature Typed Name Uli Mann	Unit Packaging Yes X No If "Yes" Unit Packaging wgt. Iformation X Container Affixed to Product <i>A</i> fixed to Product <i>A</i> fixed to Product <i>A</i> fixed to Product <i>A</i> fixed to Product	No. per container If " Particular of the particular of the particular of the particular of the part of t	Yes No Yes" ckage wgt Container Container d ion IV vidual to be contacted Specialist, Steptoe & LP, Authorized agent ereto are true, accurat ishable by fine or imp Specialist, Steptoe & a agent 3, 2009	No. per containe Dothe	Pr X 5. Location X On La On La r r r P, 3 3 3 3	Metal Plastic Glass Paper Other drum v of label bel accor bel ass this aj No. (Inclu 95 6. Da	- epoxy lined (Specify) <u>Fiber</u> with plastic insert directions mpanying product pplication.) ide Area Code) ate Application eceived Stamped)
Child-Resistant Packaging Yes X No Certification must be submitted 3. Location of Net Contents In Label Contact Person (Complete Jame Juli Mann certify that the statements I h acknowledge that any knowin oth under applicable law	Unit Packaging Yes X No If "Yes" Unit Packaging wgt. Iformation X Container Affixed to Product <i>A</i> fixed to Product <i>A</i> fixed to Product <i>A</i> fixed to Product <i>A</i> fixed to Product	No. per container If " Particular of the particular of the particular of the particular of the part of t	Yes No Yes" ckage wgt Container Container d ion IV vidual to be contacted Specialist, Steptoe & LP, Authorized agent ereto are true, accurat ishable by fine or imp Specialist, Steptoe & a agent 3, 2009	No. per containe Dothe	Pr X 5. Location X On La On La r r r P, 3 3 3 3	Metal Plastic Glass Paper Other drum v of label bel accor bel ass this aj No. (Inclu 95 6. Da	- epoxy lined (Specify) <u>Fiber</u> with plastic insert directions mpanying product pplication.) ide Area Code) ate Application eceived Stamped) 3 3 2 2 2 2 2 2 2 2 2 2 2 2 2
Child-Resistant Packaging Yes No Certification must be submitted Contact Person (Complete Jame Juli Mann Certify that the statements I h acknowledge that any knowin oth under applicable law Signature Typed Name Juli Mann	Unit Packaging Yes X No If "Yes" Unit Packaging wgt. Iformation X Container Affixed to Product <i>A</i> fixed to Product <i>A</i> fixed to Product <i>A</i> fixed to Product <i>A</i> fixed to Product	No. per container If " Particular of the particular of the particular of the particular of the part of t	Yes No Yes" ckage wgt Container Container d ion IV vidual to be contacted Specialist, Steptoe & LP, Authorized agent ereto are true, accurat ishable by fine or imp Specialist, Steptoe & a agent 3, 2009	No. per containe Dothe	Pr X 5. Location X On La On La r r r P, 3 3 3 3	Metal Plastic Glass Paper Other drum v of label bel accor bel ass this aj No. (Inclu 95 6. Da	- epoxy lined (Specify) <u>Fiber</u> with plastic insert directions mpanying product pplication.) ide Area Code) ate Application eceived Stamped)

.

.

BASF

MYACIDE[®] AS TECHNICAL

ACTIVE INGREDIENT: 2-bromo-2-nitropropane-1,3-diol INERT INGREDIENTS: TOTAL

99.0% 1.0% 100.0%

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID							
If on skin or	•Take off contaminated clothing.						
clothing	•Rinse skin immediately with plenty of water for 15-20 minutes.						
	•Call a poison control center or doctor for						
	treatment advice.						
If in eyes	•Hold eye open and rinse slowly and gently with water for 15-20 minutes.						
	•Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye.						
	•Call a poison control center or doctor for						
	treatment advice.						
If swallowed	•Call a poison control center or doctor immediately for treatment advice.						
	•Have person sip a glass of water if able to						
	swallow.						
	•Do not induce vomiting unless told to do so by						
	the poison control center or doctor.						
	 Do not give anything by mouth to an 						
	unconscious person.						
If inhaled	 Move person to fresh air. 						
	 If person is not breathing, call 911 or an 						
	ambulance, then give artificial respiration,						
	preferably by mouth-to-mouth, if possible.						
	• Call a poison control center or doctor for						
	HOT LINE NUMBER						
Have the product	container or label with you when calling a poison						
	or doctor, or going for treatment. You may also						
	-832-4357 for emergency medical treatment						
	information.						
	NOTE TO PHYSICIAN						
Probable mucos	al damage may contraindicate the use of gastric						
lavage. Treat according to symptoms (decontamination, vital							
functions), no known specific antidote.							

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Corrosive. Causes irreversible eye damage and skin burns. May be fatal if swallowed or inhaled. Harmful if absorbed through skin. Do not get in eyes, on skin or on clothing. Do not breathe dust. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear: Coveralls over long sleeved shirt and long pants, socks and chemical resistant footwear, goggles or face shield and chemical resistant gloves such as or made of any water-proof material. If dusts are generated, wear an approved dust respirator.

USER SAFETY REQUIREMENTS

Follow manufacturer's instructions for cleaning/maintaining PPE. If there are no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove personal protective equipment immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA. Do not contaminate water by cleaning of equipment or disposal of waste.

PHYSICAL AND CHEMICAL HAZARDS

Avoid contact with metal equipment such as scoops, mills and sieves.

MYACIDE IS A REGISTERED TRADEMARK OF BASF CORPORATION
່ <u>ສ</u> ່ວງ
EPA REG. NU順명문중? (33753-3 3 3 2 2
EPA EST. NUMBER 65428-SC-001 °
70815-GA-001
³ G523 ² 4-TX-010
د در د در
NET CONTENTS: SEE PAÇKAGE မီ သူနိုင်နီ
ن د د
۱۵٬۰۱ ۲ د ۲ د د د د د د د د د د د د د د د د د
ני נ ניני . הנוכ

Registrant:

BASF Corporation 100 Campus Drive Florham Park, NJ 07932

	STORAGE AND DISPOSAL Do not contaminate water, food, or feed by storage or disposal. PESTICIDE STORAGE	_
רק זר, סר זח	Keep away from heat. PESTICIDE DISPOSAL Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. CONTAINER HANDLING Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Triple rinse (or equivalent) then offer drum for recycling or reconditioning, or puncture. Dispose of drum and liner in a sanitary landfill, or by incineration, if allowed by State and local authorities. If burget etage of a series of the	
	burned, stay out of smoke.	
	DIRECTIONS FOR USE	
е	IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. For use by manufacturers in formulating disinfectants, sanitizers, preservatives and microbiocides.	·
	Formulators using this product are responsible for obtaining EPA registration for their formulated product and for providing appropriate data.	
\$	Do not apply this product in a way that will contact workers or other persons.	
	CONDITIONS OF SALE AND WARRANTY BASF warrants that this product conforms to its chemical description	
1	and the specifications thereof. BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES EITHER OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE.	
	Handling, storage and use of the product by the Buyer are beyond the control of BASF, and BASF shall not be liable for, and the Buyer	
<u> </u>	assumes responsibility for, all personal injury and property damage resulting from the handling, possession, use or resale of the	د د د د د د د د د د د د د د
	IN NO EVENT SHALL BASE BE RESPONSIBLE FOR SPECIAL, AND INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER	دددد د د د د د د د د د د د د د د د
	September 3, 2009	້ມວມມັ ເບິ່ງ ເບິ່ງ ຊີຍາຊີ

)

,

575

)