

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS:

- For external use only.
- For control of head and body lice on humans only.
- Do not apply product into eyes, ears, and nose.
- Wash any clothing, bed linens, blankets and towels in contact with infested area with detergent.
- For use in hand operated dusters (both hand powered and calibrated, power assisted).
- For use in mass delousing programs, see the attached information sheets.

Pre-Application Directions:

Cover eyes, ears, and nose. For Hand Power Duster, first dip Duster into Douse container and shake excess product from duster.

Application Directions:

- Use at the rate of 0.1 to 1 oz. per person.
- Head lice:** Apply Douse to hair in the head area.
- Body lice:** Apply Douse to hair in crotch area (from front to rear), down the neck, and under the arms.

Re-Application Directions:

Reapply at two week intervals until infestation has been eliminated.

PRECAUTIONARY STATEMENTS

Hazardous to Humans and Domestic Animals.

CAUTION

Harmful if swallowed. Avoid breathing dust. Wash contaminated clothing before re-use.

NOTE TO PHYSICIAN

Malathion may cause cholinesterase inhibition. Atropine is antidotal.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, aquatic invertebrates, and aquatic stages of amphibians. Do not contaminate water when disposing of equipment washwaters.

DOUSE

MALATHION

PREMIUM GRADE

1% DUST

FOR EXTERNAL USE ONLY

For the control of
**HUMAN HEAD &
BODY LICE**

ACTIVE INGREDIENT:

Malathion* 1.00%

INERT INGREDIENTS: 99.0%

TOTAL 100.00%

*O-Dimethyl phosphorodithioate of diethyl mercaptosuccinate

EPA Reg. No. 33816-1

KEEP OUT OF THE REACH OF CHILDREN

— CAUTION —

Hazardous to Humans and Domestic
Animals.

Do Not Contaminate Food or Feed Products

See side panels for additional
precautionary statements.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Induce vomiting by giving victim 1 or 2 glasses of water and touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

IF ON SKIN: If irritation develops and persists, get medical attention.

IF INHALED: Remove victim to fresh air. Apply Artificial Respiration if indicated. Get medical attention.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed storage or disposal.

STORAGE: Store product in its original container in a cool, dry place inaccessible to children and pets.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

NOTICE OF WARRANTY

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Manufactured by:

T.F.G. Associates

7518 N. 13th Avenue Phoenix, AZ 85021
Phone (602) 997-4588

ACCEPTED
FEB 1991
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, or the pesticide registered under EPA Reg. No. 33816-1

INSECTICIDE, MALATHION, POWDER, DUSTING

FEDERAL SPECIFICATION NUMBER O-1-554

NATIONAL STOCK NUMBER

NET CONTENTS - 25 LBS (11.34 kg)

MANUFACTURER

T.F.G. ASSOCIATES, 7518 N. 13TH AVENUE, PHOENIX AZ 85021

CONTRACT AND LOT NUMBER

DATE OF MANUFACTURER

ACTIVE INGREDIENT:

Malathion* 1.00%

INERT INGREDIENTS: 99.0%

TOTAL 100.00%

*O,O-Dimethyl phosphorodithioate of diethyl mercaptosuccinate

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store product in its original container in a cool, dry place inaccessible to children and pets.

Store in a cool, dry place when possible. Never exceed 90° F storage temperature. The average effective period of this item is 48 months from date of manufacture. If used after this period, malathion content should not be below 0.75 percent.

See basic product label for additional "Storage and Disposal" instructions.

PRECAUTIONARY STATEMENTS
Hazardous to Humans and Domestic Animals.

CAUTION
Harmful if swallowed. Avoid breathing dust.
Wash contaminated clothing before re-use.

Personnel engaged in mass delousing using this material shall wear respirators approved for use by the National Institute of Occupational Safety and Health (NIOSH). Unlined rubber gloves should be used for handling, and prolonged skin contact with large amounts of the dust shall be avoided. Shower at the end of the day. Uniforms shall be laundered before wearing again.

NOTE TO PHYSICIAN
Malthion may cause cholinesterase inhibition.
Atropine is antidotal.

ENVIRONMENTAL HAZARDS
This pesticide is toxic to fish, aquatic invertebrates, and aquatic stages of amphibians. Do not contaminate water when disposing of equipment washwaters.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Induce vomiting by giving victim 1 or 2 glasses of water and touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

IF ON SKIN: If irritation develops and persists, get medical attention.

IF INHALED: Remove victim to fresh air. Apply Artificial Respiration if indicated. Get medical attention.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

General Use Restrictions:

1. Persons should bathe before being dusted, if possible.
2. Do not dust individuals who have insect repellent, oil, or grease on their skin.
3. Do not apply more than one ounce (28 grams) of product per person per treatment.
4. Do not retreat persons within 14 days of previous dusting.

Application Restrictions:

1. Exposure to Eyes, Ears, and Nose

While treating person's head area, cover eyes, ears, and nose to avoid unnecessary exposure to those sensitive areas. If exposure does occur, follow instructions under "Statement of Practical Treatment" section of basic product label.

2. Exposure to Hands

Instruct treated persons to wash hands thoroughly with soap and water immediately after application.

Application Directions:

FOR BODY LICE ONLY:

1. Clothing off person: Turn clothing inside out and dust lightly over entire inner surface, rubbing powder well into all seams. Repeat at weekly intervals until infestation is controlled.
2. Clothing on person: Use machine or hand duster. If hand duster, fill 3/4 full and adjust to deliver heavy cloud of powder at each stroke. One hand duster 3/4 full holds enough powder to treat approximately 10 individuals. With either the machine or hand duster the standard 16-point delousing technique should be used. For each point, deliver a single burst (machine) with discharge setting of spray gun (MIL-S-1837) at 1.8 grams or 2 full strokes (hand).

a. Insert nozzle into right sleeve next to skin. With subject's arms outstretched to the side at shoulder height, direct powder toward armpit. Repeat for left sleeve (points 3 and 4). The subject's face should be turned away from the side being dusted.

b. Insert nozzle in the front of the shirt at collar and direct the powder toward the right armpit (point 5), toward the stomach (point 6) and toward the left armpit (point 7). Operator stands in front, and subject leans forward with head tipped back.

c. Insert nozzle in front of trousers, next to skin, and direct powder toward right leg (point 8), toward pubic region (point 9) and toward left leg (point 10).

d. Insert nozzle in back of shirt at collar and direct powder toward right shoulder (point 11), toward small of back (point 12), and toward left shoulder (point 13). Operator and subject remain in same relative position as above but with head of subject bent on chest.

e. Insert nozzle in back of trousers, next to skin, and direct powder toward right leg (point 14), toward buttocks crease (point 15) and toward left leg (point 16).